

Date: _____

Dealer / Location: _____ T: _____ F: _____

PO# / Client: _____ Contact: _____ Email: _____

Raz-AP: Attendant Propel Mobile Shower Commode Chair with height-adjustable stainless-steel frame, flip-up padded arm supports, foot supports, four dual-locking 5" (125mm) casters and commode pan. **User weight capacity 400 lbs.** See our [Evaluation and Medical Justification Form](#).

1. Chair Codes by size – Must Choose One

<input type="checkbox"/>	Z10018	Raz-AP w/ 18"W base frame – Standard base frame size, will fit over most toilets ¹	\$1,795
<input type="checkbox"/>	Z100__*	Raz-AP w/ non-standard base frame width – *add custom width to complete order code (16"/20"/22") – Must add upcharge for custom frame width [see below] – Adjusta-Back must be selected for all custom frame widths [Sec.5]	\$1,795
<input type="checkbox"/>	Z100R18	Raz-AP w/ 18"W recliner base frame – Must add Reclining Back option Z515APR18/Z520APR [Sec.5]	\$2,275
<input type="checkbox"/>	Z100R__*	Raz-AP w/ non-standard recliner base frame width [*add custom width to complete order code (16/20/22)] – Must add upcharge for custom frame width [see below] – Must add Reclining Back option Z515APR__ / Z520APR__ [Sec.5]	\$2,275
Custom Base Frame Width - May require custom seat			
<input type="checkbox"/>	Z1SW16	Upcharge for custom 16"W frame ² – will not fit over most toilets	\$695
<input type="checkbox"/>	Z1SW20	Upcharge for custom 20"W frame ³	\$695
<input type="checkbox"/>	Z1SW22	Upcharge for custom 22"W frame ⁴	\$850
¹ Fits all 18"W seats. ² Visco-Foam Interface seats can be modified to fit. ³ 18"W seats can be selected but must also select Seat Support Adapter Kit Z4SSKAS [Sec.2]. ⁴ Z4V23N Visco Foam Interface HD seat can be modified to fit. Seat depth range (IPAS) will be 18"-20".			
Custom Base Frame Length and Height			
<input type="checkbox"/>	Z1LNGF3	Upcharge – custom 3" Longer Frame recommended for seat depths 20"/21", req for seat depths 21"-24"	\$525
<input type="checkbox"/>	Z1LOWF4	Upcharge – custom 4" Lower Frame – reduces seat height range to 16"-18" from std height range of 20"-24" with molded seat (16"-18")	\$525
⁵ Call for quotation for recliner frame modifications. ⁶ To lower chair by an additional 1" (15"-17"), add 4" caster upgrade option Z64AP [Sec.13].			

2. Seats – Standard

Molded Seats (thickness ~2.5"-3")			Visco-Foam Interface Seats (thickness ~3.5")		
<input type="checkbox"/>	Z405	18"W x 16"D – Front Access Standard	Z436BRI	18"W x 16"D – Front Bridged	\$455
<input type="checkbox"/>	Z410	18"W x 16"D – Front Bridged N/C	Z436FRO	18"W x 16"D – Front Access	\$455
<input type="checkbox"/>	Z415	18"W x 19"D – Front Access \$175	Z436LTO	18"W x 16"D – Left Access	\$455
<input type="checkbox"/>	Z420	18"W x 19"D – Front Bridged \$175	Z436RTO	18"W x 16"D – Right Access	\$455
Specialty Seats			Z436RRO	18"W x 16"D – Rear Access	\$455
<input type="checkbox"/>	Z4SOM	Shower-Only Seat – Molded 18"W x 16"-21"D \$530	Z439BRI	18"W x 19"D – Front Bridged	\$530
<input type="checkbox"/>	Z4EJRM	E&J Replica Seat – Molded 18"W x 17"D \$455	Z439FRO	18"W x 19"D – Front Access	\$530
<input type="checkbox"/>	Z4EJRV	E&J Replica Seat – Visco Foam 18"W x 17"D \$955	Z439LTO	18"W x 19"D – Left Access	\$530
<input type="checkbox"/>	Z4V23N	23"W x 18"D HD –Visco Foam – Front Access Notched at rear to maintain fore/aft adjustment range (IPAS) – 22"W frame \$745	Z439RTO	18"W x 19"D – Right Access	\$530
<input type="checkbox"/>	Z4SSKAS	Seat Support Kit for Raz-AP/SP – for seat 2" narrower than seat frame \$160	Z439RRO	18"W x 19"D – Rear Access	\$530
			Z4GSB__*	Custom Gimballed Seat Brackets – for adding dump angle (pr) Specify additional height at front of seat to complete code (1.0"/1.5"/2.0")	\$385

3. Seats – Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.

<input type="checkbox"/> Z4CS	Custom Seat (enter specs below) Select if both width and depth are ≤ 21"	\$1035
<input type="checkbox"/> Z4CEJR	Custom E&J Replica Seat (enter specs below) Select if both width and depth are ≤ 21"	\$1225
<input type="checkbox"/> Z4CSHD	Heavy Duty Custom Seats (enter specs below) Select if width and/or depth is ≥ 22"	\$1345

Custom Specifications (for above custom seats)

Seat Frame Width:	-- 16" / 18" / 20" / 22"
Custom Seat Width:	-- 16" / 18" / 20" / 22" / 24" (cannot be more than 2" wider than frame width)
Custom Seat Depth:	-- 15" / 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" [≥ 21" requires Long Frame (Z1LNGF3)]
Access Opening:	-- FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged
Access Opening Width:	-- 2.5" / 3.0" / 3.5" / 4.0" / 4.5" / 5.0" (3.5"W is standard)
Aperture Width:	-- 3.0"-8.0" (6.5" recommended) – enter "NA" if aperture is not required

- Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.
- Custom Seat width should not be narrower than frame width.
- Custom Seat can be up to 2" wider than seat frame width to provide additional thigh support without ordering wider chair frame.
- For Custom Seats, the Ischial Pelvic Alignment System (IPAS) allows +/- 1" fore / aft adjustment from specified custom seat depth.
- Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, pelvic obliquity accommodation, etc.

4. Fixed Back Frames (18"W only)

This is called a "Fixed" Back because the arm supports are not adjustable in height. Includes molded vinyl back support, fixed-height flip-up padded arm supports, back angle adjustment (90°/97°) with cane-style posts. Back height is measured from top of molded seat to top of back upholstery. Hip Adductors [Z7HP1/2] are not compatible with Fixed Back.

<input type="checkbox"/> Z508	Fixed Back – 18"W x 18"H (Armrest Lock Kit (Z710) [Sec.7] is not included.)	Standard
-------------------------------	---	----------

5. Adjusta-Back Frames


Includes height / angle-adjustable arms with Arm Support Lock Kit (Z710), tension-adjustable back upholstery, flip-up padded arm supports, back angle adjustment (90°/97°). Tension-adjustable back upholstery can be positioned 2.5" higher than the nominal height indicated below, except on Z52018.

Standard Width Adjust-Backs (18"W)			Non-Standard Width Adjust-Backs		
<input type="checkbox"/> Z50918	Adjusta-Back – 15"H	\$255	* Complete Adjusta-Back order code by adding desired back frame width (16"/20"/22") Note: 18" is the standard width.		
<input type="checkbox"/> Z51018	Adjusta-Back – 17"H	\$255	<input type="checkbox"/> Z509_*	Adjusta-Back – 15"H non-std width	\$255
<input type="checkbox"/> Z51518	Adjusta-Back – 20"H	\$335	<input type="checkbox"/> Z510_*	Adjusta-Back – 17"H non-std width	\$255
<input type="checkbox"/> Z52018	Adjusta-Back – 24"H	\$385	<input type="checkbox"/> Z515_*	Adjusta-Back – 20"H non-std width	\$335
<input type="checkbox"/> Z5DTGL	Dual Triggers, green – both on left side ¹	N/C	<input type="checkbox"/> Z520_*	Adjusta-Back – 24"H non-std width	\$385
<input type="checkbox"/> Z5DTGR	Dual Triggers, green – both on right side ¹	N/C	<input type="checkbox"/> Z515APR_*	Reclining Adjusta-Back w/ 30° recline, 20" back height, 2-Point Reclining Arms (incl. Rear Anti-Tippers, but not Head Support)	\$1065
<input type="checkbox"/> Z515APR18	Reclining Adjusta-Back w/ 30° recline, 20" back height, 2-Point Reclining Arms (incl. Rear Anti-Tippers, but not Head Support)	\$1065	<input type="checkbox"/> Z520APR_*	Reclining Adjusta-Back w/ 30° recline, 24" back height, 2-Point Reclining Arms (incl. Rear Anti-Tippers but not Head Support)	\$1170
<input type="checkbox"/> Z520APR18	Reclining Adjusta-Back w/ 30° recline, 24" back height, 2-Point Reclining Arms (incl. Rear Anti-Tippers but not Head Support)	\$1170			

¹ Dual Tilt Triggers option positions both triggers on one side, allowing for single-handed activation. Available for all back widths.

6. Custom Back Frame Width Narrower Than Chair Frame Width – Must choose back frame [Sec.5] (configurations below are not available for recliner backs)

NOTE: For back frame width variances on recliner frames, please request custom quotation.

<input type="checkbox"/> Z5NB__ __ *	Custom – Back Frame 2” Narrower than chair frame	\$455	Chair Frame Width	16” ¹	18” ²	20” ³	22” ⁴	
			Back Frame Width	14”	16”	18”	20”	

* Enter chair and back frame widths to complete code.
eg. Z5NB2018 specifies a 20”W chair frame with an 18”W back frame

¹ Requires Custom Seat
² Compatible with all 18”W seats but with reduced seat depth range. Also compatible with Custom or modified Visco-Foam Interface seats.
³ Custom Seat recommended. Also compatible with all 18”W seats with Seat Support Kit Z4SSKAS.
⁴ Custom Seat recommended. Also compatible with modified Z4V23N (18” seat depth with limited adjustability)

7. Back Support Options – These back supports replace the standard, tension-adjustable upholstery and are recommended for infection-control environments.

<input type="checkbox"/> Z5S14	14”W Symphony Back ¹ – recessed solid back support	\$530	<input type="checkbox"/> Z749	Harmony Back ² (contoured solid back – 18”W x 13”H) Fits 18”W back frames only Fits 17” / 20” back heights only	\$265
<input type="checkbox"/> Z5S16	16”W Symphony Back ¹ – recessed solid back support	\$530			
<input type="checkbox"/> Z5S18	18”W Symphony Back ¹ – recessed solid back support	\$530			
<input type="checkbox"/> Z5S20	20”W Symphony Back ¹ – recessed solid back support	\$745			
<input type="checkbox"/> Z5S22	22”W Symphony Back ¹ – recessed solid back support	\$745			

¹ Does not fit 15” back heights
² Not recommended for reclining backs.

8. Arm Supports and Accessories

<input type="checkbox"/> Z5BAR13	Flip-Up Arm Supports – 13”L pad (pr)	Std	<input type="checkbox"/> Z7PAML	Pivoting Arm Mount – Left (for Z7FL/Z7TR)	\$180
<input type="checkbox"/> Z5BAR10	Flip-Up Arm Supports – 10”L pad (pr) (not compatible with Z7FL/Z7FS/Z7TR/Z7PAM)	N/C	<input type="checkbox"/> Z7PAMR	Pivoting Arm Mount – Right (for Z7FL/Z7TR)	\$180
<input type="checkbox"/> Z710	Arm Support Lock Kit (for Z505/Z506) (pr)	\$85	<input type="checkbox"/> Z718	Arm Support Spacer Kit – 1/2” per side (for Z509/Z510/Z515/Z520) (pr)	\$80
<input type="checkbox"/> Z52PAS	2-Point Flip-up Arm Supports ¹ (pr) (standard with reclining backs)	\$370	<input type="checkbox"/> Z719	Arm Support Spacer Kit – 1” per side (for Z509/Z510/Z515/Z520) (pr)	\$135
<input type="checkbox"/> Z7FLL	Long Molded Flat Armpad ² – Left (14”L x 3.25”W – fits Z5BAR13)	\$125	<input type="checkbox"/> Z7PHG	Pivoting Hand Grips (pr)	\$425
<input type="checkbox"/> Z7FLR	Long Molded Flat Armpad ² – Right (14”L x 3.25”W – fits Z5BAR13)	\$125	<input type="checkbox"/> Z7APS_ _ *	Anterior Posture Support Bar * Enter back frame width to complete code (14”/16”/18”) ³	\$240
<input type="checkbox"/> Z7FSL	Short Molded Flat Armpad – Left (10”L x 3”W – fits Z5BAR10)	\$125	<input type="checkbox"/> Z7APS_ _ *	Anterior Posture Support Bar * Enter back frame width to complete code (20”/22”) ^{3,4}	\$275
<input type="checkbox"/> Z7FSR	Short Molded Flat Armpad – Right (10”L x 3”W – fits Z5BAR10)	\$125			
<input type="checkbox"/> Z7TRL	Molded Arm Trough ² – Left (18.5”L x 4.5”W – fits Z5BAR13)	\$135			
<input type="checkbox"/> Z7TRR	Molded Arm Trough ² – Right (18.5”L x 4.5”W – fits Z5BAR13)	\$135			

¹ For chairs with same back width and frame width only
² May require Z718/Z719 for Arm Support to flip up, depending on medial / lateral position of the Flat Arm Pad
³ Not compatible with Z7FL/Z7FS/Z7TR
⁴ Special length required with Z718 (+1”) and Z719 (+2”)

9. Foot and Leg Supports – Standard Foot Supports (Z705N) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (Z7ELRL), the chair will be supplied with one Foot Support (Z705N) on the right side and a Z7ELRL on the left side.

<input type="checkbox"/> Z705N	Foot Supports 16"-20.5" (pr)	Std	<input type="checkbox"/> Z7ELRL	Elevating Leg Support ³ – Left (includes Z7ADM)	\$520
<input type="checkbox"/> Z705N16	Foot Supports for 16"W frames 16"-20.5" (pr)	N/C	<input type="checkbox"/> Z7ELRR	Elevating Leg Support ³ – Right (includes Z7ADM)	\$520
<input type="checkbox"/> Z7FET2	Footrest Extension Tubes 2" longer ¹ (pr)	\$80	<input type="checkbox"/> Z7ELROFL	Forward Offset Elevating Leg Support ⁴ – Left (incl Z7ADM)	\$570
<input type="checkbox"/> Z7MFX8	MFX8 – Foot Supports 8"-12" (pr)	\$105	<input type="checkbox"/> Z7ELROFR	Forward Offset Elevating Leg Support ⁴ – Right (incl Z7ADM)	\$570
<input type="checkbox"/> Z7MFX12	MFX12 – Foot Supports 12"-16.5" (pr)	\$210	<input type="checkbox"/> Z7RLSL	Universal Residual Limb Support – Left	\$425
<input type="checkbox"/> Z7ADM	Angle/Depth Adj Molded Footplates ² (pr)	\$205	<input type="checkbox"/> Z7RLSR	Universal Residual Limb Support – Right	\$425
<input type="checkbox"/> Z7FET2A	Footrest Extension Tubes for Z7ADM (pr) – 2" longer	\$80			
<input type="checkbox"/> Z7ADABS16	Angle/Depth Adj ABS Footplates (pr) For 16"W frames	\$235			
<input type="checkbox"/> Z7VS18	V-Style Foot Support (1-piece) – for 18"W base frames	\$240			
<input type="checkbox"/> Z7VS__*	V-Style Foot Support (1-piece) * Enter frame width to complete code (16" / 20" / 22")	\$330			
<input type="checkbox"/> Z7FBAS	Flip-Back Foot Support (1-piece)	\$240			
¹ Not compatible with Z7MFX8/Z7ADM/Z7VS ² Not compatible with Z10016 or Z7MFX8			³ Z7ELRL/R compatible with frame widths ≥ 18" and adjusted seat depths ≤ 18" or ≤ 21" w/ 3" longer seat frames (Z1LNGF3) ⁴ Z7ELROFL/R compatible with frame widths ≥ 18" for adjusted seat depths 19"-20" on standard frame or 22"-23" w/ 3" longer seat frames (Z1LNGF3)		

10. Foot and Leg Support Accessories

<input type="checkbox"/> Z7FSLK	Foot Support Lock (pr)	\$105	<input type="checkbox"/> Z7NCS	Neoprene Covers for Standard Footplates (pr)	\$100
<input type="checkbox"/> Z7CS__*	Calf Strap Snap-On – Bodypoint Aeromesh* Enter frame width to complete code (16" / 18" / 20" / 22")	\$170	<input type="checkbox"/> Z7NC16	Neoprene Covers for narrow molded footplates (pr)	\$100
<input type="checkbox"/> Z7CSIC__*	Calf Strap Snap-On Infection Control * Enter seat frame width to complete code (16" / 18" / 20")	\$190	<input type="checkbox"/> Z7NCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (pr)	\$100
<input type="checkbox"/> Z7CSIC22	Calf Strap Snap-On Infection Control – for 22"W frames	\$190	<input type="checkbox"/> Z7NCABS16	Neoprene Covers for ABS Adj Angle/Depth Footplates Z7ADABS (pr) For 16"W frames	\$100
<input type="checkbox"/> Z737CPL	Calf Panel – Bodypoint Aeromesh ¹ Fits frame widths (16" / 18" / 20")	\$190	<input type="checkbox"/> Z7OFLM	Lateral Offset Foot Support Receiver – moves foot support 2" laterally or medially (ea) Quantity (1 or 2) __	\$175
<input type="checkbox"/> Z706	H-Strap – for 18" / 20"W frames – hook and loop attachment	\$105			
<input type="checkbox"/> Z712	H-Strap – for 22"W frames – hook and loop attachment	\$120			
<input type="checkbox"/> Z708ADJ	Adjustable Heel Loops (pr) – not available for Z7VS / Z7FBAS	\$65			
			¹ Not compatible with Z7MFX8 / Z7FBAS / Z7VS		

11. Positioning Pads

<input type="checkbox"/>	Z7HSASS	Head Support w/ Small Pad (10" x 4")	\$530	<input type="checkbox"/>	Z7LGAS1L	Leg Adductor w/ Small Pad ¹ – Left	\$345
<input type="checkbox"/>	Z7HSASL	Head Support w/ Large Pad (12" x 6")	\$585	<input type="checkbox"/>	Z7LGAS1R	Leg Adductor w/ Small Pad ¹ – Right	\$345
<input type="checkbox"/>	Z7OHIP	Lateral Offset Head Support Interface Plate– up to 22° of adjustment	\$105	<input type="checkbox"/>	Z7LGAS2L	Leg Adductor w/ Large Pad ¹ – Left	\$345
<input type="checkbox"/>	Z7LTS1L	Lateral Thoracic Support w/ Small Pad ^{1,2} – Left	\$345	<input type="checkbox"/>	Z7LGAS2R	Leg Adductor w/ Large Pad ¹ – Right	\$345
<input type="checkbox"/>	Z7LTS1R	Lateral Thoracic Support w/ Small Pad ^{1,2} – Right	\$345	<input type="checkbox"/>	Z7HP1L	Hip Adductor w/ Small ad ^{1,3} – Left	\$345
<input type="checkbox"/>	Z7LTS2L	Lateral Thoracic Support w/ Large Pad ^{1,2} – Left	\$345	<input type="checkbox"/>	Z7HP1R	Hip Adductor w/ Small Pad ^{1,3} – Right	\$345
<input type="checkbox"/>	Z7LTS2R	Lateral Thoracic Support w/ Large Pad ^{1,2} – Right	\$345	<input type="checkbox"/>	Z7HP2L	Hip Adductor w/ Large Pad ^{1,3} – Left	\$345
<input type="checkbox"/>	Z742L	Lateral/Adductor Extension Plate (5.5" x 3.5") – Left	\$45	<input type="checkbox"/>	Z7HP2R	Hip Adductor w/ Large Pad ^{1,3} – Right	\$345
<input type="checkbox"/>	Z742R	Lateral/Adductor Extension Plate (5.5" x 3.5") – Right	\$45				

¹ Adjustable Pad Sizes: Small – 5.5" x 3.5" / Large – 6.75" x 4.3".
² Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify Z742 extension plate.
³ Fits Adjusta-Back only

12. Pelvic and Chest Belts – A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts				Chest Belts					
<input type="checkbox"/>	ZPBS	Pelvic Belt – Small (frame widths 14-16", 2-piece w/ side-release buckle)	\$70	<input type="checkbox"/>	ZCBS	Chest Belt ² – Small (back widths 14"-16", 1-piece w/ hook and loop closure)	\$70		
<input type="checkbox"/>	ZPBM	Pelvic Belt – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)	\$70	<input type="checkbox"/>	ZCBM	Chest Belt ² – Medium (back widths 16"-18", 1-piece w/ hook and loop closure)	\$70		
<input type="checkbox"/>	ZPBL	Pelvic Belt – Large (frame widths 18"-22", 2-piece w/ side-release buckle)	\$80	<input type="checkbox"/>	ZCBL	Chest Belt ² – Large (back widths 18"-22", 1-piece w/ hook and loop closure)	\$80		
<input type="checkbox"/>	ZPBXL	Pelvic Belt – XLarge (seat frame widths 22"-30", 2-piece w/ side-release buckle)	\$90	<input type="checkbox"/>	ZCBXL	Chest Belt – XLarge ² (back frame widths 22"-30", 1-piece w/ hook and loop closure)	\$90		
<input type="checkbox"/>	ZPBICS	Pelvic Belt ¹ – Infection Control, Small 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 14"-16")	\$105	<input type="checkbox"/>	ZCBICS	Chest Belt ^{1,2} – Infection Control, Small 1-piece w/ side-release buckle (back widths 14-16")	\$105		
<input type="checkbox"/>	ZPBICM	Pelvic Belt ¹ – Infection Control, Medium 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 16"-18")	\$115	<input type="checkbox"/>	ZCBICM	Chest Belt ^{1,2} – Infection Control, Medium 1-piece w/ side-release buckle (back widths 16"-18")	\$105		
<input type="checkbox"/>	ZPBICL	Pelvic Belt ¹ – Infection Control, Large 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 18"-22")	\$125	<input type="checkbox"/>	ZCBICL	Chest Belt ^{1,2} – Infection Control, Large 1-piece w/ side-release buckle (back widths 18"-22")	\$115		
<input type="checkbox"/>	ZPBICXL	Pelvic Belt ¹ – Infection Control, XLarge 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 22"-30")	\$135	<input type="checkbox"/>	ZCBICXL	Chest Belt ^{1,2} – Infection Control, XLarge 1-piece w/ side-release buckle (back frame widths 22"-30")	\$125		
<input type="checkbox"/>	ZPBBPS	Pelvic Belt – Bodypoint Aeromesh, Small	\$260	<input type="checkbox"/>	ZCBBPS	Chest Belt – Bodypoint Aeromesh, Small	\$295		
<input type="checkbox"/>	ZPBBP__*	Pelvic Belt – Bodypoint Aeromesh * enter size to complete code (M / L)	\$210	<input type="checkbox"/>	ZCBBP__*	Chest Belt – Bodypoint Aeromesh * enter size to complete code (M / L / XL)	\$235		
<input type="checkbox"/>	ZPBBPXL	Pelvic Belt – Bodypoint Aeromesh, XLarge	\$210						
Recommended sizes for Bodypoint belts	Chest belt	ZCBBPS	14"-16"W back frame	ZCBBPM	16"-18"W back frame	ZCBBPL	18"-22"W back frame	ZCBBPXL	22"-30"W back frame
	Pelvic belt	ZPBBPS	14"-16"W base frame	ZPBBPM	16"-18"W base frame	ZPBBPL	18"-22"W base frame	ZPBBPXL	22"-30"W base frame

¹ Non-absorbent belts – recommended for infection-control environments
² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided.

13. Other

<input type="checkbox"/> Z673	Directional Caster Lock – fits on left rear caster (facilitates steering)	\$175	<input type="checkbox"/> ZIHW	Whizard – winged urine deflector ³	\$90
<input type="checkbox"/> Z66AS4	Anti-Tippers for 4” casters ¹ (pr) <input type="checkbox"/> Rear <input type="checkbox"/> Front	\$305	<input type="checkbox"/> ZBUDBH_*	Bard Urine Drainage Bag Holder * Enter size to complete code (16” / 18” / 20” / 22”)	\$170
<input type="checkbox"/> Z66AS5	Anti-Tippers for 5” casters ¹ (pr) <input type="checkbox"/> Rear <input type="checkbox"/> Front	\$305			
<input type="checkbox"/> Z66AS6	Anti-Tippers for 6” casters ¹ (pr) <input type="checkbox"/> Rear <input type="checkbox"/> Front	\$305			
<input type="checkbox"/> Z64AP	4” Caster Upgrade (4x)	\$299			
<input type="checkbox"/> Z66AP	6” Caster Upgrade (4x)	\$375			
<input type="checkbox"/> ZPSK1	Commode Pan Spacer Kit ² – 1” lower	\$215			
<input type="checkbox"/> ZPSK2	Commode Pan Spacer Kit ² – 2” lower	\$230			
<input type="checkbox"/> ZPSK3	Commode Pan Spacer Kit ² – 3” lower	\$245			
<input type="checkbox"/> ZPSK4	Commode Pan Spacer Kit ² – 4” lower	\$265			

¹ Included with Reclining Back Option (Z515APR/Z520APR) [Sec.5]
² Commode pan spacer kits provide extra clearance for perianal care with pan in place. Reduces toilet bowl clearance height.
³ Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.

14. Credits and Omissions

<input type="checkbox"/> Z905	Omit Commode Pan and Mounting Brackets	-\$20	<input type="checkbox"/> Z907	Omit Foot Supports - if no other Foot / Leg Support Option is selected	-\$45
-------------------------------	--	-------	-------------------------------	--	-------

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

Specifications	Raz-AP (Attendant Propel)
Weight Capacity	400 lbs
Overall Width	Seat width plus 4.5” with Standard Arm Pads
Overall Length (foot supports in middle position)	36.5” (with rear caster trailing), 35” (to rear canes)
Seat Depth	16” or 21” depending on seat/cushion length
Toilet Clearance Height (under seat)	
- with pan brackets	15.25”-19.25” (1” increments)
- without pan brackets	16”-20” (1” increments)
Toilet Clearance Width	16” for standard 18”W seat frame. For other widths, seat frame width minus 2”
Arm Support Height - above molded seat (1/2” increments)	
- 18”H Fixed Back - standard	8.5”
- 15”H Adjusta-Back	5.5”-8.5”
- 17”H Adjusta-Back	6.5”-9.5” (1/2” increments)
- 20”H Adjusta-Back	7.5”-10.5” (1/2” increments)
- 24”H Adjusta-Back	7.5”-10.5” (1/2” increments)
- 20”H Reclining Adjusta-Back	7.5”-10.5” (1/2” increments)
- 24”H Reclining Adjusta-Back	7.5”-10.5” (1/2” increments)
Seat-to-Floor Height (with molded seat)	20”-24”
Product Weight (with 18”W seat)	38 lbs
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)