



Date: _____

Dealer / Location: _____ T: _____ F: _____

PO# / Client: _____ Contact: _____ Email: _____

Raz-AT600 Heavy Duty Mobile Shower Commode Chair with stainless steel frame and components, 25° tilt range, four dual-locking 6" (150mm) casters, flip-up arm supports, heavy duty foot supports, commode pan, head support with small pad and the proprietary Weight Assist Spring System (WASS). Also included is a 20"H Multi-Position Back with 2" fore/aft adjustment range, two back angles (90°/97°) and tension-adjustable vinyl upholstery. Exclusive to Raz, all seats include the Ischial Pelvic Alignment System [IPAS], which allows for 2" fore/aft adjustment. **User weight capacity 600 lbs.**

Please enter set-up requests in Notes [Sec.12]. For custom modifications of frames and accessories, contact Raz Customer Service. To assist in evaluation and justification see our [Evaluation and Justification Form](#).

1. Chair Codes by size – Must Choose One

<input type="checkbox"/>	Z36022	22"W Seat and Back Frames	\$6,095
<input type="checkbox"/>	Z36024	24"W Seat and Back Frames	\$6,415
<input type="checkbox"/>	Z36026	26"W Seat and Back Frames	\$6,949
<input type="checkbox"/>	Z36028	28"W Seat and Back Frames	\$7,485
<input type="checkbox"/>	Z36030	30"W Seat and Back Frames – Requires custom seat	\$8,015

2. User Weight Range

<input type="checkbox"/>	Z36WR450	WASS User Weight Range 350-450 lbs.	Std	<input type="checkbox"/>	Z36WR600	WASS User Weight Range 400-600 lbs.	\$270
--------------------------	----------	-------------------------------------	-----	--------------------------	----------	-------------------------------------	-------

3. Seats – Must Choose One

Molded and Visco Foam Interface Seats – Seat Support Kit (Z4SSKAT) required if seat is narrower than seat frame.

<input type="checkbox"/>	Z4M23	Molded 23"W x 18"D – Front Access	Fits 22"/24"W ¹ frames only	N/C
<input type="checkbox"/>	Z4M26	Molded 26"W x 18"D – Front Access	Fits 26"/28"W ¹ frames only	N/C
<input type="checkbox"/>	Z4V23	Visco Foam Interface 23"W x 18"D – Front Access	Fits 22"/24"W ¹ frames only	\$640
<input type="checkbox"/>	Z4V26	Visco Foam Interface 26"W x 18"D – Front Access	Fits 26"/28"W ¹ frames only	\$745
<input type="checkbox"/>	Z4SSKT	Seat Support Kit for Raz-AT600 – for seats that are narrower than seat frames		\$210

¹ Required for seats that are narrower than seat frames

Custom Seats

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.

<input type="checkbox"/>	Z4CSHD	Heavy Duty Custom Seat (enter specs below) Select if both width and depth are ≤ 28"	\$1,345
<input type="checkbox"/>	Z4CSXHD	Heavy Duty Custom Seat for widths 28" / 30" (enter specs below) Select if width and/or depth is ≥ 28"	\$1,570

Seat Frame Width: __ 22" / 24" / 26" / 28" / 30"
 Custom Seat Width: __ 22" / 24" / 26" / 28" / 30" / 32" (cannot be more than 2" wider than seat frame width)
 Seat Depth: __ 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" [≥ 21" requires custom longer frame]
 Access: __ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged
 Aperture Width: __ 6.5" recommended

- Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.
- Custom seat widths can be up to 2" wider than seat the frame width to provide additional thigh support without increasing overall width of the chair.
- The Ischial Pelvic Alignment System (IPAS) will allow 2" fore/aft adjustment of the seat position (and therefore seat depth and aperture position) on all seats.
- Access for Rear-Open seats is limited due to rear seat support tube.

4. Back Support Options – **Symphony Back** is a recessed, solid back that replaces the standard **Tension-Adjustable Vinyl Upholstery** (recommended for infection-control environments). All Symphony Back panels are 13”H.

<input type="checkbox"/>	Z5S22	Symphony Back – 22”W	\$745
<input type="checkbox"/>	Z5S24	Symphony Back – 24”W	\$745
<input type="checkbox"/>	Z5S26	Symphony Back – 26”W	\$850
<input type="checkbox"/>	Z5S28	Symphony Back – 28”W	\$950
<input type="checkbox"/>	Z5S30	Symphony Back – 30”W	\$1065

5. Arm Support Accessories

<input type="checkbox"/>	Z710HD	Arm Support Lock Kit – HD (pr)	\$105	<input type="checkbox"/>	Z7PAML	Pivoting Arm Mount – Left (for Z7FL / Z7TR)	\$180
<input type="checkbox"/>	Z7FLL	Long Molded Flat Armpad ¹ – Left (14”L x 3.25”W)	\$125	<input type="checkbox"/>	Z7PAMR	Pivoting Arm Mount – Right (for Z7FL / Z7TR)	\$180
<input type="checkbox"/>	Z7FLR	Long Molded Flat Armpad ¹ – Right (14”L x 3.25”W)	\$125				
<input type="checkbox"/>	Z7TRL	Molded Arm Trough ¹ – Left (18.5”L x 4.5”W)	\$135				
<input type="checkbox"/>	Z7TRR	Molded Arm Trough ¹ – Right (18.5”L x 4.5”W)	\$135				

¹ May require Z7PAM for arm support to flip up

6. Foot and Leg Supports – Standard Foot Supports (Z709N) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (Z7ELRL), the chair will be supplied with one Foot Support (Z709N) on the right side and a Z7ELRL on the left side.

<input type="checkbox"/>	Z709N	Adjustable Footrests HD (16”-20.5”) – pr	Std	<input type="checkbox"/>	Z7ELRL	Elevating Legrest ¹ – Left (incl Z7ADM)	\$520
<input type="checkbox"/>	Z7FET2	Footrest Extensions (2” longer) – pr	\$80	<input type="checkbox"/>	Z7ELRR	Elevating Legrest ¹ – Right (incl Z7ADM)	\$520
<input type="checkbox"/>	Z7ADM	Angle/Depth Adj Footplates – pr	\$205	<input type="checkbox"/>	Z7ELROFL	Forward Offset Elevating Legrest ² – Left (incl Z7ADM)	\$570
<input type="checkbox"/>	Z7FET2A	Footrest Extension Tubes for Z7ADM (pr) – 2” longer	\$80	<input type="checkbox"/>	Z7ELROFR	Forward Offset Elevating Legrest ² – Right (incl Z7ADM)	\$570
<input type="checkbox"/>	Z7RLSL	Universal Residual Limb Support – Left	\$425				
<input type="checkbox"/>	Z7RLSR	Universal Residual Limb Support – Right	\$425				

¹ Z7ELRL/R compatible with adjusted seat depths ≤ 20”D
² Z7ELROFL/R compatible with adjusted seat depths 20”-22”D

7. Foot and Leg Support Accessories

Z7FSLK	Foot Support Lock (pr)	\$105	Z708ADJ	Adjustable Heel Loops (pr)	\$65
Z7CS__	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter seat frame width to complete code (22”/24”W)	\$170	Z7NCS	Neoprene Covers for Standard Footplates (pr)	\$100
Z7CS__*	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter seat frame width to complete code (26”/28”/ 30”W)	\$210	Z7NCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (pr)	\$100
Z7CSIC__*	Calf Strap, Snap-On – Infection Control *Enter seat frame width to complete Code 22” / 24” \$190 26” / 28” / 30” \$295		Z7OFLM	Lateral Offset Foot Support Receiver – moves foot support 2” laterally or medially (ea) Quantity (1 or 2) __	\$175
Z712	H-Strap – for 22”/24”W frames – hook and loop attachment	\$120			

8. Positioning Pads

<input type="checkbox"/> Z7HSTL	Headrest Pad – Large (12" x 6")	\$65	<input type="checkbox"/> Z7LGT2L	Leg Adductor – w/ Large Pad ¹ – Left	\$345
<input type="checkbox"/> Z7OHIP	Lateral Offset Head Support Interface Plate – up to 22° of adjustment	\$105	<input type="checkbox"/> Z7LGT2R	Leg Adductor – w/ Large Pad ¹ – Right	\$345
<input type="checkbox"/> Z7LTS2HDL	Lateral Thoracic Support w/ Large Pad ^{1,2} – Left	\$345	<input type="checkbox"/> Z742L	Lateral/Adductor Extension Plate (5.5" x 3.5") – Left	\$45
<input type="checkbox"/> Z7LTS2HDR	Lateral Thoracic Support w/ Large Pad ^{1,2} – Right	\$345	<input type="checkbox"/> Z742R	Lateral/Adductor Extension Plate (5.5" x 3.5") – Right	\$45
			<input type="checkbox"/> Z7MTST2	Medial Thigh Support – Large	\$515

¹ Large Adjustable Pad Size: ~ 6.75" x 4.3".
² Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify Z742 extension plate.

9. Pelvic and Chest Belts – A chest belt should not be used without a pelvic belt

Pelvic Belts		Chest Belts			
<input type="checkbox"/> ZPBLHDT	Pelvic Belt – Large (seat frame widths 18"-22", 2-piece w/ side-release buckle)	\$155	<input type="checkbox"/> ZCBL	Chest Belt – Large ² (back frame width 18"-22", 1-piece w/ hook and loop closure)	\$80
<input type="checkbox"/> ZPBXLHDT	Pelvic Belt – XLarge (seat frame widths 22"-30", 2-piece w/ side-release buckle)	\$155	<input type="checkbox"/> ZCBXL	Chest Belt – XLarge ² (back frame widths 22"-30", 1-piece w/ hook and loop closure)	\$80
<input type="checkbox"/> ZPBICLHDT	Infection Control Pelvic Belt – Large ¹ (seat frame widths 18"-22", 2-piece w/ side-release buckle)	\$130	<input type="checkbox"/> ZCBICL	Infection Control Chest Belt – Large ^{1,2} (back frame width 18"-22", 1-piece w/ side-release buckle)	\$115
<input type="checkbox"/> ZPBICXLHDT	Infection Control Pelvic Belt – XLarge ¹ (seat frame widths 22"-30", 2-piece w/ side-release buckle)	\$145	<input type="checkbox"/> ZCBICXL	Infection Control Chest Belt – XLarge ^{1,2} (back frame widths 22"-30", 1-piece w/ side-release buckle)	\$125
<input type="checkbox"/> ZPBBPLHDT	Pelvic Belt – Bodypoint Aeromesh – Large	\$260	<input type="checkbox"/> ZCBBP _ *	Chest Belt – Bodypoint Aeromesh * enter size to complete code (L / XL)	\$235
<input type="checkbox"/> ZPBBPXLHDT	Pelvic Belt – Bodypoint Aeromesh – XLarge	\$260			

Recommended sizes for Bodypoint belts	Chest belt	ZCBBPL	18"-22"W back frame	ZCBBPXL	22"-30"W back frame
	Pelvic belt	ZPBBPLHDT	18"-22"W base frame	ZPBBPXLHDT	22"-30"W base frame

¹ Non-absorbent belts – recommended for infection-control environments.
² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCB). When the chair is supplied with a Symphony Back, Chest Belt loops are provided.

10. Other

<input type="checkbox"/> Z675	Directional Caster Lock – fits on left rear caster (facilitates steering)	\$175	<input type="checkbox"/> ZIHW	Whizard – winged urine deflector ²	\$90
<input type="checkbox"/> Z66T6	Rear Anti-Tippers for 6” casters (pr)	\$410	<input type="checkbox"/> ZBUDBH__*	Bard Urine Drainage Bag Holder * Enter size to complete code (22” / 24” / 26” / 28” / 30”)	\$170
<input type="checkbox"/> ZPSK1	Commode Pan Spacer Kit ¹ – 1” lower	\$215	<input type="checkbox"/> ZSPKT624	AT600 Self-Propel Kit – 24” wheels – includes rear anti-tippers	\$1705
<input type="checkbox"/> ZPSK2	Commode Pan Spacer Kit ¹ – 2” lower	\$230			
<input type="checkbox"/> ZPSK3	Commode Pan Spacer Kit ¹ – 3” lower	\$245			
<input type="checkbox"/> ZPSK4	Commode Pan Spacer Kit ¹ – 4” lower	\$265			
<input type="checkbox"/> ZTLS	Tilt Limit Spacers – 1/2” spacers snap onto gas struts to limit tilt (1/2” reduces tilt range approx. 5°. Can be stacked for additional tilt limiting. Quantity ____	N/C			

¹ Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Reduces toilet bowl clearance height.

² The patent-pending Whizard features lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.

11. Credits and Omissions

<input type="checkbox"/> Z905	Omit Commode Pan and Mounting Brackets	-\$20	<input type="checkbox"/> Z911	Omit Molded Head Support Pad	-\$20
<input type="checkbox"/> Z907HD	Omit HD Foot Supports – if no other Foot / Leg Support Option is selected	-\$45	<input type="checkbox"/> Z912	Omit Complete Head Support Assembly	-\$50

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

Specifications	Raz-AT600 (Attendant Tilt)
Weight Capacity	600 lbs
Seat Depth (with Standard Molded Seat)	18”-20”
Overall Width	Seat frame width plus 4.5” (with standard arm pad)
Toilet Clearance Width	17”
Overall Length (with foot supports and headrest adjusted to middle positions)	
- at 0° tilt and standard foot supports	42”
- at 25°	52”
Clearance Height (under seat)	with 6” casters
- with pan brackets	17.75”-18.75”
- without pan brackets	18.5”-19.5”
Arm Support Height - above molded seat	9.25”
Seat-to-Floor Height (with molded seat)	22.25”
Back Height (Molded Seat to top of upholstery)	20”
Product Weight (with 22”W seat frame)	84 lbs
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)