



Raz-CAT ORDER FORM

EFFECTIVE JULY 5TH, 2021 (CDN MSRP)

Date: _____

Dealer / Location: _____ T: _____ F: _____

PO# / Client: _____ Contact: _____ Email: _____

Raz-CAT (Compact Attendant Tilt) Mobile Shower Commode Chair with 40° tilt range, height adjustable stainless steel frame, adjustable seat depth, adjustable back angle, four dual-locking 5”casters, stainless steel head support fixture, molded small head support pad, flip-up padded arm supports, commode pan and foot supports. **User weight capacity 300 lbs.**


See our [Evaluation and Justification Form](#).

1. Chair Codes by Size – Must Choose One

<input type="checkbox"/> Z30318	Raz-CAT w/ 18”W seat and base frame – standard size, fits over most toilets	\$3,525
<input type="checkbox"/> Z303__*	Non-Standard Width Raz-CAT – Must add upcharge for custom width: see below * add custom width to complete code (16/20)	\$3,525
<input type="checkbox"/> Z3SW16	Upcharge for custom 16”W seat and base frame ¹	\$850
<input type="checkbox"/> Z3SW20	Upcharge for custom 20”W seat and base frame ²	\$850

¹ Requires custom seat
² Custom seat recommended – standard CAT Seat (Z4C816) can be used with optional Z4SSKT [Sec.2]

2. Seats – Standard

Standard CAT Seat – Visco-Foam w/ Tapered Oblong Aperture (thickness ~2.5”)			
<input type="checkbox"/> Z4C1816	18”W x 11”-16”D (adjustable)	Standard w/ 18”W frame	
<input type="checkbox"/> Z4C1616	16”W x 11”-16”D (adjustable)	Standard w/ 16”W frame	
<input type="checkbox"/> Z4C2016	20”W x 11”-16”D (adjustable)	Standard w/ 20”W frame	
Set seat depth at: <input type="checkbox"/> 11” <input type="checkbox"/> 12” <input type="checkbox"/> 13” <input type="checkbox"/> 14” <input type="checkbox"/> 15” <input type="checkbox"/> 16”			
Standard aperture width: 3.5” at front, 4.5” at rear			
Other Seats Available – for seat depths of 16” and 17” only – Modified to fit CAT seat frame			
Molded Seats (thickness ~2.5”-3”)		Visco Foam Interface Seats (thickness ~3.5”)	
<input type="checkbox"/> Z405C	18”W x 16”D – Front Access N/C	<input type="checkbox"/> Z436BRIC	18”W x 16”D – Front Bridged \$455
<input type="checkbox"/> Z410C	18”W x 16”D – Front Bridged N/C	<input type="checkbox"/> Z436FROC	18”W x 16”D – Front Access \$455
		<input type="checkbox"/> Z436LTOC	18”W x 16”D – Left Access \$455
		<input type="checkbox"/> Z436RTOC	18”W x 16”D – Right Access \$455
		<input type="checkbox"/> Z436RROC	18”W x 16”D – Rear Access \$455
<input type="checkbox"/> Z4SSKT	Seat Support Kit for Raz-CAT (to support seats that are narrower than seat frames)		\$160

3. Seats – Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required. 18” is the standard width for CAT seat frames.

<input type="checkbox"/> Z4CSC	Custom Seat (enter specs below)	\$1035
Seat Frame Width:	__ 16” / 18” / 20”	
Custom Seat Width:	__ 16” / 17” / 18” / 19” / 20”	
Custom Seat Depth:	__ 11” / 12” / 13” / 14” / 15” / 16” / 17”	
Access Opening:	__ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged	
Aperture:	Tapered Oblong: __”W (at front) __”W (at rear) [standard is 3.5”W at front and 4.5”W at rear] Keyhole: __”W 3.0”-8.0”W – enter “NA” if aperture is not required	

- Oblong-shaped apertures can be specified in conjunction with any of the access openings listed.
- The Ischial Pelvic Alignment System (IPAS) allows 2” fore/aft adjustment of the seat (seat depth and aperture position) on all seats.
- Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas and contouring, etc.

4. Back Frames – for standard 18”W seat frames (nominal back heights measured from top of molded seat to top of back upholstery)

Multi-Position Adjusta-Back: The “Multi-Position” feature allows for fore/aft adjustment of the backrest to provide seat depth adjustability from 11”-16”. Includes tension-adjustable vinyl back upholstery, flip-up padded arm supports, back angle adjustment (90°/97°) and cane-style back posts. Back upholstery can be positioned 2.5” higher than factory settings stated below.

Back frames for standard 18”W seat frame (Z30318)

<input type="checkbox"/> Z5845	14” Back Width / 15” Back Height	N/C	<input type="checkbox"/> Z5848R	Recliner Back for CAT – 14”W x 18”H ^{2,3}	\$1065
<input type="checkbox"/> Z5848	14” Back Width / 18” Back Height	\$135	<input type="checkbox"/> Z5868R	Recliner Back for CAT – 16”W x 18”H ^{2,3}	\$1065
<input type="checkbox"/> Z5865	16” Back Width / 15” Back Height	N/C	<input type="checkbox"/> Z5888R	Recliner Back for CAT – 18”W x 18”H ^{2,3}	\$1065
<input type="checkbox"/> Z5868	16” Back Width / 18” Back Height	\$135	¹ Standard trigger configuration for tilt-only is one on each side. Dual Triggers option positions both triggers on one side, allowing for single-handed operation (tilt only). ² Standard trigger locations for Raz-CAT with recline are tilt triggers on the right and recline triggers on the left. ³ Tilt is limited to 25°		
<input type="checkbox"/> Z5885	18” Back Width / 15” Back Height	N/C			
<input type="checkbox"/> Z5888	18” Back Width / 18” Back Height	\$135			
<input type="checkbox"/> Z5DTLC	Dual Tilt Triggers – left side ¹	N/C			
<input type="checkbox"/> Z5DTRC	Dual Tilt Triggers – right side ¹	N/C			

5. Back Frames for 16”W and 20”W Seat Frames (back heights measured from top of molded seat to top of back upholstery)

Multi-Position Adjusta-Back: The “Multi-Position” feature allows for fore/aft adjustment of the backrest to provide seat depth adjustability from 11”-16”. Includes tension-adjustable vinyl back upholstery, back angle adjustment (90°/97°) and flip-up padded arm supports. Back upholstery can be positioned 2.5” higher than factory settings stated below.

16”W Seat Frames			20”W Seat Frames		
<input type="checkbox"/> Z5645	14” Back Width / 15” Back Height	N/C	<input type="checkbox"/> Z5065	16” Back Width / 15” Back Height	N/C
<input type="checkbox"/> Z5648	14” Back Width / 18” Back Height	\$135	<input type="checkbox"/> Z5068	16” Back Width / 18” Back Height	\$135
<input type="checkbox"/> Z5665	16” Back Width / 15” Back Height	N/C	<input type="checkbox"/> Z5085	18” Back Width / 15” Back Height	N/C
<input type="checkbox"/> Z5668	16” Back Width / 18” Back Height	\$135	<input type="checkbox"/> Z5088	18” Back Width / 18” Back Height	\$135
<input type="checkbox"/> Z5648R	Recliner Back for CAT – 14”W x 18”H ^{2,3}	\$1065	<input type="checkbox"/> Z5005	20” Back Width / 15” Back Height	N/C
<input type="checkbox"/> Z5668R	Recliner Back for CAT – 16”W x 18”H ^{2,3}	\$1065	<input type="checkbox"/> Z5008	20” Back Width / 18” Back Height	\$135
			<input type="checkbox"/> Z5088R	Recliner Back for CAT – 18”W x 18”H ^{2,3}	\$1065
			<input type="checkbox"/> Z5008R	Recliner Back for CAT – 20”W x 18”H ^{2,3}	\$1065
<input type="checkbox"/> Z5DTLC	Dual Tilt Triggers – left side ¹	N/C			
<input type="checkbox"/> Z5DTRC	Dual Tilt Triggers – right side ¹	N/C			

- ¹ Standard trigger configuration for tilt-only is one on each side. Dual Triggers option positions both triggers on one side, allowing for single-handed operation (tilt only).
² Standard trigger locations for Raz-CAT with recline are tilt triggers on the right and recline triggers on the left
³ Tilt is limited to 25°

6. Back Support Options – These back supports replace the tension-adjustable upholstery (Not compatible with 15”H back frames – all Symphony Back panels are 13”H)

<input type="checkbox"/>	Z5S14	Symphony Back – recessed solid back – 14” back frame width	\$530
<input type="checkbox"/>	Z5S16	Symphony Back – recessed solid back – 16” back frame width	\$530
<input type="checkbox"/>	Z5S18	Symphony Back – recessed solid back – 18” back frame width	\$530
<input type="checkbox"/>	Z5S20	Symphony Back – recessed solid back – 20” back frame width	\$745

7. Arm Supports and Accessories

<input type="checkbox"/>	Z5BAR10	Flip-Up Arm Supports – 10” pad (pr) – not compatible with Z7FL / Z7TR / Z7PAM	Std	<input type="checkbox"/>	Z7TRL	Molded Arm Trough ¹ – Left (18.5”L x 4.5”W – for Z5BAR13)	\$135
<input type="checkbox"/>	Z5BAR13	Flip-Up Arm Supports – 13” pad (pr)	N/C	<input type="checkbox"/>	Z7TRR	Molded Arm Trough ¹ – Right (18.5”L x 4.5”W – for Z5BAR13)	\$135
<input type="checkbox"/>	Z710	Arm Support Lock Kit (pr)	\$85	<input type="checkbox"/>	Z7PAML	Pivoting Arm Mount – Left (for Z7FL/Z7TR with Z5BAR13)	\$180
<input type="checkbox"/>	Z718	Arm Spacer Kit – ½” per side (pr)	\$80	<input type="checkbox"/>	Z7PAMR	Pivoting Arm Mount – Right (for Z7FL/Z7TR with Z5BAR13)	\$180
<input type="checkbox"/>	Z719	Arm Spacer Kit – 1” per side (pr)	\$135	<input type="checkbox"/>	Z7PHG	Pivoting Hand Grips (pr)	\$425
<input type="checkbox"/>	Z7FSL	Short Molded Flat Armpad – Left (10”L x 3”W – for Z5BAR10)	\$125	<input type="checkbox"/>	Z7APS_*	Anterior Posture Support Bar ² * Enter back frame width to complete code (14”/16”/18”)	\$240
<input type="checkbox"/>	Z7FSR	Short Molded Flat Armpad – Right (10”L x 3”W – for Z5BAR10)	\$125	<input type="checkbox"/>	Z7APS20	Anterior Posture Support Bar ² – 20”W	\$275
<input type="checkbox"/>	Z7FLL	Long Molded Flat Armpad ² – Left (14”L x 3.25”W – for Z5BAR13)	\$125				
<input type="checkbox"/>	Z7FLR	Long Molded Flat Armpad ² – Right (14”L x 3.25”W – for Z5BAR13)	\$125				

¹ May require Z7PAM for Arm Support to flip up and/or for lateral supports to swing away
² Not available with Z7FL / Z7FS / Z7TR
³ Special length required with Z718 (+1”) and Z719 (+2”).

8. Foot and Leg Supports

<input type="checkbox"/>	Z7MFX8C	MFX8 Foot Supports 8”-12” (pr)	N/C	<input type="checkbox"/>	Z7VS_*	V-Style Foot Support (1-piece) * Enter frame width to complete code (16” / 20”)	\$330
<input type="checkbox"/>	Z7MFX12C	MFX12 Foot Supports 12”-16.5” (pr)	Std	<input type="checkbox"/>	Z7FBT	Flip-Back Foot Support (1-piece) with calf pads – 16”-20.5”	\$425
<input type="checkbox"/>	Z705N	Foot Supports 16”-20.5” (pr)	N/C	<input type="checkbox"/>	Z7ELRL	Elevating Leg Support – Left (includes Z7ADM)	\$520
<input type="checkbox"/>	Z705N16	Foot Supports for 16”W frames 16”-20.5” (pr)	N/C	<input type="checkbox"/>	Z7ELRR	Elevating Leg Support – Right (includes Z7ADM)	\$520
<input type="checkbox"/>	Z7ADM	Angle/Depth Adj Molded Footplates (pr)	\$205	<input type="checkbox"/>	Z7RLSL	Universal Residual Limb Support – Left	\$425
<input type="checkbox"/>	Z7ADABS	Angle/Depth Adj ABS Footplates (pr) For 16”W frames	\$235	<input type="checkbox"/>	Z7RLSR	Universal Residual Limb Support – Right	\$425
<input type="checkbox"/>	Z7VS18	V-Style Foot Support (1-piece) – for 18”W base frames	\$240				

9. Foot and Leg Support Accessories

<input type="checkbox"/> Z7FSLK	Foot Support Lock (pr)	\$105	<input type="checkbox"/> Z7NCS	Neoprene Covers for Standard Footplates (pr)	\$100
<input type="checkbox"/> Z7CS_*	Snap-On Calf Strap – Bodypoint Aeromesh* Enter frame width to complete code (16"/18"/20"/22")	\$170	<input type="checkbox"/> Z7NC16	Neoprene Covers for narrow molded footplates (pr)	\$100
<input type="checkbox"/> Z7CSIC_*	Snap-On Infection Control Calf Strap * Enter seat frame width to complete code (16"/18"/20")	\$190	<input type="checkbox"/> Z7NCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (pr)	\$100
<input type="checkbox"/> Z737CPL	Calf Panel – Bodypoint Aeromesh ¹ Fits frame widths (16"/18"/20")	\$190	<input type="checkbox"/> Z7NCABS	Neoprene Covers for ABS Adj Angle/Depth Footplates Z7ADABS (pr)	\$100
<input type="checkbox"/> Z706	H-Strap – for 18"/20"W frames – hook and loop attachment	\$105	<input type="checkbox"/> Z7OFLM	Lateral Offset Foot Support Receiver – moves foot support 2" laterally or medially Quantity (1 or 2) __	\$175
<input type="checkbox"/> Z712	H-Strap – for 22"W frames – hook and loop attachment	\$120			
<input type="checkbox"/> Z708ADJ	Adjustable Heel Loops (pr) – not available for Z7VS / Z7FBAS	\$65			

¹ Not compatible with Z7MFX8 / Z7FBAS / Z7VS

10. Positioning Pads

<input type="checkbox"/> Z7HSTS	Head Support Pad – Small (10" x 4")	Std	Hip Adductors for 4" narrower backs		
<input type="checkbox"/> Z7HSTL	Head Support Pad – Large (12" x 6")	\$65	<input type="checkbox"/> Z7HP4C1L	Hip Adductor for 4" narrower back w/ Small Pad ¹ – Left	\$345
<input type="checkbox"/> Z7OHIP	Lateral Offset Head Support Interface Plate – provides up to 22° of adjustment	\$105	<input type="checkbox"/> Z7HP4C1R	Hip Adductor for 4" narrower back w/ Small Pad ¹ – Right	\$345
<input type="checkbox"/> Z7LTS1L	Lateral Thoracic Support w/ Small Pad ^{1,2} – Left	\$345	<input type="checkbox"/> Z7HP4C2L	Hip Adductor for 4" narrower back Large Pad ¹ – Left	\$345
<input type="checkbox"/> Z7LTS1R	Lateral Thoracic Support w/ Small Pad ^{1,2} – Right	\$345	<input type="checkbox"/> Z7HP4C2R	Hip Adductor for 4" narrower back w/ Large Pad ¹ – Right	\$345
<input type="checkbox"/> Z7LTS2L	Lateral Thoracic Support w/ Large Pad ^{1,2} – Left	\$345	Hip Adductors for 0-2" narrower backs		
<input type="checkbox"/> Z7LTS2R	Lateral Thoracic Support w/ Large Pad ^{1,2} – Right	\$345	<input type="checkbox"/> Z7HP02C1L	Hip Adductor for 0-2" narrower back w/ Small Pad ¹ – Left	\$345
<input type="checkbox"/> Z742L	Lateral/Adductor Extension Plate (5.5" x 3.5") – Left	\$45	<input type="checkbox"/> Z7HP02C1R	Hip Adductor for 0-2" narrower back w/ Small Pad ¹ – Right	\$345
<input type="checkbox"/> Z742R	Lateral/Adductor Extension Plate (5.5" x 3.5") – Right	\$45	<input type="checkbox"/> Z7HP02C2L	Hip Adductor for 0-2" narrower back w/ Large Pad ¹ – Left	\$345
<input type="checkbox"/> Z7LGT1L	Leg Adductor w/ Small Pad ¹ – Left	\$345	<input type="checkbox"/> Z7HP02C2R	Hip Adductor for 0-2" narrower back w/ Large Pad ¹ – Right	\$345
<input type="checkbox"/> Z7LGT1R	Leg Adductor w/ Small Pad ¹ – Right	\$345			
<input type="checkbox"/> Z7LGT2L	Leg Adductor w/ Large Pad ¹ – Left	\$345			
<input type="checkbox"/> Z7LGT2R	Leg Adductor w/ Large Pad ¹ – Right	\$345			
<input type="checkbox"/> Z7MTST1	Medial Thigh Support – Small	\$515			
<input type="checkbox"/> Z7MTST2	Medial Thigh Support – Large	\$515			

¹ Adjustable Pad Sizes: Small – 5.5"x 3.5" / Large – 6.75" x 4.3".
² Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify Z742 extension plate.

11. Pelvic and Chest Belts – A chest belt should not be used without a pelvic belt

Pelvic Belts			Chest Belts				
<input type="checkbox"/>	ZPBS	Pelvic Belt – Small (frame widths 14"-16", 2-piece w/ side-release buckle)	\$70	<input type="checkbox"/>	ZCBS	Chest Belt ² – Small (back widths 14"-16" 1-piece w/ hook and loop closure)	\$70
<input type="checkbox"/>	ZPBM	Pelvic Belt – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)	\$70	<input type="checkbox"/>	ZCBM	Chest Belt ² – Medium (back widths 16"-18", 1-piece w/ hook and loop closure)	\$70
<input type="checkbox"/>	ZPBL	Pelvic Belt – Large (frame widths 18"-22", 2-piece w/ side-release buckle)	\$80	<input type="checkbox"/>	ZCBL	Chest Belt ² – Large (back widths 18"-22", 1-piece w/ hook and loop closure)	\$80
<input type="checkbox"/>	ZPBICS	Infection Control Pelvic Belt ¹ – Small (frame widths 14"-16", 2-piece w/ side-release buckle)	\$105	<input type="checkbox"/>	ZCBICS	Infection Control Chest Belt ^{1,2} – Small (back widths 14"-16", 1-piece w/ side-release buckle)	\$105
<input type="checkbox"/>	ZPBICM	Infection Control Pelvic Belt ¹ – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)	\$115	<input type="checkbox"/>	ZCBICM	Infection Control Chest Belt ^{1,2} – Medium (back widths 16"-18", 1-piece w/ side-release buckle)	\$105
<input type="checkbox"/>	ZPBICL	Infection Control Pelvic Belt ¹ – Large (frame widths 18"-22", 2-piece w/ side-release buckle)	\$125	<input type="checkbox"/>	ZCBICL	Infection Control Chest Belt ^{1,2} – Large (back widths 18"-22", 1-piece w/ side-release buckle)	\$115
<input type="checkbox"/>	ZPBBPS	Pelvic Belt – Bodypoint Aeromesh – Small	\$260	<input type="checkbox"/>	ZCBBPS	Chest Belt – Bodypoint Aeromesh – Small	\$295
<input type="checkbox"/>	ZPBBP _ *	Pelvic Belt – Bodypoint Aeromesh * enter size to complete code (M / L)	\$210	<input type="checkbox"/>	ZCBBP _ *	Chest Belt – Bodypoint Aeromesh * enter size to complete code (M / L)	\$235
Recommended sizes for Bodypoint belts							
	Chest belt	ZCBBPS	14"-16"W back frame	ZCBBPM	16" - 18"W back frame	ZCBBPL	18"-22"W back frame
	Pelvic belt	ZPBBPS	14" - 16"W seat frame	ZPBBPM	16" - 18"W seat frame	ZPBBPL	18"-22"W seat frame
¹ Non-absorbent belts – recommended for infection-control environments ² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBLX). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided.							

12. Other

<input type="checkbox"/>	Z675	Directional Caster Lock – fits on one rear caster (facilitates steering)	\$175	<input type="checkbox"/>	ZIHW	Whizard – winged urine deflector ³	\$90
<input type="checkbox"/>	Z64T	4" Caster Upgrade (4x)	\$299	<input type="checkbox"/>	ZBUDBH_ _ *	Bard Urine Drainage Bag Holder * Enter seat frame width to complete code (16" / 18" / 20")	\$170
<input type="checkbox"/>	Z66T4	Rear Anti-Tippers for 4" casters ¹ (pr)	\$410	<input type="checkbox"/>	ZSPKC22	CAT Self-Propel Kit – 22" wheels (includes anti-tippers)	\$1495
<input type="checkbox"/>	Z66T5	Rear Anti-Tippers for 5" casters ¹ (pr)	\$410	<input type="checkbox"/>	ZSPKC24	CAT Self-Propel Kit – 24" wheels (includes anti-tippers)	\$1495
<input type="checkbox"/>	ZPSK1	Commode Pan Spacer Kit ² – 1" lower	\$215				
<input type="checkbox"/>	ZPSK2	Commode Pan Spacer Kit ² – 2" lower	\$230				
<input type="checkbox"/>	ZPSK3	Commode Pan Spacer Kit ² – 3" lower	\$245				
<input type="checkbox"/>	ZPSK4	Commode Pan Spacer Kit ² – 4" lower	\$265				
<input type="checkbox"/>	ZTLS	Tilt Limit Spacers – 1/2" spacers snap onto gas struts to limit tilt (1/2" reduces tilt range approx. 5°. Can be stacked for additional tilt limiting. Quantity ___	N/C				
¹ Anti-Tippers will be mounted on the rear unless otherwise specified. ² Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Reduces toilet bowl clearance height. ³ Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.							

13. Credits and Omissions

<input type="checkbox"/> Z905	Omit Commode Pan and Mounting Brackets	-\$20	<input type="checkbox"/> Z911	Omit Molded Head Support Pad	-\$20
<input type="checkbox"/> Z907C	Omit Foot Supports	-\$45	<input type="checkbox"/> Z912	Omit Complete Head Support Assembly	-\$50

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

14. Notes

Specifications	Raz-CAT (Attendant Tilt)
Weight Capacity	300 lbs
Overall Width	Seat width plus 4.5"
Overall Length (with MFX12 foot supports and headrest adjusted to middle positions)	
<ul style="list-style-type: none"> • at 0° tilt • at 40° 	36.75" (rear casters trailing), 33.75" (rear casters leading) 44"
Seat Depth	11" or 16" depending on seat/cushion length
Clearance Height (under seat)	
<ul style="list-style-type: none"> • with pan brackets • without pan brackets 	17"-21" (1" increments) 17.75"-21.75 (1" increments)
Clearance Width (to fit around toilet)	15.75" for standard 18"W seat frame. For other widths, seat frame width minus 2.25"
Arm Support Height - above molded seat (1/2" increments)	
<ul style="list-style-type: none"> • 15"H Adjusta-Back • 18"H Adjusta-Back • 18"H Reclining Adjusta-Back 	5.5"-8" 6.5"-9" 6.5"-9"
Seat-to-Floor Height (with molded seat)	21"
Product Weight	55 lbs
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)