

Date: _____

Dealer / Location: _____ T: _____ F: _____

PO# / Client: _____ Contact: _____ Email: _____

Züm-AP Folding Attendant Propel Mobile Shower Commode Chair. Includes aluminum frame, flip-up padded arm supports, foot supports, four dual-locking 5" (125mm) casters and commode pan. **User weight capacity 350 lbs.** See our [Evaluation and Medical Justification Form](#).

1. Chair Code

| | | |
|---------------------------------|---|---------|
| <input type="checkbox"/> Z11118 | Züm-AP w/ 18"W frame – will fit over most toilets | \$2,495 |
|---------------------------------|---|---------|

2. Seats – Standard

| Molded Seats (thickness ~2.5"-3") | | | Visco-Foam Interface Seats (thickness ~3.5") | | |
|-----------------------------------|--|----------|--|-----------------------------|-------|
| <input type="checkbox"/> Z405 | 18"W x 16"D – Front Access | Standard | <input type="checkbox"/> Z436BRI | 18"W x 16"D – Front Bridged | \$455 |
| <input type="checkbox"/> Z410 | 18"W x 16"D – Front Bridged | N/C | <input type="checkbox"/> Z436FRO | 18"W x 16"D – Front Access | \$455 |
| <input type="checkbox"/> Z415 | 18"W x 19"D – Front Access | \$175 | <input type="checkbox"/> Z436LTO | 18"W x 16"D – Left Access | \$455 |
| <input type="checkbox"/> Z420 | 18"W x 19"D – Front Bridged | \$175 | <input type="checkbox"/> Z436RTO | 18"W x 16"D – Right Access | \$455 |
| Specialty Seats | | | <input type="checkbox"/> Z436RRO | 18"W x 16"D – Rear Access | \$455 |
| <input type="checkbox"/> Z4SOM | Shower-Only Seat – Molded 18"W x 16"-21"D | \$530 | <input type="checkbox"/> Z439BRI | 18"W x 19"D – Front Bridged | \$530 |
| <input type="checkbox"/> Z4EJRM | E&J Replica Seat – Molded – 18"W x 17"D | \$455 | <input type="checkbox"/> Z439FRO | 18"W x 19"D – Front Access | \$530 |
| <input type="checkbox"/> Z4EJRV | E&J Replica Seat – Visco Foam – 18"W x 17"D | \$955 | <input type="checkbox"/> Z439LTO | 18"W x 19"D – Left Access | \$530 |
| | | | <input type="checkbox"/> Z439RTO | 18"W x 19"D – Right Access | \$530 |
| | | | <input type="checkbox"/> Z439RRO | 18"W x 19"D – Rear Access | \$530 |

3. Seats – Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.

| | | |
|---------------------------------|---|--------|
| <input type="checkbox"/> Z4CS | Custom Seat (enter specs below) | \$1035 |
| <input type="checkbox"/> Z4CEJR | Custom E&J Replica Seat (enter specs below) | \$1225 |

Custom Specifications (for above custom seats)

- Custom Seat Width: __ 18" / 20" (cannot be more than 2" wider than frame width)
- Custom Seat Depth: __ 16" / 17" / 18" / 19" / 20"
- Access Opening: __ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged
- Access Opening Width: __ 2.5" / 3.0" / **3.5"** / 4.0" / 4.5" / 5.0" (**3.5"**W is standard)
- Aperture Width: __ 3.0"-8.0" (6.5" recommended) – enter "NA" if aperture is not required

- Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.
- Custom Seat width should not be narrower than 18"W.
- Custom Seat can be up to 2" wider than seat frame width to provide additional thigh support. Consider using Arm Support Spacer Kit (Z718 / Z719) to increase width between the arm supports by 1" or 2".
- For Custom Seats, the Ischial Pelvic Alignment System (IPAS) allows +/- 1" fore / aft adjustment from specified custom seat depth.
- Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, pelvic obliquity accommodation, etc.

4. Fixed Back Frame – These are called “Fixed” Backs because the arms supports are not adjustable in height. Includes molded vinyl back support. Back heights are nominally measured from top of standard molded seat to top of back upholstery.

| | | |
|-------------------------------|--------------------------------------|----------|
| <input type="checkbox"/> Z522 | Fixed Back – 17” Height ¹ | Included |
|-------------------------------|--------------------------------------|----------|

¹ Arm Support Lock Kit not included [See Sec.5]

5. Arm Support Accessories

| | | | | | |
|---|--|-------|------------------------------------|---|-------|
| <input type="checkbox"/> Z5BAR10 | Flip-Up Arm Supports – 10”L pad (pr) (not compatible with Z7FL / Z7FS / Z7TR / Z7PAM) | Std | <input type="checkbox"/> Z7TRL | Molded Arm Trough – Left (18.5”L x 4.5”W – fits Z5BAR13) | \$135 |
| <input type="checkbox"/> Z5BAR13 | Flip-Up Arm Supports – 13”L pad (pr) | N/C | <input type="checkbox"/> Z7TRR | Molded Arm Trough – Right (18.5”L x 4.5”W – fits Z5BAR13) | \$135 |
| <input type="checkbox"/> Z710 | Arm Support Lock Kit (for Z505 / Z506) (pr) | \$85 | <input type="checkbox"/> Z7PAML | Pivoting Arm Mount – Left (for Z7FL / Z7TR) | \$180 |
| <input type="checkbox"/> Z7FLL | Long Molded Flat Armpad – Left (14”L x 3.25”W – fits Z5BAR13) | \$125 | <input type="checkbox"/> Z7PAMR | Pivoting Arm Mount – Right (for Z7FL / Z7TR) | \$180 |
| <input type="checkbox"/> Z7FLR | Long Molded Flat Armpad – Right (14”L x 3.25”W – fits Z5BAR13) | \$125 | <input type="checkbox"/> Z7PHG | Pivoting Hand Grips (pr) | \$425 |
| <input type="checkbox"/> Z7FSL | Short Molded Flat Armpad – Left (10”L x 3”W – fits Z5BAR10) | \$125 | <input type="checkbox"/> Z7APS_ _* | Anterior Posture Support Bar * Enter back frame width to complete code (14” / 16” / 18”) ¹ | \$240 |
| <input type="checkbox"/> Z7FSR | Short Molded Flat Armpad – Right (10”L x 3”W – fits Z5BAR10) | \$125 | <input type="checkbox"/> Z7APS_ _* | Anterior Posture Support Bar * Enter back frame width to complete code (20” / 22”) ¹ | \$275 |
| ¹ Not compatible with Z7FL / Z7FS / Z7TR | | | | | |

6. Foot and Leg Supports

| | | | | | |
|----------------------------------|--|-------|--|---|-------|
| <input type="checkbox"/> Z705N | Foot Supports 16”-20.5” (pr) | Std | <input type="checkbox"/> Z7RLSL | Universal Residual Limb Support – Left | \$425 |
| <input type="checkbox"/> Z7FET2 | Footrest Extension Tubes – 2” longer ¹ (pr) | \$80 | <input type="checkbox"/> Z7RLSR | Universal Residual Limb Support – Right | \$425 |
| <input type="checkbox"/> Z7MFX8 | MFX Foot Supports 8”-12” (pr) | \$105 | ¹ Not compatible with Z7MFX8 / Z7ADMFP ² Not available for Z7MFX8 | | |
| <input type="checkbox"/> Z7MFX12 | MFX Foot Supports 12”-16.5” (pr) | \$210 | | | |
| <input type="checkbox"/> Z7ADMFP | Adj Angle/Depth Molded Footplates ² (pr) | \$205 | | | |
| <input type="checkbox"/> Z7FET2A | Footrest Extension Tubes for Z7ADMFP (pr) – 2” longer | \$80 | | | |

7. Foot and Leg Support Accessories

| | | | | | |
|-----------------------------------|---|-------|----------------------------------|---|-------|
| <input type="checkbox"/> Z7CS18 | Calf Strap, Snap-On – Bodypoint Aeromesh | \$170 | <input type="checkbox"/> Z708ADJ | Adjustable Heel Loops – pr Not available for Z7VS | \$65 |
| <input type="checkbox"/> Z7CSIC18 | Calf Strap, Snap-On – Infection Control | \$190 | <input type="checkbox"/> Z7NCS | Neoprene Covers for Standard Footplates (pr) | \$100 |
| <input type="checkbox"/> Z706 | H-Strap – for 18”W frames – hook and loop attachment | \$105 | <input type="checkbox"/> Z7NCA | Neoprene Covers for Adj Angle/Depth Molded Footplates (pr) | \$100 |

8. Positioning Pads

| | | | | | | | |
|--------------------------|---------|--|-------|--------------------------|---------|--|-------|
| <input type="checkbox"/> | Z7LTS1L | Lateral Thoracic Support w/ Small Pad ¹ – Left | \$345 | <input type="checkbox"/> | Z7LTS2L | Lateral Support w/ Large Depth-Adjustable Pad ¹ – Left | \$345 |
| <input type="checkbox"/> | Z7LTS1R | Lateral Thoracic Support w/ Small Pad ¹ – Right | \$345 | <input type="checkbox"/> | Z7LTS2R | Lateral Support w/ Large Depth-Adjustable Pad ¹ – Right | \$345 |
| | | | | <input type="checkbox"/> | Z742 | Lateral / Adductor 1.5" Extension Plate Quantity _____ | \$45 |

¹ Depth-Adjustable Pad Sizes: Small – 5.5" x 3.5" / Large – 6.75" x 4.3". Pads can be adjusted medially up to 3" per side. For additional medial offset, specify Z742 extension plate.

9. Pelvic and Chest Belts – A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

| Pelvic Belts | | | Chest Belts | | | | |
|--|--------|--|-------------|--------------------------|--------|--|-------|
| <input type="checkbox"/> | ZPBM | Pelvic Belt – Medium (frame widths 16"-18", 2-piece w/ side-release buckle) | \$70 | <input type="checkbox"/> | ZCBM | Chest Belt ² – Medium (back widths 16"-18", 1-piece w/ hook and loop closure) | \$70 |
| <input type="checkbox"/> | ZPBL | Pelvic Belt – Large (frame widths 18"-22", 2-piece w/ side-release buckle) | \$80 | <input type="checkbox"/> | ZCBL | Chest Belt ² – Large (back widths 18"-22", 1-piece w/ hook and loop closure) | \$80 |
| <input type="checkbox"/> | ZPBICM | Infection Control Pelvic Belt ¹ – Medium (frame widths 16"-18", 2-piece w/ side-release buckle) | \$115 | <input type="checkbox"/> | ZCBICM | Infection Control Chest Belt ^{1,2} – Medium (back widths 16"-18", 1-piece w/ side-release buckle) | \$105 |
| <input type="checkbox"/> | ZPBICL | Infection Control Pelvic Belt ¹ – Large (frame widths 18"-22", 2-piece w/ side-release buckle) | \$125 | <input type="checkbox"/> | ZCBICL | Infection Control Chest Belt ^{1,2} – Large (back widths 18"-22", 1-piece w/ side-release buckle) | \$115 |
| <input type="checkbox"/> | ZPBBP | * Pelvic Belt – Bodypoint Aeromesh * enter size to complete code (M / L) | \$210 | | | | |
| Recommended sizes for Pelvic belt | | | ZCBBPM | 16"-18"W back frame | ZCBBPL | 18"-22"W back frame | |
| Bodypoint belts | | | | | | | |
| ¹ Non-absorbent belts – recommended for infection-control environments | | | | | | | |
| ² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided. | | | | | | | |

10. Other

| | | | | | | | |
|--------------------------|-------|--|-------|--------------------------|------|---|------|
| <input type="checkbox"/> | ZPSK1 | Commode Pan Spacer Kit ¹ – 1" lower | \$215 | <input type="checkbox"/> | ZIHW | Whizard – winged urine deflector ² | \$90 |
| <input type="checkbox"/> | ZPSK2 | Commode Pan Spacer Kit ¹ – 2" lower | \$230 | | | | |
| <input type="checkbox"/> | ZPSK3 | Commode Pan Spacer Kit ¹ – 3" lower | \$245 | | | | |
| <input type="checkbox"/> | ZPSK4 | Commode Pan Spacer Kit ¹ – 4" lower | \$265 | | | | |

¹ Commode Pan Spacer Kits provide extra clearance for perianal care with pan in place. Reduces toilet bowl clearance height.

² Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.

11. Credits and Omissions

| | | | | | | | |
|--------------------------|------|--|-------|--------------------------|------|-----------------------------|-------|
| <input type="checkbox"/> | Z905 | Omit Commode Pan and Mounting Brackets | -\$20 | <input type="checkbox"/> | Z907 | Omit Standard Foot Supports | -\$45 |
|--------------------------|------|--|-------|--------------------------|------|-----------------------------|-------|

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

12. Notes:

| |
|--|
| |
|--|

| Specifications | Züm-AP |
|-----------------------------|--|
| Weight Capacity | 350 lbs (160 kg) |
| Overall Width | <ul style="list-style-type: none"> – Frame Open 23.25" (59 cm) – Frame Folded 11" (28 cm) – Frame Folded 7.5" (19 cm) – (back assembly removed) |
| Overall Length | |
| - with standard footrests | 34" (86 cm) |
| Seat Width | 18" (46 cm) |
| Clearance Height Under Seat | |
| – with pan brackets | 17.25" (43 cm) |
| – without pan brackets | 17.75" (45 cm) |
| Armrest Height Above Seat | 8" (20 cm) |
| Seat-to-Floor Height | 21.5" (55 cm) |
| Product Weight | 44 lbs (20 kg) |
| Frame Materials | |
| – base frame | Aluminum |
| – back frame and footrests | Stainless Steel |
| – hardware | Stainless Steel |