

Date: _____

Dealer / Location: _____ T: _____ F: _____

PO# / Client: _____ Contact: _____ Email: _____

Raz-ART – ATTENDANT ROTATIONAL TILT Mobile Shower Commode Chair with patented tilt geometry, patent-pending tilt lock system, 40° tilt range, head support fixture with small pad, tool-less height-adjustable aluminum frame, flip-up padded arm supports, foot supports, four dual-locking 5" (125mm) casters and commode pan. **User weight capacity 350 lbs.**

See our [Evaluation and Medical Justification Form](#).

1. Chair Code

<input type="checkbox"/> Z33318	Raz-ART w/ 18"W frame – will fit over most toilets	\$3,395
---------------------------------	--	---------

2. Seats – Standard

Molded Seats (thickness ~2.5"-3")			Visco-Foam Interface Seats (thickness ~3.5")		
<input type="checkbox"/> Z405	18"W x 16"D – Front Access	Standard	<input type="checkbox"/> Z436BRI	18"W x 16"D – Front Bridged	\$455
<input type="checkbox"/> Z410	18"W x 16"D – Front Bridged	N/C	<input type="checkbox"/> Z436FRO	18"W x 16"D – Front Access	\$455
<input type="checkbox"/> Z415	18"W x 19"D – Front Access	\$175	<input type="checkbox"/> Z436LTO	18"W x 16"D – Left Access	\$455
<input type="checkbox"/> Z420	18"W x 19"D – Front Bridged	\$175	<input type="checkbox"/> Z436RTO	18"W x 16"D – Right Access	\$455
Specialty Seats			<input type="checkbox"/> Z436RRO	18"W x 16"D – Rear Access	\$455
<input type="checkbox"/> Z4SOM	Shower-Only Seat – Molded 18"W x 16"-21"D	\$530	<input type="checkbox"/> Z439BRI	18"W x 19"D – Front Bridged	\$530
<input type="checkbox"/> Z4EJRM	E&J Replica Seat – Molded – 18"W x 17"D	\$455	<input type="checkbox"/> Z439FRO	18"W x 19"D – Front Access	\$530
<input type="checkbox"/> Z4EJRV	E&J Replica Seat – Visco Foam – 18"W x 17"D	\$955	<input type="checkbox"/> Z439LTO	18"W x 19"D – Left Access	\$530
			<input type="checkbox"/> Z439RTO	18"W x 19"D – Right Access	\$530
			<input type="checkbox"/> Z439RRO	18"W x 19"D – Rear Access	\$530

3. Seats – Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.

<input type="checkbox"/> Z4CS	Custom Seat (enter specs below)	\$1035
<input type="checkbox"/> Z4CEJR	Custom E&J Replica Seat (enter specs below)	\$1225

Custom Specifications (for above custom seats)

Custom Seat Width:	___ 18" / 20" (cannot be narrower than 18" or wider than 20")
Custom Seat Depth:	___ 15" / 16" / 17" / 18" / 19" / 20" / 21"
Access Opening:	___ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged
Access Opening Width:	___ 2.5" / 3.0" / 3.5" / 4.0" / 4.5" / 5.0" (3.5"W is standard)
Aperture Width:	___ 3.0"-8.0" (6.5" recommended) – enter "NA" if aperture is not required
<ul style="list-style-type: none"> • Unless otherwise requested, the width of the aperture (inside width of the commode opening) will be 6.5" for custom seats. • Custom Seat can be up to 20" wide to provide additional seat width / thigh support. Consider using Arm Support Spacer Kit (Z718 / Z719, Adjusta-Back only) to increase width between the arm supports by 1" or 2". • For Custom Seats, the Ischial Pelvic Alignment System (IPAS) allows +/- 1" fore / aft adjustment from specified custom seat depth. • Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, pelvic obliquity accommodation, etc. 	

4. Fixed Back Frames (18"W only)

This is called a "Fixed" Back because the arm supports are not adjustable in height. Includes molded, vinyl back support, fixed-height flip-up padded arm supports, back angle adjustment (85°/90°/95°) with cane-style posts. Back height is measured from top of molded seat to top of back upholstery. Hip Adductors [Z7HP1/2] are not compatible with Fixed Back.

<input type="checkbox"/> Z50818	Fixed Back – 18"W x 18"H ^{1,2}	Standard
---------------------------------	---	----------

5. Adjusta-Back Frames

Includes height / angle-adjustable arms with Arm Support Lock Kit (Z710), tension-adjustable back upholstery, flip-up padded arm supports, back angle adjustment (90°/97°). Tension-adjustable back upholstery can be positioned 2.5" higher than the nominal height indicated below, except on Z52018.


Standard Width Adjusta-Backs (18"W)

<input type="checkbox"/> Z50918	Adjusta-Back – 15"H (cane-style back posts)	\$255
<input type="checkbox"/> Z51018	Adjusta-Back – 17"H (cane-style back posts)	\$255
<input type="checkbox"/> Z51518	Adjusta-Back – 20"H (cane-style back posts)	\$335
<input type="checkbox"/> Z52018	Adjusta-Back – 24"H (straight back posts)	\$385

Non-Standard Width Adjusta-Backs on Standard 18"W Seat Frame (Must select Custom Back Frame Width [Sec.7])

* Complete Adjusta-Back order code by adding desired back frame width (14" / 16")


<input type="checkbox"/> Z509__*	Adjusta-Back – 15"H non-std width	\$255
<input type="checkbox"/> Z510__*	Adjusta-Back – 17"H non-std width	\$255
<input type="checkbox"/> Z515__*	Adjusta-Back – 20"H non-std width	\$335
<input type="checkbox"/> Z520__*	Adjusta-Back – 24"H non-std width	\$385



¹ Compatible with all 18"W seats but with reduced seat depth range. Also compatible with Custom seats or modified Visco-Foam Interface seats.

20" Width Adjusta-Backs on Standard 18"W Seat Frame (Must select Custom Back Frame Width [Sec.7])

<input type="checkbox"/> Z50920	Adjusta-Back – 15"H non-std width	\$255
<input type="checkbox"/> Z51020	Adjusta-Back – 17"H non-std width	\$255
<input type="checkbox"/> Z51520	Adjusta-Back – 20"H non-std width	\$335
<input type="checkbox"/> Z52020	Adjusta-Back – 24"H non-std width	\$385



6. Trigger Placement – Must choose one

<input type="checkbox"/> Z5DTBR	Dual Triggers, blue – both on right side ¹	Standard
<input type="checkbox"/> Z5DTBL	Dual Triggers, blue – both on left side ¹	N/C
<input type="checkbox"/> Z5STB	Single Triggers, blue – one trigger on each side	N/C

¹ Dual Tilt Triggers option positions both triggers on one side, allowing for single-handed activation. Available for all back widths.

7. Custom Back Frame Widths Different From Seat Frames – Must choose back frame [Sec.5]

<input type="checkbox"/> Z5NB1816	Custom Back ¹ – 2" Narrower than Seat Frame	\$455
<input type="checkbox"/> Z5NB1814	Custom Back – 4" Narrower than Seat Frame – requires custom seat	\$585
<input type="checkbox"/> Z5WB1820	Custom Back – 2" Wider than Seat Frame	\$455

Consider also using Arm Spacer Kit (Z718/Z719) as another solution for providing more width between the arms.

¹ Compatible with all 18"W seats but with reduced seat depth range. Also compatible with Custom or modified Visco-Foam Interface seats.

8. Back Support Options (These back supports replace the Molded or Tension-Adjustable Back Upholstery)

<input type="checkbox"/>	Z5S14	14"W Symphony Back ¹ – recessed solid back support	\$530
<input type="checkbox"/>	Z5S16	16"W Symphony Back ¹ – recessed solid back support	\$530
<input type="checkbox"/>	Z5S18	18"W Symphony Back ¹ – recessed solid back support	\$530
<input type="checkbox"/>	Z5S20	20"W Symphony Back ¹ – recessed solid back support	\$745
<input type="checkbox"/>	Z749	Harmony Back ¹ – contoured solid back Fits 18"W back frames only.	\$265

¹ Does not fit 15" back heights

9. Arm Supports and Accessories

<input type="checkbox"/>	Z5BAR13	Flip-Up Arm Supports – 13"-long pad (pr)	Std	<input type="checkbox"/>	Z7TRL	Molded Arm Trough ³ – Left (18.5"L x 4.5"W – fits Z5BAR13)	\$135
<input type="checkbox"/>	Z5BAR10	Flip-Up Arm Supports – 10"-long pad (pr) – not compatible with ZTR / Z7PAM	N/C	<input type="checkbox"/>	Z7TRR	Molded Arm Trough ³ – Right (18.5"L x 4.5"W – fits Z5BAR13)	\$135
<input type="checkbox"/>	Z710	Arm Support Lock Kit (pr) – for Z508	\$85	<input type="checkbox"/>	Z7PAML	Pivoting Arm Mount – Left (fits Z5BAR13 only)	\$180
<input type="checkbox"/>	Z718	Arm Spacer Kit (pr) – ½" per side = 1" total for Z509 / Z510 / Z515 / Z520	\$80	<input type="checkbox"/>	Z7PAMR	Pivoting Arm Mount – Right (fits Z5BAR13 only)	\$180
<input type="checkbox"/>	Z719	Arm Spacer Kit (pr) – 1" per side = 2" total for Z509 / Z510 / Z515 / Z520	\$135	<input type="checkbox"/>	Z7PHG	Pivoting Hand Grips (pr)	\$425
<input type="checkbox"/>	Z7FLL	Molded Flat Armpad, Long ^{1,2} – Left (14"L x 3.25"W – fits Z5BAR13)	\$125	<input type="checkbox"/>	Z7APS_ _ *	Anterior Posture Support Bar * Enter back frame width to complete code (14"/16"/18") ⁴	\$240
<input type="checkbox"/>	Z7FLR	Molded Flat Armpad, Long ^{1,2} – Right (14"L x 3.25"W – fits Z5BAR13)	\$125	<input type="checkbox"/>	Z7APS20	Anterior Posture Support Bar ⁴ For 20"W back frame	\$275
<input type="checkbox"/>	Z7FSL	Molded Flat Armpad, Short ¹ – Left (10"L x 3"W – fits Z5BAR10)	\$125				
<input type="checkbox"/>	Z7FSR	Molded Flat Armpad, Short ¹ – Right (10"L x 3"W – fits Z5BAR10)	\$125				

¹ May require Z718 / Z719 for Arm Support to flip up, depending on medial / lateral positioning of Flat Arm Pads
² May require Z7PAM for Arm Support to flip up and for Lateral Supports to swing away
³ Requires Z7PAM for Arm Support to flip up and/or for Lateral to swing away
⁴ Not available with Z7FS / Z7FL / Z7TR

10. Foot and Leg Supports

<input type="checkbox"/>	Z705N	Foot Supports 16"-20.5" (pr)	Std	<input type="checkbox"/>	Z7ELRL	Elevating Leg Support ³ – Left (includes Z7ADM)	\$520
<input type="checkbox"/>	Z7FET2	Foot Support Extension Tubes – 2" longer ¹ (pr)	\$80	<input type="checkbox"/>	Z7ELRR	Elevating Leg Support ³ – Right (includes Z7ADM)	\$520
<input type="checkbox"/>	Z7MFX8	MFX Foot Supports 8"-12" (pr)	\$105	<input type="checkbox"/>	Z7ELROFL	Elevating Leg Support, Forward Offset ⁴ – Left (includes Z7ADM)	\$570
<input type="checkbox"/>	Z7MFX12	MFX Foot Supports 12"-16.5" (pr)	\$210	<input type="checkbox"/>	Z7ELROFR	Elevating Leg Support, Forward Offset ⁴ – Right (includes Z7ADM)	\$570
<input type="checkbox"/>	Z7ADM	Adj Angle/Depth Molded Footplates ² (pr)	\$205	<input type="checkbox"/>	Z7RLSL	Residual Limb Support, Universal – Left	\$425
<input type="checkbox"/>	Z7FET2A	Footrest Extension Tubes for Z7ADM (pr) – 2" longer	\$80	<input type="checkbox"/>	Z7RLSR	Residual Limb Support, Universal – Right	\$425
<input type="checkbox"/>	Z7VS	V-Style Foot Support (1-piece) 16.5"-20" – for 18"W seat frames	\$240				
<input type="checkbox"/>	Z7FBT	Flip-Back Foot Support (1-piece) with calf pads	\$425				

¹ Not compatible with Z7ADM / Z7VS / Z7FBT / Z7MFX8
² Not available for Z7MFX8 / Z7VS
³ Z7ELRL/R compatible with seat depths ≤ 18"
⁴ Z7ELROFL/R compatible with seat depths ≥ 19"

11. Foot and Leg Support Accessories

<input type="checkbox"/>	Z7FSLK	Foot Support Locks (pr)	\$105	<input type="checkbox"/>	Z7NCS	Neoprene Covers for Standard Footplates (pr)	\$100
<input type="checkbox"/>	Z7CS18	Calf Strap, Snap-On – Bodypoint Aeromesh	\$170	<input type="checkbox"/>	Z7NCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (pr)	\$100
<input type="checkbox"/>	Z7CSIC18	Calf Strap, Snap-On – Infection Control	\$190	<input type="checkbox"/>	Z7OFLM	Lateral Offset Foot Support Receiver (ea) – moves foot / leg support 2" laterally or medially Quantity (1 or 2) __	\$175
<input type="checkbox"/>	Z737CPL	Calf Panel – Bodypoint	\$190				
<input type="checkbox"/>	Z706	H-Strap – for 18"W frames – hook and loop attachment	\$105				
<input type="checkbox"/>	Z708ADJ	Heel Loops, Adjustable (pr) – not available for Z7VS / Z7FBT	\$65				

12. Positioning Pads

<input type="checkbox"/>	Z7HSTS	Head Support Pad – Small (10" x 4")	Std	<input type="checkbox"/>	Z7HP1L	Hip Adductor w/ Small Pad ^{1,2} – Left	\$345
<input type="checkbox"/>	Z7HSTL	Head Support Pad – Large (12" x 6")	\$65	<input type="checkbox"/>	Z7HP1R	Hip Adductor w/ Small Pad ^{1,2} – Right	\$345
<input type="checkbox"/>	Z7OHIP	Lateral Offset Head Support Interface Plate – up to 22° of adjustment (up to 6" offset, dependent on head support height setting)	\$105	<input type="checkbox"/>	Z7HP2L	Hip Adductor w/ Large Pad ^{1,2} – Left	\$345
<input type="checkbox"/>	Z7LTS1L	Lateral Thoracic Support w/ Small Pad ¹ – Left	\$345	<input type="checkbox"/>	Z7HP2R	Hip Adductor w/ Large Pad ^{1,2} – Right	\$345
<input type="checkbox"/>	Z7LTS1R	Lateral Thoracic Support w/ Small Pad ¹ – Right	\$345				
<input type="checkbox"/>	Z7LTS2L	Lateral Thoracic Support w/ Large Pad ¹ – Left	\$345				
<input type="checkbox"/>	Z7LTS2R	Lateral Thoracic Support w/ Large Pad ¹ – Right	\$345				
<input type="checkbox"/>	Z742L	Lateral / Adductor Extension Plate (5.5" x 3.5") – Left ___ Qty	\$45	¹ Pad Sizes: Small – 5.5" x 3.5" / Large – 6.75" x 4.3". Lateral Pads can be adjusted medially up to 3" per side. Adductor Pads can be adjusted medially up to 2.5" per side. For additional medial offset, specify Z742 extension plate. ² Fits Adjusta-Back only			
<input type="checkbox"/>	Z742R	Lateral / Adductor Extension Plate (5.5" x 3.5") – Right ___ Qty	\$45				

Notes:

13. Pelvic and Chest Belts – A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts

Chest Belts

<input type="checkbox"/> ZPBM	Pelvic Belt, Medium 2-piece w/ side-release buckle	\$70	<input type="checkbox"/> ZCBS	Chest Belt ² , Small (back widths 14"-16", 1-piece w/ hook and loop closure)	\$70
<input type="checkbox"/> ZPBL	Pelvic Belt, Large 2-piece w/ side-release buckle	\$80	<input type="checkbox"/> ZCBM	Chest Belt ² , Medium (back widths 16"- 18", 1-piece w/ hook and loop closure)	\$70
<input type="checkbox"/> ZPBICM	Pelvic Belt ¹ , Medium – Infection Control 2-piece w/ side-release buckle	\$115	<input type="checkbox"/> ZCBL	Chest Belt ² , Large (back widths 18"-20", 1-piece w/ hook and loop closure)	\$80
<input type="checkbox"/> ZPBICL	Pelvic Belt ¹ , Large – Infection Control 2-piece w/ side-release buckle	\$125	<input type="checkbox"/> ZCBICS	Chest Belt ^{1,2} , Small – Infection Control (back widths 14-16", 1-piece w/ side-release buckle)	\$105
<input type="checkbox"/> ZPBBP_*	Pelvic Belt – Bodypoint Aeromesh * enter size to complete code (M / L)	\$210	<input type="checkbox"/> ZCBICM	Chest Belt ^{1,2} , Medium – Infection Control (back widths 16"-18", 1-piece w/ side-release buckle)	\$105
			<input type="checkbox"/> ZCBICL	Chest Belt ^{1,2} , Large – Infection Control (back widths 18"-20", 1-piece w/ side-release buckle)	\$115
			<input type="checkbox"/> ZCBBPS	Chest Belt, Small – Bodypoint Aeromesh	\$295
			<input type="checkbox"/> ZCBBP_*	Chest Belt – Bodypoint Aeromesh * enter size to complete code (M / L)	\$235

Recommended sizes for Bodypoint belts	Pelvic Belt	Not Available	ZPBBPM	16"-18"W seat frame	ZPBBPL	18"-20"W seat frame
	Chest Belt	ZCBBPS	14"-16"W back frame	ZCBBPM	16"-18"W back frame	ZCBBPL

¹ Non-absorbent belts – recommended for infection-control environments

² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided.

14. Other

<input type="checkbox"/> ZPSK1	Commode Pan Spacer Kit ¹ – 1" lower	\$215
<input type="checkbox"/> ZPSK2	Commode Pan Spacer Kit ¹ – 2" lower	\$230
<input type="checkbox"/> ZPSK3	Commode Pan Spacer Kit ¹ – 3" lower	\$245
<input type="checkbox"/> ZPSK4	Commode Pan Spacer Kit ¹ – 4" lower	\$265
<input type="checkbox"/> ZIHW	Whizard – Winged Urine Deflector ²	\$90

¹ Commode Pan Spacer Kits provide extra clearance for perianal care with pan in place. Reduces toilet bowl clearance height.

² Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.

15. Credits and Omissions

<input type="checkbox"/> Z905	Omit Commode Pan and Mounting Brackets	-\$20	<input type="checkbox"/> Z911	Omit Molded Head Support Pad	-\$20
<input type="checkbox"/> Z907	Omit Standard Foot Supports	-\$45	<input type="checkbox"/> Z912	Omit Complete Head Support Assembly	-\$50

NOTE: SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

16. Notes:

Specifications	Raz-ART (Attendant-propel Rotational Tilt)	
Weight Capacity	350 lbs	
Frame Width (seat and back frame)	18"	
Overall Width	22.5"	
Overall Length (with foot supports and headrest adjusted to middle positions)		
- at 0° tilt	35"	
- at 40°	50.5"	
Seat Depth	16" or 21" depending on seat/cushion length	
Clearance Height (under seat)		
- with pan brackets	Lower Range: 15" – 18"	Higher Range: 19" – 22"
- without pan brackets	Lower Range: 15.5" – 18.5"	Higher Range: 19.5" – 22.5"
Clearance Width (to fit around toilet)		
Arm Support Height - above molded seat (1/2" increments)		
- 18"H Fixed Back - standard	8.5"	
- 15"H Adjusta-Back	5.5"-8.5" (1/2" increments)	
- 17"H Adjusta-Back	6.5"-9.5" (1/2" increments)	
- 20"H Adjusta-Back	7.5"-10.5" (1/2" increments)	
- 24"H Adjusta-Back	7.5"-10.5" (1/2" increments)	
Seat-to-Floor Height (with molded seat)		
- lower range	20"-23" in 1" increments	
- upper range	24"-27" in 1" increments	
Product Weight	69 lbs	
Base and Seat Frame Material	Aluminum	
Back Frame and Foot Support Material	Stainless Steel	
Hardware Material	Stainless Steel	