

Date: \_\_\_\_\_

Dealer / Location: \_\_\_\_\_ T: \_\_\_\_\_ F: \_\_\_\_\_

PO# / Client: \_\_\_\_\_ Contact: \_\_\_\_\_ Email: \_\_\_\_\_

**Raz-AT – Attendant Tilt** Mobile Shower Commode Chair with 40° tilt range, head support fixture with small pad, height-adjustable stainless-steel frame, flip-up padded arm supports, foot supports, four dual-locking 5" (125mm) casters and commode pan.  
**User weight capacity 400 lbs.** See our [Evaluation and Medical Justification Form](#).

## 1. Chair Codes by size – Must Choose One

<input type="checkbox"/> Z300S18	Raz-AT w/ 18"W seat and base frame – Standard size, fits over most toilets <sup>1</sup>	\$3,195
<input type="checkbox"/> Z300S__*	Non-Standard Width Raz-AT – Must add upcharge for custom width: see below * add custom width to complete code (16" / 20" / 22" / 24") – <b>Adjusta-Back must be selected for all custom widths [Sec.6]</b>	\$3,195
<input type="checkbox"/> Z3SW16	Upcharge for custom 16"W seat and base frame <sup>2</sup> – will not fit over most toilets	\$850
<input type="checkbox"/> Z3SW20	Upcharge for custom 20"W seat and base frame <sup>3</sup>	\$850
<input type="checkbox"/> Z3SW22	Upcharge for custom 22"W seat and base frame <sup>4</sup>	\$955
<input type="checkbox"/> Z3SW24	Upcharge for custom 24"W seat and base frame <sup>4</sup>	\$1065

<sup>1</sup> Fits all 18"W seats

<sup>2</sup> Visco-Foam Interface seats can be modified to fit.

<sup>3</sup> 18"W seats can be selected but must also select Seat Support Adapter Kit Z4SSKT [Sec.2]

<sup>4</sup> Z4V23N Visco Foam Interface HD seat can be modified to fit. Seat Support Kit (Z4SSKT) required for 24"W seat frame.

### Custom Seat / Base Frame Length and Seat Height

<input type="checkbox"/> Z3SFL3	Upcharge for custom 3" Longer Seat Frame: required for seats ≥ 21"D	\$775
<input type="checkbox"/> Z3BFL3	Upcharge for custom 3" Longer Base Frame: required for seats ≥ 22"D (typically used in conjunction with Z3SFL3)	\$775
<input type="checkbox"/> Z3SL5	Upcharge for custom Super-Low Frame (5" lower) – height adjustment range (molded seat): 16"-20" <sup>1</sup>	\$1,950

<sup>1</sup> To lower height adjustment range by 1" (15"-19"), select 4" caster upgrade option Z64T (will not fit over most toilets)

## 2. Seats – Standard

Molded Seats (thickness ~2.5"-3")			Visco-Foam Interface Seats (thickness ~3.5")		
<input type="checkbox"/> Z405	18"W x 16"D – Front Access	Standard	<input type="checkbox"/> Z436BRI	18"W x 16"D – Front Bridged	\$455
<input type="checkbox"/> Z410	18"W x 16"D – Front Bridged	N/C	<input type="checkbox"/> Z436FRO	18"W x 16"D – Front Access	\$455
<input type="checkbox"/> Z415	18"W x 19"D – Front Access	\$175	<input type="checkbox"/> Z436LTO	18"W x 16"D – Left Access	\$455
<input type="checkbox"/> Z420	18"W x 19"D – Front Bridged	\$175	<input type="checkbox"/> Z436RTO	18"W x 16"D – Right Access	\$455
<b>Specialty Seats</b>			<input type="checkbox"/> Z436RRO	18"W x 16"D – Rear Access	\$455
<input type="checkbox"/> Z4SOM	Shower-Only Seat – Molded 18"W x 16"-21"D	\$530	<input type="checkbox"/> Z439BRI	18"W x 19"D – Front Bridged	\$530
<input type="checkbox"/> Z4EJRM	E&J Replica Seat – Molded – 18"W x 17"D	\$455	<input type="checkbox"/> Z439FRO	18"W x 19"D – Front Access	\$530
<input type="checkbox"/> Z4V23N	23"W x 18"D HD – Visco Foam – Front Access Notched at rear to maintain fore/aft adjustment range (IPAS) – 22"W frame	\$745	<input type="checkbox"/> Z439LTO	18"W x 19"D – Left Access	\$530
			<input type="checkbox"/> Z439RTO	18"W x 19"D – Right Access	\$530
			<input type="checkbox"/> Z439RRO	18"W x 19"D – Rear Access	\$530

### 3. Seats – Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.

<input type="checkbox"/> Z4CS	Custom Seat (enter specs below) <b>Select if both width and depth are ≤ 21"</b>	\$1035
<input type="checkbox"/> Z4CEJR	Custom E&J Replica Seat (enter specs below) <b>Select if both width and depth are ≤ 21"</b>	\$1225
<input type="checkbox"/> Z4CSHD	Heavy Duty Custom Seats (enter specs below) <b>Select if width and/or depth is ≥ 22"</b>	\$1345

#### Custom Specifications (for above custom seats)

- Seat Frame Width:        \_\_ 16" / 18" / 20" / 22" / 24"
- Custom Seat Width:     \_\_ 16" / 18" / 20" / 22" / 24" (cannot be more than 2" wider than seat frame width)
- Custom Seat Depth:     \_\_ 15" / 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" [≥ 21" requires Longer Frame (Z3SFL3)]
- Access Opening:         \_\_ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged
- Access Opening Width:  \_\_ 2.5" / 3.0" / 3.5" / 4.0" / 4.5" / 5.0" (3.5"W is standard)
- Aperture Width:         \_\_ 3.0"-8.0" (6.5" recommended) – enter "NA" if aperture is not required

- Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.
- Custom Seat width should not be narrower than frame width.
- Custom Seat can be up to 2" wider than seat frame width to provide additional thigh support without ordering wider chair frame.
- The Ischial Pelvic Alignment System (IPAS) allows 2" fore/aft adjustment of the seat (seat depth and aperture position) on all seats.
- Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, etc.

### 4. Seat Options

<input type="checkbox"/> Z4SSKT	Seat Support Kit for Raz-AT/CAT (to support seats that are narrower than seat frames)	\$160	<input type="checkbox"/> Z4GSB_ _*	Custom Seat Bracket Spacers – for adding dump angle (pr) Specify additional height at front of seat to complete code (0.5"/1.0"/1.5")	\$385
---------------------------------	---	-------	------------------------------------	---	-------

### 5. Fixed Back Frames (18"W only)

This is called a "Fixed" Back because the arm supports are not adjustable in height. Includes molded, vinyl back support, fixed-height flip-up padded arm supports, back angle adjustment (85°/90°/95°) with cane-style posts. Back height is measured from top of molded seat to top of back upholstery. Hip Adductors [Z7HP1/2] are not compatible with Fixed Back.

<input type="checkbox"/> Z50818	Fixed Back – 18"W x 18"H <sup>1,2</sup>	Standard
---------------------------------	---	----------




## 6. Adjusta-Back Frames

Includes height- and angle-adjustable arms with Armrest Lock Kit (Z710), tension-adjustable back upholstery, flip-up padded arm supports, back angle adjustment (85°/90°/95°). Back heights of 15"/17"/20" include cane-style posts, on which back upholstery can be positioned 2.5" higher than nominal height indicated below. e.g. 20"H can be moved up to 22.5"H. 24"H Adjusta-Back includes straight posts, on which the upholstery cannot be raised.

Standard Width Adjust-Backs (18"W)			Non-Standard Width Adjusta-Backs		
<input type="checkbox"/> Z50918	Adjusta-Back – 15"H	\$255	<b>* Complete Adjusta-Back order code by adding desired back frame width (16"/20"/22"/24") Note: 18" is the standard width.</b>		
<input type="checkbox"/> Z51018	Adjusta-Back – 17"H	\$255	<input type="checkbox"/> Z509_ _ *	Adjusta-Back – 15"H non-std width	\$255
<input type="checkbox"/> Z51518	Adjusta-Back – 20"H	\$335	<input type="checkbox"/> Z510_ _ *	Adjusta-Back – 17"H non-std width	\$255
<input type="checkbox"/> Z52018	Adjusta-Back – 24"H	\$385	<input type="checkbox"/> Z515_ _ *	Adjusta-Back – 20"H non-std width	\$335
<input type="checkbox"/> Z5DTL	Dual Triggers – both on left side <sup>1</sup>	N/C	<input type="checkbox"/> Z520_ _ *	Adjusta-Back – 24"H non-std width	\$385
<input type="checkbox"/> Z5DTR	Dual Triggers – both on right side <sup>1</sup>	N/C	<input type="checkbox"/> Z515ATR_ _ *	Reclining Adjusta-Back <sup>2</sup> 30° recline, 20" back height with 2-Point Reclining Arms (tilt is limited to 25°)	\$1,065
<input type="checkbox"/> Z515ATR18	Reclining Adjusta-Back <sup>2</sup> 30° recline, 20" back height with 2-Point Reclining Arms (tilt is limited to 25°)	\$1,065	<input type="checkbox"/> Z520ATR_ _ *	Reclining Adjusta-Back <sup>2</sup> 30° recline, 24" back height with 2-Point Reclining Arms (tilt is limited to 25°)	\$1,170
<input type="checkbox"/> Z520ATR18	Reclining Adjusta-Back <sup>2</sup> 30° recline, 24" back height with 2-Point Reclining Arms (tilt is limited to 25°)	\$1,170			

<sup>1</sup> Dual Tilt Triggers option positions both triggers on one side, allowing for single-handed activation. Available for all back widths.  
<sup>2</sup> On reclining backs (Z515ATR/Z520ATR), Dual Triggers for recline are mounted on the left side and for tilt on the right side.

## 7. Custom Back Frame Widths Different From Seat Frames – Must choose back frame [Sec.5] (configurations below are not available for recliner backs)

Z5NB_ _ _ _ *	Custom Back – 2" Narrower than Seat Frame	\$455	Seat Frame Width	16" <sup>1</sup>	18" <sup>2</sup>	20" <sup>3</sup>	22" <sup>4</sup>	24" <sup>5</sup>	
			Back Frame Width	14"	16"	18"	20"	22"	
* Enter seat and back frame widths to complete code. eg. Z5NB2018 specifies a 20"W seat frame with an 18"W back frame									
Z5NB_ _ _ _ *	Custom Back – 4" Narrower than Seat Frame – requires custom seat	\$585	Seat Frame Width	N/A	18" <sup>1</sup>	20" <sup>3</sup>	22" <sup>4</sup>	24" <sup>5</sup>	
			Back Frame Width	N/A	14"	16"	18"	20"	
* Enter seat and back frame widths to complete code. eg. Z5NB2016 specifies a 20"W seat frame with a 16"W back frame									
Z5WB_ _ _ _ *	Custom Back – 2" Wider than Seat Frame	\$455	Seat Frame Width	16"	18"	20" <sup>3</sup>	22" <sup>6</sup>	N/A	
			Back Frame Width	18"	20"	22"	24"	N/A	
* Enter seat and back frame widths to complete code. eg. Z5WB1820 specifies an 18"W seat frame with a 20"W back frame			Consider also using Arm Spacer Kit (Z718/Z719) as another solution for providing more width between the arms.						
<sup>1</sup> Requires Custom Seat <sup>2</sup> Compatible with all 18"W seats but with reduced seat depth range. Also compatible with Custom or modified Visco-Foam Interface seats. <sup>3</sup> Custom Seat recommended. Also compatible with all 18"W seats, requires Seat Support Kit Z4SSKT [Sec.2] <sup>4</sup> Custom Seat recommended. Also compatible with modified Z4V23N (18" seat depth with limited adjustability). <sup>5</sup> Custom Seat recommended. Compatible with modified Z4V23N (18" seat depth with limited adjustability, requires Seat Support Kit (Z4SSKT) [Sec.2] and modified Z4V26N (18" seat depth with limited adjustability). <sup>6</sup> Custom Seat recommended. Also compatible with Z4V23N (18" seat depth).									

**8. Back Support Options – These back supports replace the standard, tension-adjustable upholstery and are recommended for infection-control environments.**

<input type="checkbox"/> Z5S14	14"W Symphony Back <sup>1</sup> – recessed solid back	\$530	<input type="checkbox"/> Z749	Harmony Back <sup>2</sup> (contoured solid back – 18"W x 13"H) Fits 17" or 20" back heights, 18"W back frames only	\$265
<input type="checkbox"/> Z5S16	16"W Symphony Back <sup>1</sup> – recessed solid back	\$530			
<input type="checkbox"/> Z5S18	18"W Symphony Back <sup>1</sup> – recessed solid back	\$530			
<input type="checkbox"/> Z5S20	20"W Symphony Back <sup>1</sup> – recessed solid back	\$745			
<input type="checkbox"/> Z5S22	22"W Symphony Back <sup>1</sup> – recessed solid back	\$745			
<input type="checkbox"/> Z5S24	24"W Symphony Back <sup>1</sup> – recessed solid back	\$745			
<input type="checkbox"/> Z5S26	26"W Symphony Back <sup>1</sup> – recessed solid back	\$850			

<sup>1</sup> Not compatible with 15"H back – all Symphony Back panels are 13"H  
<sup>2</sup> Not recommended for reclining backs.

**9. Arm Supports and Accessories**

<input type="checkbox"/> Z5BAR13	Flip-Up Arm Supports – 13"L pad (pr)	Std	<input type="checkbox"/> Z7PAML	Pivoting Arm Mount – Left (for Z7FL/Z7TR)	\$180
<input type="checkbox"/> Z710	Arm Support Lock Kit (for Z505/Z506) (pr)	\$85	<input type="checkbox"/> Z7PAMR	Pivoting Arm Mount – Right (for Z7FL/Z7TR)	\$180
<input type="checkbox"/> Z52PAT	2-Point Flip-up Arm Supports <sup>1</sup> (pr) (standard with reclining backs)	\$370	<input type="checkbox"/> Z718	Arm Support Spacer Kit – 1/2" per side (pr)(for Z509/Z510/Z515/Z520)	\$80
<input type="checkbox"/> Z7FLL	Long Molded Flat Armpad <sup>2</sup> – Left (14"L x 3.25"W)	\$125	<input type="checkbox"/> Z719	Arm Support Spacer Kit – 1" per side (pr)(for Z509/Z510/Z515/Z520)	\$135
<input type="checkbox"/> Z7FLR	Long Molded Flat Armpad <sup>2</sup> – Right (14"L x 3.25"W)	\$125	<input type="checkbox"/> Z7PHG	Pivoting Hand Grips (pr)	\$425
<input type="checkbox"/> Z7TRL	Molded Arm Trough <sup>2</sup> – Left (18.5"L x 4.5"W)	\$135	<input type="checkbox"/> Z7APS__*	Anterior Posture Support Bar * Enter back frame width to complete code (14"/16"/18") <sup>3,4</sup>	\$240
<input type="checkbox"/> Z7TRR	Molded Arm Trough <sup>2</sup> – Right (18.5"L x 4.5"W)	\$135	<input type="checkbox"/> Z7APS__*	Anterior Posture Support Bar * Enter back frame width to complete code (20"/22"/24") <sup>3,4</sup>	\$275

<sup>1</sup> For chairs with same back width and frame width only  
<sup>2</sup> May require Z7PAM for arm support to flip up and/or for lateral supports to swing away  
<sup>3</sup> Not available with Z7FL / Z7TR  
<sup>4</sup> Special length required with Z718 (+1") and Z719 (+2").

**10. Foot and Leg Supports** – Standard Foot Supports (Z705N) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (Z7ELRL), the chair will be supplied with one Foot Support (Z705N) on the right side and a Z7ELRL on the left side.

<input type="checkbox"/> Z705N	Foot Supports 16"-20.5" (pr)	Std	<input type="checkbox"/> Z7ELRL	Elevating Leg Support <sup>3</sup> – Left (includes Z7ADM)	\$520
<input type="checkbox"/> Z705N16	Foot Supports for 16"W frames 16"-20.5" (pr)	N/C	<input type="checkbox"/> Z7ELRR	Elevating Leg Support <sup>3</sup> – Right (includes Z7ADM)	\$520
<input type="checkbox"/> Z7FET2	Footrest Extension Tubes – 2" longer <sup>1</sup> (pr)	\$80	<input type="checkbox"/> Z7ELROFL	Forward Offset Elevating Leg Support <sup>4</sup> – Left (includes Z7ADM)	\$570
<input type="checkbox"/> Z7MFX8	MFX8 Foot Supports 8"-12" (pr)	\$105	<input type="checkbox"/> Z7ELROFR	Forward Offset Elevating Leg Support <sup>4</sup> – Right (includes Z7ADM)	\$570
<input type="checkbox"/> Z7MFX12	MFX12 Foot Supports 12"-16.5" (pr)	\$210	<input type="checkbox"/> Z7RLSL	Universal Residual Limb Support – Left	\$425
<input type="checkbox"/> Z7ADM	Angle/Depth Adj Molded Footplates <sup>2</sup> (pr)	\$205	<input type="checkbox"/> Z7RLSR	Universal Residual Limb Support – Right	\$425
<input type="checkbox"/> Z7FET2A	Footrest Extension Tubes for Z7ADM (pr) (2" longer)	\$80			
<input type="checkbox"/> Z7ADABS	Angle/Depth Adj ABS Footplates (pr) For 16"W frames	\$235			
<input type="checkbox"/> Z7VS18	V-Style Foot Support (1-piece) – for 18"W base frames	\$240			
<input type="checkbox"/> Z7VS_*	V-Style Foot Support (1-piece) * Enter frame width to complete code (16" / 20" / 22" / 24")	\$330			
<input type="checkbox"/> Z7FBT	Flip-Back Foot Support (1-piece) with calf pads	\$425			
<sup>1</sup> Not compatible with Z7MFX8 / Z7ADM / Z7VS / Z7FBT			<sup>3</sup> Z7ELRL/R compatible with frame widths ≥ 18" and adjusted seat depths ≤ 18" or ≤ 21" w/ 3" longer seat frames (Z3SFL3)		
<sup>2</sup> Not compatible with Z300S16 or Z7MFX8			<sup>4</sup> Z7ELROFL/R compatible with frame widths ≥ 18" for adjusted seat depths 19"-20" on standard frame or 22"-23" w/ 3" longer seat frames (Z3SFL3)		

### 11. Foot and Leg Support Accessories

<input type="checkbox"/> Z7FSLK	Foot Support Lock (pr)	\$105	<input type="checkbox"/> Z708ADJ	Adjustable Heel Loops (pr) – not available for Z7VS / Z7FBT	\$65
<input type="checkbox"/> Z7CS_*	Snap-On Calf Strap – Bodypoint Aeromesh * Enter seat frame width to complete code (16"/18"/20"/22"/24")	\$170	<input type="checkbox"/> Z7NCS	Neoprene Covers for Standard Footplates (pr)	\$100
<input type="checkbox"/> Z7CSIC_*	Calf Strap, Snap-On – Infection Control * Enter seat frame width to complete code (16" / 18" / 20")	\$190	<input type="checkbox"/> Z7NC16	Neoprene Covers for narrow molded footplates (pr)	\$100
<input type="checkbox"/> Z7CSIC22	Snap-On Infection Control Calf Strap – 22"W frames	\$190	<input type="checkbox"/> Z7NCA	Neoprene Covers for Angle/Depth Adj Molded Footplates (pr)	\$100
<input type="checkbox"/> Z737CPL	Calf Panel – Bodypoint <sup>1</sup> Fits frame widths 16" / 18" / 20"	\$190	<input type="checkbox"/> Z7NCABS	Neoprene Covers for ABS Adj Angle/Depth Footplates Z7ADABS (pr)	\$100
<input type="checkbox"/> Z706	H-Strap – for 18" / 20"W frames – hook and loop attachment	\$105	<input type="checkbox"/> Z7OFLM	Lateral Offset Foot Support Receiver – moves foot support 2" laterally or medially Quantity (1 or 2) __	\$175
<input type="checkbox"/> Z712	H-Strap – for 22" / 24"W frames – hook and loop attachment	\$120			
<sup>1</sup> Not compatible with Z7MFX8 / Z7FBT / Z7VS					

## 12. Positioning Pads

<input type="checkbox"/> Z7HSTS	Head Support Pad – Small (10" x 4")	Std	<input type="checkbox"/> Z7LGT1L	Leg Adductor w/ Small Pad <sup>1</sup> – Left	\$345
<input type="checkbox"/> Z7HSTL	Head Support Pad – Large (12" x 6")	\$65	<input type="checkbox"/> Z7LGT1R	Leg Adductor w/ Small Pad <sup>1</sup> – Right	\$345
<input type="checkbox"/> Z7OHIP	Lateral Offset Head Support Interface Plate – up to 22° of adjustment	\$105	<input type="checkbox"/> Z7LGT2L	Leg Adductor w/ Large Pad <sup>1</sup> – Left	\$345
<input type="checkbox"/> Z7LTS1L	Lateral Thoracic Support w/ Small Pad <sup>1,2</sup> – Left	\$345	<input type="checkbox"/> Z7LGT2R	Leg Adductor w/ Large Pad <sup>1</sup> – Right	\$345
<input type="checkbox"/> Z7LTS1R	Lateral Thoracic Support w/ Small Pad <sup>1,2</sup> – Right	\$345	<input type="checkbox"/> Z7HP1L	Hip Adductor w/ Small Pad <sup>1,3</sup> – Left	\$345
<input type="checkbox"/> Z7LTS2L	Lateral Thoracic Support w/ Large Pad <sup>1,2</sup> – Left	\$345	<input type="checkbox"/> Z7HP1R	Hip Adductor w/ Small Pad <sup>1,3</sup> – Right	\$345
<input type="checkbox"/> Z7LTS2R	Lateral Thoracic Support w/ Large Pad <sup>1,2</sup> – Right	\$345	<input type="checkbox"/> Z7HP2L	Hip Adductor w/ Large Pad <sup>1,3</sup> – Left	\$345
<input type="checkbox"/> Z742L	Lateral/Adductor Extension Plate (5.5" x 3.5") – Left	\$45	<input type="checkbox"/> Z7HP2R	Hip Adductor w/ Large Pad <sup>1,3</sup> – Right	\$345
<input type="checkbox"/> Z742R	Lateral/Adductor Extension Plate (5.5" x 3.5") – Right	\$45	<input type="checkbox"/> Z7MTST1	Medial Thigh Support – Small	\$515
			<input type="checkbox"/> Z7MTST2	Medial Thigh Support – Large	\$515

<sup>1</sup> Adjustable Pad Sizes: Small – 5.5" x 3.5" / Large – 6.75" x 4.3".  
<sup>2</sup> Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify Z742 extension plate.  
<sup>3</sup> Fits Adjusta-Back only

## 13. Pelvic and Chest Belts – A chest belt should not be used without a pelvic belt

Pelvic Belts			Chest Belts		
<input type="checkbox"/> ZPBS	Pelvic Belt – Small (frame widths 14"-16", 2-piece w/ side-release buckle)	\$70	<input type="checkbox"/> ZCBS	Chest Belt <sup>2</sup> – Small (back widths 14"-16", 1-piece w/ hook and loop closure)	\$70
<input type="checkbox"/> ZPBM	Pelvic Belt – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)	\$70	<input type="checkbox"/> ZCBM	Chest Belt <sup>2</sup> – Medium (back widths 16"-18", 1-piece w/ hook and loop closure)	\$70
<input type="checkbox"/> ZPBL	Pelvic Belt – Large (frame widths 18"-22", 2-piece w/ side-release buckle)	\$80	<input type="checkbox"/> ZCBL	Chest Belt <sup>2</sup> – Large (back widths 18"-22", 1-piece w/ hook and loop closure)	\$80
<input type="checkbox"/> ZPBXL	Pelvic Belt – XLarge (seat frame widths 22"-30", 2-piece w/ side-release buckle)	\$90	<input type="checkbox"/> ZCBXL	Chest Belt – XLarge <sup>2</sup> (back frame widths 22"-30", 1-piece w/ hook and loop closure)	\$90
<input type="checkbox"/> ZPBICS	Infection Control Pelvic Belt <sup>1</sup> – Small (frame widths 14"-16", 2-piece w/ side-release buckle)	\$105	<input type="checkbox"/> ZCBICS	Infection Control Chest Belt <sup>1,2</sup> – Small (back widths 14"-16", 1-piece w/ side-release buckle)	\$105
<input type="checkbox"/> ZPBICM	Infection Control Pelvic Belt <sup>1</sup> – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)	\$115	<input type="checkbox"/> ZCBICM	Infection Control Chest Belt <sup>1,2</sup> – Medium (back widths 16"-18", 1-piece w/ side-release buckle)	\$105
<input type="checkbox"/> ZPBICL	Infection Control Pelvic Belt <sup>1</sup> – Large (frame widths 18"-22", 2-piece w/ side-release buckle)	\$125	<input type="checkbox"/> ZCBICL	Infection Control Chest Belt <sup>1,2</sup> – Large (back widths 18"-22", 1-piece w/ side-release buckle)	\$115
<input type="checkbox"/> ZPBICXL	Infection Control Pelvic Belt <sup>1</sup> – XLarge (seat frame widths 22"-30", 2-piece w/ side-release buckle)	\$135	<input type="checkbox"/> ZCBICXL	Infection Control Chest Belt <sup>1,2</sup> – XLarge (back frame widths 22"-30", 1-piece w/ side-release buckle)	\$125
<input type="checkbox"/> ZPBBPS	Pelvic Belt – Bodypoint Aeromesh – Small	\$260	<input type="checkbox"/> ZCBBPS	Chest Belt – Bodypoint Aeromesh – Small	\$295
<input type="checkbox"/> ZPBBP — *	Pelvic Belt – Bodypoint Aeromesh * enter size to complete code (M / L)	\$210	<input type="checkbox"/> ZCBBP — *	Chest Belt – Bodypoint Aeromesh * enter size to complete code (M / L / XL)	\$235
<input type="checkbox"/> ZPBBPXL	Pelvic Belt – Bodypoint Aeromesh – XLarge	\$210			

<b>Recommended sizes for Bodypoint belts</b>	Pelvic belt	ZPBBPS	14"/16"W seat frame	ZPBBPM	16"/18"W seat frame	ZPBBPL	18"-22"W seat frame	ZPBBPXL	22"-26"W seat frame
	Chest belt	ZCBBPS	14"/16"W back frame	ZCBBPM	16"/18"W back frame	ZCBBPL	18"/20"W back frame	ZCBBPXL	22"-26"W back frame

<sup>1</sup> Non-absorbent belts – recommended for infection-control environments

<sup>2</sup> Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided.



**14. Other**

<input type="checkbox"/> Z675	Directional Caster Lock – fits on one rear caster (facilitates steering)	\$175	<input type="checkbox"/> ZIHW	Whizard – winged urine deflector <sup>2</sup>	\$90
<input type="checkbox"/> Z66T4	Rear anti-Tippers for 4" casters (pr)	\$410	<input type="checkbox"/> ZBUDBH_ _*	Bard Urine Drainage Bag Holder * Enter size to complete code (16"/18"/20"/22"/24")	\$170
<input type="checkbox"/> Z66T5	Rear anti-Tippers for 5" casters (pr)	\$410	<input type="checkbox"/> ZSPKT22	AT Self-Propel Kit with 22" wheels – incl anti-tippers (tilt limited to 25°)	\$1495
<input type="checkbox"/> Z66T6	Rear anti-Tippers for 6" casters (pr)	\$410	<input type="checkbox"/> ZSPKT24	AT Self-Propel Kit with 24" wheels – incl anti-tippers (tilt limited to 25°)	\$1495
<input type="checkbox"/> Z64T	4" Caster Upgrade (4x)	\$299			
<input type="checkbox"/> Z66T	6" Caster Upgrade (4x)	\$375			
<input type="checkbox"/> ZPSK1	Commode Pan Spacer Kit <sup>1</sup> – 1" lower	\$215			
<input type="checkbox"/> ZPSK2	Commode Pan Spacer Kit <sup>1</sup> – 2" lower	\$230			
<input type="checkbox"/> ZPSK3	Commode Pan Spacer Kit <sup>1</sup> – 3" lower	\$245			
<input type="checkbox"/> ZPSK4	Commode Pan Spacer Kit <sup>1</sup> – 4" lower	\$265			
<input type="checkbox"/> ZTLS	Tilt Limit Spacers – 1/2" spacers snap onto gas struts to limit tilt (each reduces tilt range approx. 5°. Can be stacked for additional tilt limiting. Quantity ____	N/C			

<sup>1</sup> Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Reduces toilet bowl clearance height.  
<sup>2</sup> Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.

**15. Credits and Omissions**

<input type="checkbox"/> Z905	Omit Commode Pan and Mounting Brackets	-\$20	<input type="checkbox"/> Z911	Omit Molded Head Support Pad	-\$20
<input type="checkbox"/> Z907	Omit Foot Supports - if no other Foot / Leg Support Option is selected	-\$45	<input type="checkbox"/> Z912	Omit Complete Head Support Assembly	-\$50

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

Specifications	Raz-AT (Attendant Tilt)
Weight Capacity	400 lbs
Overall Width	Seat width plus 4.5" with Standard Arm Pads
Overall Length (with foot supports and headrest adjusted to middle positions)	
- at 0° tilt and standard foot supports	43"
- at 40°	54"
Seat Depth	16" or 21" depending on seat/cushion length
Toilet Clearance Height (under seat)	
- with pan brackets	17"-21" (1" increments)
- without pan brackets	17.75"-21.75 (1" increments)
Toilet Clearance Width	15.75" for standard 18"W seat frame. For other widths, seat frame width minus 2.25"
Arm Support Height - above molded seat (1/2" increments)	
- <b>18"H Fixed Back - standard</b>	<b>8.5"</b>
- 15"H Adjusta-Back	5.5"-8.5" (1/2" increments)
- 17"H Adjusta-Back	6.5"-9.5" (1/2" increments)
- 20"H Adjusta-Back	7.5"-10.5" (1/2" increments)
- 24"H Adjusta-Back	7.5"-10.5" (1/2" increments)
- 20"H Reclining Adjusta-Back	7.5"-10.5" (1/2" increments)
- 24"H Reclining Adjusta-Back	7.5"-10.5" (1/2" increments)
Seat-to-Floor Height (with molded seat)	21"-25" in 1" increments
Product Weight (with 18"W seat)	61 lbs
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)