



D-t-			
Date.	Date:		

Dealer / Location	on: I: F:	
PO# / Client:	Contact: Email:	
	ant Propel Mobile Shower Commode Chair with height-adjustable stainless-steel frame, flip-up padded arm s four dual-locking 5" (125mm) casters and commode pan. <mark>User weight capacity 400 lbs</mark> . See our <u>Evaluation and</u> I <u>Form.</u>	
1. Chair Cod	les by size – Must Choose One	
☐ Z10018	Raz-AP w/ 18"W base frame – Standard base frame size, will fit over most toilets ¹	\$1,895
☐ Z100*	Raz-AP w/ non-standard base frame width — *add custom width to complete order code (16"/20"/22") — Must add upcharge for custom frame width [see below] — Adjusta-Back must be selected for all custom frame widths [Sec.5]	\$1,895
☐ Z100R18	Raz-AP w/ 18"W recliner base frame – Must add Reclining Back option Z515APR18/Z520APR [Sec.5]	\$2,275
□ Z100R*	Raz-AP w/ non-standard recliner base frame width [*add custom width to complete order code (16/20/22)] – Must add upcharge for custom frame width [see below] – Must add Reclining Back option Z515APR / Z520APR [Sec.5]	\$2,275
Custom Base I	Frame Width - May require custom seat	
	☐ Z1SW16 Upcharge for custom 16"W frame² – will not fit over most toilets	\$625
	☐ Z1SW20 Upcharge for custom 20"W frame ³	\$625
	☐ Z1SW22 Upcharge for custom 22"W frame ⁴	\$725
³ 18"W seats can b	ts. face seats can be modified to fit. pe selected but must also select Seat Support Adapter Kit Z4SSKAS [Sec.2]. am Interface HD seat can be modified to fit. Seat depth range (IPAS) will be 18"-20".	
Custom Base	Frame Length and Height	
☐ Z1LNGF3	Upcharge – custom 3" Longer Frame recommended for seat depths 20"/21", req for seat depths 21"-24"	\$410
☐ Z1LOWF4	Upcharge – custom 4" Lower Frame – reduces seat height range to 16"-18" from std height range of 20"-24" with molded seat (16"-18")	\$410
	n for recliner frame modifications. ran additional 1" (15"-17"), add 4" caster upgrade option Z64AP [Sec.13].	
2. Seats – St	andard	

Molded Sea	ts (thickness ~2.5"-3")		Visco-Foam Ir	nterface Seats (thickness ~3.5")	
□ Z 405	18"W x 16"D – Front Access	Standard	Z436BRI	18"W x 16"D – Front Bridged	\$445
□ Z410	18"W x 16"D – Front Bridged	N/C	Z436FRO	18"W x 16"D – Front Access	\$445
□ Z415	18"W x 19"D – Front Access	\$140	Z436LTO	18"W x 16"D – Left Access	\$445
□ Z420	18"W x 19"D – Front Bridged	\$140	Z436RTO	18"W x 16"D – Right Access	\$445
Specialty Se	eats		Z436RRO	18"W x 16"D – Rear Access	\$445
☐ Z4SOM	Shower-Only Seat – Molded 18"W x 16"-21"	D \$410	Z439BRI	18"W x 19"D – Front Bridged	\$510
☐ Z4EJRM	E&J Replica Seat – Molded	\$205	Z439FRO	18"W x 19"D – Front Access	\$510
	– 18"W x 17"D		Z439LTO	18"W x 19"D – Left Access	\$510
☐ Z4V23N	23"W x 18"D HD –Visco Foam – Front Access Notched at rear to maintain fore	\$775	Z439RTO	18"W x 19"D – Right Access	\$510
	/aft adjustment range (IPAS) – 22"W frame	1	Z439RRO	18"W x 19"D – Rear Access	\$510
□ Z4SSKAS	Seat Support Kit for Raz-AP/SP – for seat 2" narrower than seat frame	\$150	Z4GSB*	Custom Gimballed Seat Brackets – for adding dump angle (pr) Specify additional height at front of seat to complete code (1.0"/1.5"/2.0")	\$305



3. Seats - Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required. See <u>Custom Seat Assessment Form</u> – Resources tab at razdesigninc.com							
□ Z4CS	Custom Seat (enter specs below) Select if both width and depth are ≤ 21"	\$1075					
☐ Z4CEJR Custom E&J Replica Seat (enter specs below) Select if both width and depth are ≤ 21" \$1							
☐ Z4CSHD	Heavy Duty Custom Seats (enter specs below) Select if width and/or depth is ≥ 22"	\$1395					
Custom Specifications (for above custom seats)							
Seat Frame Width: Custom Seat Width: Custom Seat Depth: Access Opening: Access Opening Width: Aperture Width: $- $							
• Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.							
• Custom Seat width should not	be narrower than frame width.						
• Custom Seat can be up to 2" wider than seat frame width to provide additional thigh support without ordering wider chair frame.							
• For Custom Seats, the Ischial P	• For Custom Seats, the Ischial Pelvic Alignment System (IPAS) allows +/- 1" fore / aft adjustment from specified custom seat depth.						
 Special modifications on Custo accomodation, etc. 	m Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, pelvic obliquity						

4. Fixed Back Frames (18"W only)

This is called a "Fi	xed" Back because the arm supports are not adjustable in height. Includes molded vinyl back si	upport, fixed-
height flip-up pad	ded arm supports, back angle adjustment (90°/97°) with cane-style posts. Back height is measu	ured from top of
molded seat to to	p of back upholstery. Hip Adductors [Z7HP1/2] are not compatible with Fixed Back.	
□ Z508	Fixed Back – 18"W x 18"H (Armrest Lock Kit (Z710) [Sec.7] is not included.)	Standard

5. Adjusta-Back Frames

Includes height / angle-adjustable arms with Arm Support Lock Kit (Z710), tension-adjustable back upholstery, flip-up padded arm supports, back angle adjustment (90°/97°). Tension-adjustable back upholstery can be positioned 2.5" higher than the nominal height indicated below, except on Z52018.

Standard Width	n Adjust-Backs (18"W)		Non-Standard Wi	•	
□ Z50918	Adjusta-Back – 15"H	\$255		ack order code by adding desired back frame w 8" is the standard width.	ridth
□ Z51018	Adjusta-Back – 17"H	\$255	□ Z509*	Adjusta-Back – 15"H non-std width	\$255
□ Z51518	Adjusta-Back – 20"H	\$335	☐ Z510*	Adjusta-Back – 17"H non-std width	\$255
□ Z52018	Adjusta-Back – 24"H	\$385	☐ Z515*	Adjusta-Back – 20"H non-std width	\$335
☐ Z5DTGL	Dual Triggers, green – both on left side ¹	N/C	Z520*	Adjusta-Back – 24"H non-std width	\$385
☐ Z5DTGR	Dual Triggers, green – both on right side ¹	N/C	☐ Z515APR*	Reclining Adjusta-Back w/ 30°	\$1195
☐ Z515APR18	Reclining Adjusta-Back w/ 30° recline, 20" back height, 2-Point Reclining Arms (incl. Rear Anti-Tippers, but not Head	\$1195		recline, 20" back height, 2-Point Reclining Arms (incl. Rear Anti- Tippers, but not Head Support)	
	Support)		☐ Z520APR*	Reclining Adjusta-Back w/ 30°	\$1250
☐ Z520APR18	Reclining Adjusta-Back w/ 30° recline, 24" back height, 2-Point Reclining Arms (incl. Rear Anti-Tippers but not Head Support)	\$1250		recline, 24" back height, 2-Point Reclining Arms (incl. Rear Anti-Tip- pers but not Head Support)	

¹ Dual Tilt Triggers option positions both triggers on one side, allowing for single-handed activation. Available for all back widths.



6. Custom Back Frame Width Narrower Than Chair Frame Width – Must choose back frame [Sec.5] (configurations below are not available for recliner backs)

NOTE: For back frame width variances on recliner frames, please request custom quotation.

eg. Z5NB2018 specifies a 20"W chair frame with an 18"W back frame	* Enter chair and back fr eg. Z5NB2018 specifies a	Custom – Back Frame 2" Narrower than chair frame rame widths to complete code. a 20"W chair frame with	\$360	Chair Frame Width Back Frame Width	16″¹ 14″	18" ² 16"	20" ³ 18"	22" ⁴ 20"	
---	---	--	-------	------------------------------------	-------------	-------------------------	-------------------------	-------------------------	--

7. Back Support Options – These back supports replace the standard, tension-adjustable upholstery and are recommended for infection-control environments.

□ Z5S14	14"W Symphony Back ¹ – recessed solid back support	\$305	_	Harmony Back ² (contoured solid back – 18"W x 13"H)	\$305
□ Z5S16	16"W Symphony Back ¹ – recessed solid back support	\$305		Fits 18"W back frames only Fits 17" / 20" back heights only	
□ Z5S18	18"W Symphony Back ¹ – recessed solid back support	\$305			
□ Z5S20	20"W Symphony Back ¹ – recessed solid back support	\$410			
□ Z5S22	22"W Symphony Back ¹ – recessed solid back support	\$485			
¹ Does not fit :	15" back heights		² Not recommend	ed for reclining backs.	

8. Arm Supports and Accessories

☐ Z5BAR13	Flip-Up Arm Supports – 13"L pad (pr)	Std	☐ Z7PAML	Pivoting Arm Mount – Left	\$175
☐ Z5BAR10	Flip-Up Arm Supports – 10"L pad (pr) (not compatible with Z7FL/Z7FS/Z7TR/ Z7PAM)	N/C	☐ Z7PAMR	(for Z7FL/Z7TR) Pivoting Arm Mount – Right (for Z7FL/Z7TR)	\$175
□ Z710	Arm Support Lock Kit (for Z505/Z506) (pr)	\$80	□ Z718	Arm Support Spacer Kit – 1/2" per side	\$65
☐ Z52PAS	2-Point Flip-up Arm Supports ¹ (pr) (standard with reclining backs)	\$410	☐ Z719	(for Z509/Z510/Z515/Z520) (pr) Arm Support Spacer Kit – 1" per side	\$120
☐ Z7FLL	Long Molded Flat Armpad ² – Left (14"L x 3.25"W – fits Z5BAR13)	\$85	☐ Z7PHG	(for Z509/Z510/Z515/Z520) (pr) Pivoting Hand Grips (pr)	\$410
☐ Z7FLR	Long Molded Flat Armpad ² – Right (14"L x 3.25"W – fits Z5BAR13)	\$85	☐ Z7APS*	* Enter back frame width to complete	\$205
☐ Z7FSL	Short Molded Flat Armpad – Left (10"L x 3"W – fits Z5BAR10)	\$85	☐ Z7APS*	code (14"/16"/18") ³ Anterior Posture Support Bar	\$235
☐ Z7FSR	Short Molded Flat Armpad – Right (10"L x 3"W – fits Z5BAR10)	\$85		* Enter back frame width to complete code (20"/22") ^{3,4}	
☐ Z7TRL	Molded Arm Trough ² – Left (18.5"L x 4.5"W – fits Z5BAR13)	\$115			
☐ Z7TRR	Molded Arm Trough ² – Right (18.5″L x 4.5″W – fits Z5BAR13)	\$115			
² May require Z71	ame back width and frame width only 8/Z719 for Arm Support to flip up, depending on osition of the Flat Arm Pad		³ Not compatible witl ⁴ Special length requi	h Z7FL/Z7FS/Z7TR ired with Z718 (+1") and Z719 (+2")	



¹ Requires Custom Seat

² Compatible with all 18"W seats but with reduced seat depth range. Also compatible with Custom or modified Visco-Foam Interface seats.

³ Custom Seat recommended. Also compatible with all 18"W seats with Seat Support Kit Z4SSKAS.

⁴Custom Seat recommended. Also compatible with modified Z4V23N (18" seat depth with limited adjustability)

9. Foot and Leg Supports – Standard Foot Supports (Z705N) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (Z7ELRL), the chair will be supplied with one Foot Support (Z705N) on the right side and a Z7ELRL on the left side.

☐ Z705N	Foot Supports 16"-20.5" (pr)	Std	☐ Z7ELRL	Elevating Leg Support ³ – Left	\$515
☐ Z705N16	Foot Supports for 16"W frames	N/C		(includes Z7ADM)	
	16"-20.5" (pr)		☐ Z7ELRR	Elevating Leg Support ³ – Right	\$515
☐ Z7FET2	Footrest Extension Tubes 2" longer ¹ (pr)	\$55		(includes Z7ADM)	
☐ Z7MFX8	MFX8 – Foot Supports 8"-12" (pr)	\$105	☐ Z7ELROFL	Forward Offset Elevating Leg Support ⁴	\$570
☐ Z7MFX12	MFX12 – Foot Supports 12"-16.5" (pr)	\$105		– Left (incl Z7ADM)	
☐ Z7ADM	Angle/Depth Adj Molded Footplates ² (pr)	\$205	☐ Z7ELROFR	Forward Offset Elevating Leg Support ⁴ – Right (incl Z7ADM)	\$570
□ Z7FET2A	Footrest Extension Tubes for Z7ADM	\$55	☐ Z7RLSL	Universal Residual Limb Support – Left	\$205
	(pr) – 2" longer	7	☐ Z7RLSR	Universal Residual Limb Support – Right	\$205
☐ Z7ADABS16	Angle/Depth Adj ABS Footplates (pr) For 16"W frames	\$205			
☐ Z7VS18	V-Style Foot Support (1-piece) – for 18"W base frames	\$305			
□ Z7VS*	V-Style Foot Support (1-piece) * Enter frame width to complete code (16" / 20" / 22")	\$360			
☐ Z7FBAS	Flip-Back Foot Support (1-piece)	\$305	³ Z7ELRL/R compati	ible with frame widths ≥ 18" and adjusted seat depths	≤ 18"
•	th Z7MFX8/Z7ADM/Z7VS th Z10016 or Z7MFX8		or ≤ 21" w/ 3" long ⁴ Z7ELROFL/R comp	per seat frames (Z1LNGF3) patible with frame widths \geq 18" for adjusted seat depth ame or 22"-23" w/ 3" longer seat frames (Z1LNGF3)	

10. Foot and Leg Support Accessories

☐ Z7FSLK	Foot Support Lock (pr)	\$98	☐ Z7NCS	Neoprene Covers for Standard	\$95
□ Z7CS*	Calf Strap Snap-On – Bodypoint	\$140		Footplates (pr)	
	Aeromesh* Enter frame width to complete code (16" / 18" / 20" / 22")		□ Z7NC16	Neoprene Covers for narrow molded footplates (pr)	\$95
□ Z7CSIC*	Calf Strap Snap-On Infection Control * Enter seat frame width to complete	\$150	□ Z7NCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (pr)	\$95
	code (16" / 18" / 20")		☐ Z7NCABS16	Neoprene Covers for ABS Adj Angle/	\$95
☐ Z7CSIC22	Calf Strap Snap-On Infection Control – for 22"W frames	\$160		Depth Footplates Z7ADABS (pr) For 16"W frames	
☐ Z737CPL	Calf Panel – Bodypoint Aeromesh ¹ Fits frame widths (16" / 18" / 20")	\$235	□ Z7OFLM	Lateral Offset Foot Support Receiver – moves foot support 2" laterally or	\$8 5
□ Z706	H-Strap – for 18" / 20"W frames – hook and loop attachment	\$95		medially (ea) Quantity (1 or 2)	
□ Z712	H-Strap – for 22"W frames – hook and loop attachment	\$115			
☐ Z708ADJ	Adjustable Heel Loops (pr) – not available for Z7VS / Z7FBAS	\$65	¹ Not compatible	with Z7MFX8 / Z7FBAS / Z7VS	



11. Positioning Pads

☐ Z7HSASS	Head Support w/ Small Pad (10" x 4")	\$515	☐ Z7LGAS1L	Leg Adductor w/ Small Pad ¹ – Left	\$345
☐ Z7HSASL	Head Support w/ Large Pad (12" x 6")	\$565	☐ Z7LGAS1R	Leg Adductor w/ Small Pad ¹ – Right	\$345
□ Z7ОНІР	Lateral Offset Head Support Interface Plate— up to 22° of adjustment	\$80	☐ Z7LGAS2L	Leg Adductor w/ Large Pad ¹ – Left	\$345
☐ Z7LTS1L	Lateral Thoracic Support w/ Small Pad ^{1,2}	\$345	☐ Z7LGAS2R	Leg Adductor w/ Large Pad ¹ – Right	\$345
	- Left	ψ3 .3	☐ Z7HP1L	Hip Adductor w/ Small ad ^{1,3} – Left	\$345
☐ Z7LTS1R	Lateral Thoracic Support w/ Small Pad ^{1,2}	\$345	☐ Z7HP1R	Hip Adductor w/ Small Pad ^{1,3} – Right	\$345
	– Right		☐ Z7HP2L	Hip Adductor w/ Large Pad ^{1,3} – Left	\$345
☐ Z7LTS2L	Lateral Thoracic Support w/ Large Pad ^{1,2} – Left	\$345	☐ Z7HP2R	Hip Adductor w/ Large Pad ^{1,3} – Right	\$345
☐ Z7LTS2R	Lateral Thoracic Support w/ Large Pad ^{1,2} – Right	\$345			
☐ Z742L	Lateral/Adductor Extension Plate (5.5" x 3.5") – Left	\$25		s: Small – 5.5"x 3.5" / Large – 6.75" x 4.3".	, sido
☐ Z742R	Lateral/Adductor Extension Plate (5.5" x 3.5") – Right	\$25		racic Supports can be adjusted medially up to 3" per l offset, specify Z742 extension plate. lly	side.

12. Pelvic and Chest Belts - A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts					Chest Belts					
☐ ZPBS	Pelvic Belt – Sm 2-piece w/ side	•		', \$45	☐ ZCBS		– Small (back hook and loop		L6",	\$35
☐ ZPBM	Pelvic Belt – Medium (frame widths 16"- 18", 2-piece w/ side-release buckle)			'- \$55	☐ ZCBM	Chest Belt ² – Medium (back widths 16"-18", 1-piece w/ hook and loop closure)			5"-18",	\$40
☐ ZPBL	Pelvic Belt – Lar 2-piece w/ side	•		2", \$50	□ ZCBL		– Large (back		22",	\$50
☐ ZPBXL	Pelvic Belt – XLa 30", 2-piece w/	• .		22"- \$90	☐ ZCBXL	Chest Belt -	- XLarge ² (bac piece w/ hook	k frame widt		\$60
☐ ZPBICS	Pelvic Belt ¹ – In 2-piece w/ fram side-release bu	ne clamps,	mounting pla		☐ ZCBICS	Chest Belt ¹	^{,2} – Infection C side-release b	Control, Smal	ı. I	\$80
☐ ZPBICM	Pelvic Belt ¹ – In 2-piece w/ fram side-release bu	ne clamps,	mounting pla	tes,	☐ ZCBICM	Chest Belt ¹	^{,2} – Infection C side-release b			\$80
☐ ZPBICL	Pelvic Belt ¹ – In 2-piece w/ fram side-release bu	ne clamps,	mounting pla		□ ZCBICL	Chest Belt ¹	^{,2} – Infection C side-release b	, 0		\$80
☐ ZPBICXL	Pelvic Belt ¹ – In 2-piece w/ fram side-release bu	ne clamps,	mounting pla		☐ ZCBICXL	Chest Belt ¹	^{,2} – Infection C side-release b -30")	,	_	\$90
☐ ZPBBPS	Pelvic Belt – Bo	dypoint A	eromesh, Sma	ll \$295	☐ ZCBBPS		,	eromesh Sm	nall	\$330
☐ ZPBBP_* Pelvic Belt – Bodypoint Aeromesh \$2 * enter size to complete code (M / L)			\$265	_	 □ ZCBBPS Chest Belt – Bodypoint Aeromesh, Small □ ZCBBP_* Chest Belt – Bodypoint Aeromesh * enter size to complete code (M / L / XL) 				\$275	
☐ ZPBBPXL	Pelvic Belt – Boo	dypoint Ae	eromesh, XLarg	ge \$265		enter size	to complete co	oue (IVI / L / /	AL)	
Recommende sizes for	d Chest belt	ZCBBPS	14"-16"W back frame	ZCBBPM	16"-18"W back frame	ZCBBPL	18"-22"W back frame	ZCBBPXL	22"-30 back fi	
Bodypoint belts	Pelvic belt	ZPBBPS	14"-16"W base frame	ZPBBPM	16"-18"W base frame	ZPBBPL	18"-22"W base frame	ZPBBPXL	22"-30 base f	
	t belts – recommend able Upholstery inclu				/ZCBXL). When the	chair is supplie	d with a Harmony	y		

²Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided.



13. Other

□ Z673	Directional Caster Lock – fits on left rear	\$150	□ ZIHW	Whizard – winged urine deflector ³		
	caster (facilitates steering)		☐ ZBUDBH*	Bard Urine Drainage Bag Holder	\$160	
□ Z66AS4	Anti-Tippers for 4" casters¹ (pr) ☐ Rear ☐ Front	\$360		* Enter size to complete code (16" / 18" / 20" / 22")		
□ Z66AS5	Anti-Tippers for 5" casters¹ (pr) ☐ Rear ☐ Front					
□ Z66AS6	☐ Rear ☐ Front 4" Caster Upgrade (4x)					
☐ Z64AP						
☐ Z 66AP						
☐ ZPSK1	Commode Pan Spacer Kit ² – 1" lower	\$210				
☐ ZPSK2	Commode Pan Spacer Kit ² – 2" lower			h Reclining Back Option (Z515APR/Z520APR) [Sec.5]		
☐ ZPSK3	Commode Pan Spacer Kit ² – 3" lower		² Commode pan spacer kits provice extra clearance for perianal care with p place. Reduces toilet bowl clearance height.			
☐ ZPSK4	Commode Pan Spacer Kit ² – 4" lower	\$255	³ Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.			
14. Credits	and Omissions					

□ Z905	Omit Commode Pan and Mounting Brackets	-\$20 □ Z907	20 🗆 Z907 Omit Foot Supports - if no other Foot /	
			Leg Support Option is selected	

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

Specifications	Raz-AP (Attendant Propel)				
Weight Capacity	400 lbs				
Overall Width	Seat width plus 4.5" with Standard Arm Pads				
Overall Length (foot supports in middle position)	36.5" (with rear caster trailing), 35" (to rear canes)				
Seat Depth	16" or 21" depending on seat/cushion length				
Toilet Clearance Height (under seat) - with pan brackets - without pan brackets	15.25"-19.25" (1" increments) 16"-20" (1" increments)				
Toilet Clearance Width	16" for standard 18"W seat frame. For other widths, seat frame width minus 2"				
Arm Support Height - above molded seat (1/2" incr	rements)				
 18"H Fixed Back - standard 15"H Adjusta-Back 17"H Adjusta-Back 20"H Adjusta-Back 24"H Adjusta-Back 20"H Reclining Adjusta-Back 24"H Reclining Adjusta-Back 	8.5" 5.5"-8.5" 6.5"-9.5" (1/2" increments) 7.5"-10.5" (1/2" increments) 7.5"-10.5" (1/2" increments) 7.5"-10.5" (1/2" increments) 7.5"-10.5" (1/2" increments)				
Seat-to-Floor Height (with molded seat)	20"-24"				
Product Weight (with 18"W seat)	38 lbs				
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)				

