

Raz-CAT ORDER FORM EFFECTIVE FEBRUARY 2023 (CDN MSRP)

			Date:
Dealer / Location:		T:	F:
PO# / Client:	Contact:	Email:	

Raz-CAT (Compact Attendant Tilt) Mobile Shower Commode Chair with 40° tilt range, height adjustable stainless steel frame, adjustable seat depth, adjustable back angle, four dual-locking 5"casters, stainless steel head support fixture, molded small head support pad, flip-up padded arm supports, commode pan and foot supports. User weight capacity 300 lbs. See our Evaluation and Justification Form.

1. Chair Codes by Size – Must Choose One

□ Z30318	Raz-CAT w/ 18"W seat and base frame – standard size, fits over most toilets	\$3,550					
□ Z303*	Non-Standard Width Raz-CAT – Must add upcharge for custom width: see below * add custom width to complete code (16/20)	\$3,550					
ĺ	□ Z3SW16 Upcharge for custom 16"W seat and base frame ¹	\$625					
	\square Z3SW20 Upcharge for custom 20"W seat and base frame ²	\$625					
¹ Requires custom	seat						
² Custom seat reco	² Custom seat recommended – standard CAT Seat (Z4C816) can be used with optional Z4SSKT [Sec.2]						

2. Seats - Standard

Standard CAT	Seat – Visco-Foam w/ Tapered Oblong A	perture (thic	kness ~2.5")			
 Z4C1816 Z4C1616 Z4C2016 Set seat depth 	18"W x 11"-16"D (adjustable) 16"W x 11"-16"D (adjustable) 20"W x 11"-16"D (adjustable) n at: □ 11" □ 12" □ 13" □ 14" ture width: 3.5" at front, 4.5" at rear	' 🗆 15" [□ 16"	Standard w/ 18"W frame Standard w/ 16"W frame Standard w/ 20"W frame	\bigcup	$\left \right\rangle$
		w Modifier	d to fit CAT cost	frama		
Other Seats A	vailable – for seat depths of 16" and 17" on	iy – wouned	u to nit CAT seat	Irame		
Molded Seats	(thickness ~2.5"-3")	-	Visco Foam Int	erface Seats (thickness ~3.5	")	
□ Z405C	18"W x 16"D – Front Access	N/C	Z436BRIC	18"W x 16"D – Front Bridg	ed	\$445
🗆 Z410C	18"W x 16"D – Front Bridged	N/C	Z436FROC	18"W x 16"D – Front Acces	SS	\$445
			Z436LTOC	18"W x 16"D – Left Access		\$445
			Z436RTOC	18"W x 16"D – Right Acces	S	\$445
			Z436RROC	18"W x 16"D – Rear Access	5	\$445
□ Z4SSKT	Seat Support Kit for Raz-CAT (to support	ort seats that	are narrower th	nan seat frames)		\$150



3. Seats – Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required. 18" is the standard width for CAT seat frames.

Z4CSC	Custom Seat (enter specs below)	\$1075
Seat Frame Width: Custom Seat Width: Custom Seat Depth: Access Opening: Aperture:	<pre> 16" / 18" / 20" 16" / 17" / 18" / 19" / 20" 11" / 12" / 13" / 14" / 15" / 16" / 17" FR - Front / LT - Left / RT - Right / RR - Rear / BR - Bridged Tapered Oblong:W (at front)W (at rear) [standard is 3.5"W at front and 4.5"W at rear] Keyhole:W 3.0"-8.0"W - enter "NA" if aperture is not required</pre>	

• Oblong-shaped apertures can be specified in conjunction with any of the access openings listed.

• The Ischial Pelvic Alignment System (IPAS) allows 2" fore/aft adjustment of the seat (seat depth and aperture position) on all seats.

• Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas and contouring, etc.

4. Back Frames – for standard 18"W seat frames

(nominal back heights measured from top of molded seat to top of back upholstery)

Multi-Position Adjusta-Back: The "Multi-Position" feature allows for fore/aft adjustment of the backrest to provide seat depth adjustability from 11"-16". Includes tension-adjustable vinyl back upholstery, flip-up padded arm supports, back angle adjustment (90°/97°) and cane-style back posts. Back upholstery can be positioned 2.5" higher than factory settings stated below.

Back frames for	r standard 18"W seat frame (Z30318)						
□ Z5845	14" Back Width / 15" Back Height	N/C	🗌 Z5848R	Recliner Back for CAT – $14"W \times 18"H^{2,3}$	\$1035		
🗆 Z5848	14" Back Width / 18" Back Height	\$98	🗆 Z5868R	Recliner Back for CAT – $16''W \times 18''H^{2,3}$	\$1035		
🗆 Z5865	16" Back Width / 15" Back Height	N/C	🗆 Z5888R	Recliner Back for CAT – 18"W x 18"H ^{2,3}	\$1035		
🗆 Z5868	16" Back Width / 18" Back Height	\$98	1				
🗆 Z5885	18" Back Width / 15" Back Height	N/C	¹ Standard trigger configuration for tilt-only is one on each side. Dual Triggers option positions both triggers on one side, allowing for				
🗆 Z5888	18" Back Width / 18" Back Height	\$98		operation (tilt only).			
□ Z5DTLC	Dual Tilt Triggers – left side ¹	N/C		er locations for Raz-CAT with recline are tilt			
□ Z5DTRC	Dual Tilt Triggers – right side ¹	N/C	triggers on the ³ Tilt is limited t	right and recline triggers on the left. to 25°			

5. Back Frames for 16"W and 20"W Seat Frames

(back heights measured from top of molded seat to top of back upholstery)

Multi-Position Adjusta-Back: The "Multi-Position" feature allows for fore/aft adjustment of the backrest to provide seat depth adjustability from 11"-16". Includes tension-adjustable vinyl back upholstery, back angle adjustment (90°/97°) and flip-up padded arm supports. Back upholstery can be positioned 2.5" higher than factory settings stated below.

16"W Seat Fra	mes	20"W Seat Frames				
🗆 Z5645	14" Back Width / 15" Back Height	N/C	🗆 Z5065	16" Back Width / 15" Back Height	N/C	
🗌 Z5648	14" Back Width / 18" Back Height	\$98	🗆 Z5068	16" Back Width / 18" Back Height	\$98	
🗆 Z5665	16" Back Width / 15" Back Height	N/C	🗆 Z5085	18" Back Width / 15" Back Height	N/C	
🗆 Z5668	16" Back Width / 18" Back Height	\$98	🗆 Z5088	18" Back Width / 18" Back Height	\$98	
🗌 Z5648R	Recliner Back for CAT – $14''W \times 18''H^{2,3}$	\$1035	🗆 Z5005	20" Back Width / 15" Back Height	N/C	
🗆 Z5668R	Recliner Back for CAT – 16"W x 18"H ^{2,3}	\$1035	🗆 Z5008	20" Back Width / 18" Back Height	\$98	
			🗆 Z5088R	Recliner Back for CAT – 18"W x 18"H ^{2,3}	\$1035	
			🗆 Z5008R	Recliner Back for CAT – 20"W x $18"H^{2,3}$	\$1035	
Z5DTLC	Dual Tilt Triggers – left side ¹	N/C				
□ Z5DTRC	Dual Tilt Triggers – right side ¹	N/C				

¹ Standard trigger configuration for tilt-only is one on each side. Dual Triggers option positions both triggers on one side, allowing for single-handed operation (tilt only). ² Standard trigger locations for Raz-CAT with recline are tilt triggers on the right and recline triggers on left

³ Tilt is limited to 25°



6. Back Support Options – These back supports replace the tension-adjustable upholstery (Not compatible with 15"H back frames – all Symphony Back panels are 13"H)

🗌 Z5S14	Symphony Back – recessed solid back – 14" back frame width	\$305
🗆 Z5S16	Symphony Back – recessed solid back – 16" back frame width	\$305
🗆 Z5S18	Symphony Back – recessed solid back – 18" back frame width	\$305
□ Z5S20	Symphony Back – recessed solid back – 20" back frame width	\$410

7. Arm Supports and Accessories

□ Z5BAR10	Flip-Up Arm Supports – 10" pad (pr) – not compatible with Z7FL / Z7TR / Z7PAM	Std	🗆 Z7TRL	Molded Arm Trough ¹ – Left (18.5″L x 4.5″W – for Z5BAR13)	\$115
Z5BAR13	Flip-Up Arm Supports – 13" pad (pr)	N/C	Z7TRR	Molded Arm Trough ¹ – Right	\$115
🗆 Z710	Arm Support Lock Kit (pr)	\$80		(18.5"L x 4.5"W – for Z5BAR13)	
🗆 Z718	Arm Spacer Kit – ½" per side (pr)	\$80	🗌 Z7PAML	Pivoting Arm Mount – Left	\$175
🗆 Z719	Arm Spacer Kit – 1" per side (pr)	\$85		(for Z7FL/Z7TR with Z5BAR13)	
Z7FSL	Short Molded Flat Armpad – Left (10"L x 3"W – for Z5BAR10)	\$85	Z7PAMR	Pivoting Arm Mount – Right (for Z7FL/Z7TR with Z5BAR13)	\$175
Z7FSR	Short Molded Flat Armpad – Right	\$85	🗆 Z7PHG	Pivoting Hand Grips (pr)	\$410
	(10"L x 3"W – for Z5BAR10)	·	□ Z7APS*	Anterior Posture Support Bar ²	\$205
□ Z7FLL	Long Molded Flat Armpad ² – Left (14″L x 3.25″W – for Z5BAR13)	\$85		* Enter back frame width to complete code (14"/16"/18")	
□ Z7FLR	Long Molded Flat Armpad ² – Right (14"L x 3.25"W – for Z5BAR13)	\$85	□ Z7APS20	Anterior Posture Support Bar ² – 20"W	\$235
¹ May require	2 Z7PAM for Arm Support to flip up and/or for latera	al suppo	orts to swing away		
² Not availabl	e with Z7FL / Z7FS / Z7TR				
³ Special leng	th required with Z718 (+1") and Z719 (+2").				

8. Foot and Leg Supports

Z7MFX8C	MFX8 Foot Supports 8"-12" (pr)	N/C	□ Z7VS*		\$360
□ Z7MFX12C	MFX12 Foot Supports 12"-16.5" (pr)	Std		* Enter frame width to complete code (16" / 20")	
🗆 Z705N	Foot Supports 16"-20.5" (pr)	N/C			6 4 7 5
□ Z705N16	Foot Supports for 16"W frames 16"-20.5" (pr)	N/C	Z7FBT	Flip-Back Foot Support (1-piece) with calf pads – 16"-20.5"	\$475
Z7ADM	Angle/Depth Adj Molded Footplates (pr)	\$205	🗆 Z7ELRL	Elevating Leg Support – Left (includes Z7ADM)	\$515
Z7ADABS	Angle/Depth Adj ABS Footplates (pr) For 16"W frames	\$205	□ Z7ELRR	Elevating Leg Support – Right (includes Z7ADM)	\$515
□ Z7VS18	V-Style Foot Support (1-piece) – for	\$305		(Includes Z/ADIVI)	
	18"W base frames	çsos	□ Z7RLSL	Universal Residual Limb Support – Left	\$205
			□ Z7RLSR	Universal Residual Limb Support – Right	\$205



9. Foot and Leg Support Accessories

Z7FSLK	Foot Support Lock (pr)	\$80	□ Z7NCS	Neoprene Covers for Standard	\$95
□ Z7CS*	Snap-On Calf Strap – Bodypoint	\$140		Footplates (pr)	
	Aeromesh* Enter frame width to complete code (16"/18"/20"/22")		□ Z7NC16	Neoprene Covers for narrow molded footplates (pr)	\$95
□ Z7CSIC*	Snap-On Infection Control Calf Strap * Enter seat frame width to complete	\$150	🗆 Z7NCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (pr)	\$95
	code (16"/18"/20")		Z7NCABS	Neoprene Covers for ABS Adj Angle/	\$95
Z737CPL Calf Panel – Bodypoint Aerom	Calf Panel – Bodypoint Aeromesh ¹	\$235		Depth Footplates Z7ADABS (pr)	
	Fits frame widths (16"/18"/20")		Z70FLM	Lateral Offset Foot Support Receiver	\$85
□ Z706	H-Strap – for 18"/20"W frames – hook and loop attachment	\$95		 moves foot support 2" laterally or medially Quantity (1 or 2) 	
□ Z712	H-Strap – for 22"W frames – hook and loop attachment	\$115			
🗆 Z708ADJ	Adjustable Heel Loops (pr) – not available for Z7VS / Z7FBAS	\$65	¹ Not compatibl	e with Z7MFX8 / Z7FBAS / Z7VS	

10. Positioning Pads

	_						
□ Z7HSTS	Head Support Pad – Small (10" x 4")	Std	Hip Adductors for	4"narrower backs			
🗆 Z7HSTL	Head Support Pad – Large (12" x 6")	\$55	□ Z7HP4C1L	Hip Adductor for 4" narrower back	\$345		
🗆 Z7OHIP	Lateral Offset Head Support Interface	\$80		w/ Small Pad ¹ – Left			
	Plate – provides up to 22° of adjustment		□ Z7HP4C1R	Hip Adductor for 4" narrower back	\$345		
🗆 Z7LTS1L	Lateral Thoracic Support w/ Small Pad ^{1,2}	\$345		w/ Small Pad ¹ – Right			
	– Left		Z7HP4C2L	Hip Adductor for 4" narrower back	\$345		
□ Z7LTS1R	Lateral Thoracic Support w/ Small Pad ^{1,2}	\$345		Large Pad ¹ – Left			
	– Right		□ Z7HP4C2R	Hip Adductor for 4" narrower back	\$345		
□ Z7LTS2L	Lateral Thoracic Support w/ Large Pad ^{1,2}	\$345		w/ Large Pad ¹ – Right			
	– Left		Hip Adductors for	0-2" narrower backs			
□ Z7LTS2R	Lateral Thoracic Support w/ Large Pad ^{1,2}	\$345	□ Z7HP02C1L	Hip Adductor for 0-2" narrower	\$345		
	– Right			back w/ Small Pad ¹ – Left			
🗌 Z742L	Lateral/Adductor Extension Plate	\$25	Z7HP02C1R	Hip Adductor for 0-2" narrower	\$345		
	(5.5" x 3.5") – Left	éar		back w/ Small Pad ¹ – Right			
🗌 Z742R	Lateral/Adductor Extension Plate (5.5″ x 3.5″) – Right	\$25	Z7HP02C2L	Hip Adductor for 0-2" narrower	\$345		
Z7LGT1L	Leg Adductor w/ Small Pad ¹ – Left	\$345		back w/ Large Pad ¹ – Left	62.45		
☐ Z7LGT1R	-	\$345	□ Z7HP02C2R	Hip Adductor for 0-2" narrower	\$345		
_	Leg Adductor w/ Small Pad ¹ – Right			back w/ Large Pad ¹ – Right			
Z7LGT2L	Leg Adductor w/ Large Pad ¹ – Left	\$345					
Z7LGT2R	Leg Adductor w/ Large Pad ¹ – Right	\$345					
Z7MTST1	Medial Thigh Support – Small	\$465		es: Small – 5.5″x 3.5″ / Large – 6.75″ x 4.3″.			
Z7MTST2	Medial Thigh Support – Large	\$465		² Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify Z742 extension plate.			



11. Pelvic and Chest Belts – A chest belt should not be used without a pelvic belt

Pelvic Belts						Chest Belts				
□ ZPBS		elt – Small (fi w/ side-relea			\$45	□ ZCBS		Small (back wid ook and loop cl		\$35
ZPBM		elt – Medium 7, 2-piece w/ s	•		\$55	🗆 ZCBM		Medium (back ce w/ hook an	widths d loop closure)	\$40
□ ZPBL		elt – Large (fr 7, 2-piece w/ s			\$50	🗆 ZCBL		Large (back wi ce w/ hook an	dths d loop closure)	\$50
ZPBICS	Infection Control Pelvic Belt ¹ – Small (frame widths 14"-16", 2-piece w/ side-release buckle)		\$98		Infection Cont (back widths :	Infection Control Chest Belt ^{1,2} – Small (back widths 14"-16", 1-piece w/ side-release buckle)		\$80		
ZPBICM	Infection Control Pelvic Belt ¹ – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)		\$98		(back widths :	Infection Control Chest Belt ^{1,2} – Medium (back widths 16"-18", 1-piece w/ side-release buckle)		\$80		
ZPBICL	(frame	n Control Pel widths 18"-22 -release buck	2", 2-piece	Large	\$98		Infection Cont	trol Chest Belt ¹ 18"-22", 1-piec	•	\$90
ZPBBPS	Pelvic B	elt – Bodypoi	int Aerome	esh – Small	\$295	□ ZCBBPS	-	odypoint Aero	mesh – Small	\$330
□ ZPBBP_*	Pelvic Belt – Bodypoint Aeromesh * enter size to complete code (M / L)		\$265	ZCBBP_*	Chest Belt – B	odypoint Aero complete cod	mesh	\$275		
Recommende for Bodypoint		Chest belt	ZCBBPS	14"-16"W back frame		ZCBBPM	16" - 18"W back frame	ZCBBPL	18"-22"W back frame	
		Pelvic belt	ZPBBPS	14" - 16"W seat frame		ZPBBPM	16" - 18"W seat frame	ZPBBPL	18"-22"W seat frame	
¹ Non-absorber	it belts – i	recommended	for infection	n-control envir	ronment	ts				
² Tension-Adjus	tahle Unh	olsterv include	s loons to r	etain a chest h	elt (7CF	M/7CBL/7CBXL). When the chair	is supplied with	a Harmony	

² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided.

12. Other

🗌 Z675	Directional Caster Lock – fits on one rear	\$175	🗆 ZIHW	Whizard – winged urine deflector ³	\$70
	caster (facilitates steering)		ZBUDBH*	Bard Urine Drainage Bag Holder * Enter seat frame width to complete code (16" / 18" / 20")	\$160
🗌 Z64T	4" Caster Upgrade (4x)	\$125			
🗆 Z66T4	Rear Anti-Tippers for 4" casters ¹ (pr)	\$360			
□ Z66T5	Rear Anti-Tippers for 5" casters ¹ (pr)	\$360	ZSPKC22	CAT Self-Propel Kit – 22" wheels (includes anti-tippers)	\$1595
🗆 ZPSK1	Commode Pan Spacer Kit ² – 1" lower	\$210	□ ZSPKC24	,	\$1595
ZPSK2	Commode Pan Spacer Kit ² – 2" lower	\$225	L ZJPKCZ4	CAT Self-Propel Kit – 24" wheels (includes anti-tippers)	\$1282
🗆 ZPSK3	Commode Pan Spacer Kit ² – 3" lower	\$240			
🗆 ZPSK4	Commode Pan Spacer Kit ² – 4" lower	\$255			
□ ZTLS	Tilt Limit Spacers – 1/2" spacers snap onto gas struts to limit tilt (1/2" reduces tilt range approx. 5°. Can be stacked for additional tilt limiting. Quantity	N/C			
¹ Anti-Tippers will be mounted on the rear unless otherwise specified.					
² Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Reduces toilet bowl clearance height.				ng lateral wings that are positioned under th le thighs to keep the Whizard in place.	e



13. Credits and Omissions □ Z905 Omit Commode Pan and Mounting Brackets -\$20 □ Z911 Omit Molded Head Support Pad -\$20

	Omit Commode Pan and Mounting Brackets Omit Foot Supports			Omit Complete Head Support Assembly	-\$20 -\$50
2507C		Ç-Ç	2512	Office Complete fredd Support Assembly	7 50

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

14. Notes

Specifications	Raz-CAT (Attendant Tilt)				
Weight Capacity	300 lbs				
Overall Width	Seat width plus 4.5"				
Overall Length (with MFX12 foot supports and headrest adjusted to middle positions)					
 at 0° tilt at 40° 	36.75" (rear casters trailing), 33.75" (rear casters leading) 44"				
Seat Depth	11" or 16" depending on seat/cushion length				
Clearance Height (under seat) • with pan brackets • without pan brackets	17"-21" (1" increments) 17.75"-21.75 (1" increments)				
Clearance Width (to fit around toilet)	15.75" for standard 18"W seat frame. For other widths, seat frame width minus 2.25"				
Arm Support Height - above molded seat (1/2" increments)					
 15"H Adjusta-Back 18"H Adjusta-Back 18"H Reclining Adjusta-Back 	5.5"-8" 6.5"-9" 6.5"-9"				
Seat-to-Floor Height (with molded seat)	21"				
Product Weight	55 lbs				
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)				

