

Dealer / Location: \_\_\_



\_\_ T:\_\_

PO# / Client:	Contact: Email:	
supports, 22" or Evaluation and I	ropel Mobile Shower Commode Chair with height-adjustable stainless-steel frame, flip-up padded arm support 24" rear wheels, front dual-locking 5" (125mm) casters and commode pan. User weight capacity 400 lbs. Standard Justification Form.  See by size – Must Choose One	
□ Z20018	Raz-SP w/ 18"W frame – Standard base frame size, will fit over most toilets <sup>1</sup>	\$2,550
□ Z200*	Non-Standard Width Raz-SP – Must add upcharge for custom frame width: see below * add custom width to complete code (16/20/22)  – Adjusta-Back must be selected for all custom frame widths [Sec.5]	\$2,550
	☐ Z2SW16 Upcharge for custom 16"W frame² – will not fit over most toilets	\$515
	☐ Z2SW20 Upcharge for custom 20"W frame <sup>3</sup>	\$515
	☐ Z2SW22 Upcharge for custom 22"W frame <sup>4</sup>	\$625
<sup>3</sup> 18"W seats ca	eats terface seats can be modified to fit.  n be selected but must also select Seat Support Adapter Kit Z4SSKAS [Sec.2] Foam Interface HD seat can be modified to fit. Seat depth range (IPAS) will be 18"-20".	
Custom Base	Frame Length and Height	
☐ Z2LNGF3	Upcharge – custom 3" Longer Frame recommended for seat depths 20"/21", req for seat depths 21"-24"	\$410
□ Z2LOWF4	Upcharge for custom 4" Lower Frame – reduces seat height range to 16"-18" from standard height range of 20"-24" with molded seat  – To lower chair by an additional 1" (15"-17"), add 4" caster upgrade option Z64SP [Sec.7]  – Compatible only with 22" wheels [Sec.8]	of \$515

## 2. Seats - Standard

Molded Seats	(thickness ~2.5"-3")		Visco-Foam Int	erface Seats (thickness ~3.5")	
□ Z405	18"W x 16"D – Front Access	Standard	☐ Z436BRI	18"W x 16"D – Front Bridged	\$445
□ Z410	18"W x 16"D – Front Bridged	N/C	☐ Z436FRO	18"W x 16"D – Front Access	\$445
□ Z415	18"W x 19"D – Front Access	\$140	☐ Z436LTO	18"W x 16"D – Left Access	\$445
□ Z420	18"W x 19"D – Front Bridged	\$140	☐ Z436RTO	18"W x 16"D – Right Access	\$445
Specialty Sea	ts		☐ Z436RRO	18"W x 16"D – Rear Access	\$445
☐ Z4SOM	Shower-Only Seat – Molded	\$410	☐ Z439BRI	18"W x 19"D – Front Bridged	\$510
	18"W x 16"-21"D		☐ Z439FRO	18"W x 19"D – Front Access	\$510
☐ Z4EJRM	E&J Replica Seat – Molded	\$205	☐ Z439LTO	18"W x 19"D – Left Access	\$510
	- 18"W x 17"D	6775	☐ Z439RTO	18"W x 19"D – Right Access	\$510
☐ Z4V23N	23"W x 18"D HD – Visco Foam Front Access – Notched at rear to	\$775	☐ Z439RRO	18"W x 19"D – Rear Access	\$510
	maintain fore/aft adjustment range (IPAS) – 22"W frame		☐ Z4SSKAS	Seat Support Kit for Raz-AP/SP – for seat 2" narrower than seat frame	\$150
	(IPAS) – 22 W ITallie		□ Z4GSB*	Custom Seat Bracket Spacers – for adding dump angle (pr) Specify additional height at front of seat to complete code (0.5"/ 1.0"/1.5")	\$305



#### 3. Seats - Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.							
□ Z4CS	Custom Seat (enter specs below) Select if both width and depth are ≤ 21"	\$1075					
☐ Z4CEJR	Custom E&J Replica Seat (enter specs below) Select if both width and depth are ≤ 21"	\$1225					
□ Z4CSHD	Heavy Duty Custom Seats (enter specs below) Select if width and/or depth is ≥ 22"	\$1395					
Custom Specifications (fo	or above custom seats)						
Seat Frame Width:							
• Unless otherwise requested, the	he width of the aperture (inside width dimension of the commode opening) will be $6.5^{\prime\prime}$ for custom seats.						
• Custom Seat width should not be narrower than frame width.							
• Custom Seat can be up to 2" wider than seat frame width to provide additional thigh support without ordering wider chair frame.							
• The Ischial Pelvic Alignment Sy	stem (IPAS) allows 2" fore/aft adjustment of the seat (seat depth and aperture position) on all seats.						
• Special modifications on Custo	om Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, etc.						

## 4. Fixed Back Frames (18"W only)

This is called a "Fixed" Back because the arm supports are not adjustable in height. Includes molded, vinyl back support, fixed-height flip-up padded arm supports, back angle adjustment (90°/95°) with cane-style posts. Back height is measured from top of molded seat to top of back upholstery. Hip Adductors [Z7HP1/2] are not compatible with Fixed Back.

□ Z50818 Fixed Back - 18"W x 18"H<sup>1,2</sup>

Standard

#### 5. Adjusta-Back Frames

Includes height- and angle-adjustable arms with Armrest Lock Kit (Z710), tension-adjustable back upholstery, flip-up padded arm supports, back angle adjustment (85°/90°/95°). Back heights of 15"/17"/20" include cane-style posts, on which back upholstery can be positioned 2.5" higher than nominal height indicated below. e.g. 20"H can be moved up to 22.5"H. The 24"H Adjusta-Back includes straight posts, on which the upholstery cannot be raised.

posts, on winen	the apholotery carmot be raised.					
Standard Width	Adjust-Backs (18"W)		Non-Standard Width Adjust-Backs			
□ Z50918	Adjusta-Back – 15"H	\$255		a-Back order code by adding desired back fram a: 18" is the standard width.	ne width	
□ Z51018	Adjusta-Back – 17"H	\$255	□ Z509*	Adjusta-Back – 15"H non-std width	\$255	
☐ Z51518	Adjusta-Back – 20"H	\$335	Z510*	Adjusta-Back – 17"H non-std width	\$255	
☐ Z52018	Adjusta-Back – 24"H	\$385	☐ Z515 *	Adjusta-Back – 20"H non-std width	\$335	
☐ Z5DTL	Dual Triggers – both on left side <sup>1</sup>	N/C	Z520 *	Adjusta-Back – 24"H non-std width	\$385	
☐ Z5DTR	Dual Triggers – both on right side <sup>1</sup>	N/C	☐ Z515SPR *	Reclining Adjusta-Back 30° recline,	\$985	
☐ Z515SPR18	Reclining Adjusta-Back 30° recline, 20" back height with 2-Point Reclin- ing Arms (incl Rear Anti-tippers, but	\$985		20" back height with 2-Point Reclining Arms (incl Rear Anti-tippers, but not Head Support)	,,,,,,	
	not Head Support)		☐ Z520SPR*	Reclining Adjusta-Back 30° recline,	\$1035	
☐ Z520SPR18	Reclining Adjusta-Back 30° recline, 24" back height with 2-Point Reclin- ing Arms (incl Rear Anti-tippers but not Head Support)	\$1035		24" back height with 2-Point Reclining Arms (incl Rear Anti-tippers but not Head Support)		

<sup>&</sup>lt;sup>1</sup> Dual Tilt Triggers option positions both triggers on one side, allowing for single-handed activation. Available for all back widths.



# 6. Custom Back Frame Width Narrower Than Chair Frame Width - Must choose back frame [Sec.5] (configurations below are not available for recliner backs)

NOTE: For back frame width variances on recliner frames, please request custom quotation.

	Base Frame Width	16" <sup>1</sup>	18" <sup>2</sup>	20"3	22" <sup>4</sup>	
than base frame	Back Frame Width	14"	16"	18"	20"	
* Enter base and back frame widths to complete code. eg. Z5NB2018 specifies a 20"W chair frame with an 18"W back frame	Consider also using Arm Spacer Kit (Z718/Z719) as another solution for providing more width between the arms.					
<sup>1</sup> Requires Custom Seat	Alexandrille with Con			-1 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	F1	

# 7. Back Support Options – These back supports replace the standard, tension-adjustable upholstery and are recommended for infection-control environments.

□ Z5S14	14"W Symphony Back <sup>1</sup> – recessed solid back	\$305	, ,
□ Z5S16	16"W Symphony Back¹ – recessed solid back	\$305	18"W x 13"H) Fits 17" or 20" back heights, 18"W back widths only
☐ Z5S18	18"W Symphony Back <sup>1</sup> – recessed solid back	\$305	TO W DACK WIGHTS OTHY
_ 23310	16 W Symphony back recessed solid back	7303	
☐ Z5S20	20"W Symphony Back <sup>1</sup> – recessed solid back	\$485	<sup>1</sup> Not compatible w/ 15" back height – Symphony Back panels are 13"H
☐ Z5S22	22"W Symphony Back <sup>1</sup> – recessed solid back	\$485	<sup>2</sup> Not compatible w/ 15" and 24" back heights. Not recommended for
	, , ,		reclining backs.

## 8. Rear Wheel, Caster Options and Anti-Tippers

☐ Z612R	22" Diameter Wheels w/ Textured	Std	□ Z660	Quick-Release Axles (pr)	\$50
	Handrims		□ Z674	User-Actuated Front Directional Caster	\$515
☐ Z614R	24" Diameter Wheels w/ Textured	N/C		Locks w/ extension handles (pr)	
	Handrims		☐ Z64SP	4" Caster Upgrade	\$65
☐ Z6WLE	Wheel Lock with Extensions (pr)	\$80		affects STF range (2x)	
☐ Z66SPR	Rear Anti-Tippers for regular frame <sup>1</sup> (pr)	\$120	☐ Z622VHR	Vinyl-Coated Handrims for 22" (pr)	\$360
☐ Z66SPLW	Rear Anti-Tippers for low frame (pr)	\$120	☐ Z624VHR	Vinyl-Coated Handrims for 24" (pr)	\$400
	Z2LOWF4		☐ Z622PHR	Vertical Projection Handrims – 22" (pr)	\$725
☐ Z66AS4	Front Anti-Tippers for 4" casters (pr)	\$360	☐ Z624PHR	Vertical Projection Handrims – 24" (pr)	\$725
☐ Z66AS5	Front Anti-Tippers for 5" casters (pr)	\$360			
□ Z66AS6	Front Anti-Tippers for 6" casters (pr)	\$360			



<sup>&</sup>lt;sup>2</sup> Compatible with all 18"W seats but with reduced seat depth range. Also compatible with Custom or modified Visco-Foam Interface seats.

<sup>&</sup>lt;sup>3</sup> Custom Seat recommended. Also compatible with all 18"W seats with Seat Support Kit Z4SSKAS [Sec.2].

<sup>&</sup>lt;sup>4</sup> Custom Seat recommended. Also compatible with modified Z4V23N (18" seat depth with limited adjustability)

9. Arm Supports and Accessories

☐ Z5BAR13	Flip-Up Arm Supports – 13"L pad (pr)	Std	☐ Z7PAML	Pivoting Arm Mount <sup>3</sup> – Left	\$175		
☐ Z5BAR10	Flip-Up Arm Supports – 10"L pad (pr)	N/C		(for Z7FL/Z7TR)			
	(not compatible with Z7FS/Z7FL/Z7TR / Z7PAM)		□ Z7PAMR	Pivoting Arm Mount <sup>3</sup> – Right (for Z7FL/Z7TR)	\$175		
□ Z710	Arm Support Lock Kit (for Z505/Z506) (pr)	\$80	□ Z718	Arm Support Spacer Kit – 1/2" per side	\$65		
☐ Z52PAS	2-Point Flip-up Arm Supports <sup>1</sup> (pr)	\$410		(for Z509/Z510/Z515/Z520) (pr)			
	(standard with reclining backs)		□ Z719	Arm Support Spacer Kit – 1" per side	\$120		
☐ Z7FLL	Long Molded Flat Armpad <sup>2</sup> – Left	\$85		(for Z509/Z510/Z515/Z520) (pr)			
	(14"L x 3.25"W, fits Z5BAR13)		☐ Z7PHG	Pivoting Hand Grips (pr)	\$410		
□ Z7FLR	Long Molded Flat Armpad <sup>2</sup> – Right (14"L x 3.25"W, fits Z5BAR13)	\$85	☐ Z7APS*	Anterior Posture Support Bar  * Enter back frame width to complete	\$205		
☐ Z7FSL	Short Molded Flat Armpad – Left	\$85		code (14"/16"/18") <sup>3, 4,5</sup>			
	(10"L x 3"W, fits Z5BAR10)		☐ Z7APS*	Anterior Posture Support Bar	\$235		
☐ Z7FSR	Short Molded Flat Armpad – Right (10"L x 3"W, fits Z5BAR10)	\$85		* Enter back frame width to complete code (20"/22") <sup>3, 4,5</sup>			
☐ Z7TRL	Molded Arm Trough <sup>2</sup> – Left	\$115	<sup>1</sup> For chairs with sa	ame back width and frame width only			
	(18.5"L x 4.5"W, fits Z5BAR13)			AM for arm support to flip up and/or for lateral			
☐ Z7TRR	Molded Arm Trough <sup>2</sup> – Right	\$115	supports to swing	away			
	(18.5"L x 4.5"W, fits Z5BAR13)		<sup>3</sup> Not compatible v	with Z5BAR10			
			<sup>4</sup> Not compatible v	<sup>4</sup> Not compatible with Z7FL/Z7FS/Z7TR			
			<sup>5</sup> Special length re	quired with Z718 (+1") and Z719 (+2")			

**10. Foot and Leg Supports** – Standard Foot Supports (Z705N) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (Z7ELRL), the chair will be supplied with one Foot Support (Z705N) on the right side and a Z7ELRL on the left side.

☐ Z705N	Foot Supports 16"-20.5" (pr)	Std	☐ Z7ELRL	Elevating Leg Support <sup>3</sup> – Left	\$515
☐ Z705N16	Foot Supports – 16"W frames 16"-20.5" (p	r) N/C		(includes Z7ADM)	
☐ Z7FET2	Footrest Extension Tubes 2" longer <sup>1</sup> (pr)	\$55	☐ Z7ELRR	Elevating Leg Support <sup>3</sup> – Right	\$515
☐ Z7MFX8	MFX8 Foot Supports 8"-12" (pr)	\$105	_	(includes Z7ADM)	
☐ Z7MFX12	MFX12 Foot Supports 12"-16.5" (pr)	\$105	☐ Z7ELROFL	Forward Offset Elevating Leg Support <sup>4</sup> – Left (includes Z7ADM)	\$570
☐ Z7ADM	Adj Angle/Depth Molded Footplates <sup>2</sup> (pr)	\$205	☐ 77EL BOEB		\$570
☐ Z7FET2A	Footrest Extension Tubes for Z7ADM (pr) (2" longer)	\$55	☐ Z7ELROFR	Forward Offset Elevating Leg Support <sup>4</sup> – Right (includes Z7ADM)	\$57U
	· • • ·	ć2 F	☐ Z7RLSL	Universal Residual Limb Support – Left	\$205
☐ Z7ADABS	Angle/Depth Adj ABS Footplates (pr) for 16"W frames	\$205	☐ Z7RLSR	Universal Residual Limb Support – Right	\$205
☐ Z7VS18	V-Style Foot Support (1-piece) – for 18"W base frames	\$305			
□ Z7VS*	V-Style Foot Support (1-piece)  * Enter frame width to complete code	\$360	2 .		
	(16"/18"/20"/22")			patible with frame widths ≥ 18" and adjusted	seat
☐ Z7FBAS	Flip-Back Foot Support (1-piece)	\$305		≤ 21" w/ 3" longer seat frames (Z2LNGF3)	
<sup>1</sup> Not compatible with Z7MFX8/Z7ADM/Z7VS/Z7FBAS		<sup>4</sup> Z7ELROFL/R compatible with frame widths ≥ 18" for adjusted seat depths 19"-20" on standard frame or 22"-23" w/ 3" longer seat frames (Z2LNGF3)			
<sup>2</sup> Not compatible with Z20016 or Z7MFX8					



# 11. Foot and Leg Support Accessories

☐ Z7FSLK	Foot Support Lock (pr)	\$98	☐ Z7NCS	Neoprene Covers for Standard	\$95
□ Z7CS*	Snap-On Calf Strap – Bodypoint	\$140		Footplates (pr)	
	Aeromesh* Enter frame width to complete code (16"/18"/20"/22")		☐ Z7NC16	Neoprene Covers for narrow molded footplates (pr)	\$95
□ Z7CSIC*	Snap-On Infection Control Calf Strap * Enter seat frame width to complete	\$150	☐ Z7NCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (pr)	\$95
	code (16"/18"/20")		☐ Z7NCABS	Neoprene Covers for ABS Adj Angle/	\$95
☐ Z7CSIC22	Snap-On Infection Control Calf Strap	\$160		Depth Footplates Z7ADABS (pr)	
	– 22"W frames		☐ Z7OFLM	Lateral Offset Foot Support Receiver	\$85
☐ Z737CPL	Calf Panel – Bodypoint Aeromesh <sup>1</sup> Fits frame widths (16"/18"/20")	\$235		<ul><li>– moves foot support 2" laterally or medially Quantity (1 or 2)</li></ul>	
□ <b>Z7</b> 06	H-Strap – for 18"/20"W frames – hook and loop attachment	\$95			
□ Z712	H-Strap – for 22"W frames – hook and loop attachment	\$115			
□ Z708ADJ	Adjustable Heel Loops (pr) – not available for Z7VS / Z7FBAS	\$65	<sup>1</sup> Not compatible	with Z7MFX8 / Z7FBAS / Z7VS	

# 12. Positioning Pads

☐ Z7HSASS	Head Support w/ Small Pad (10" x 4")	\$515	☐ Z7LGAS1L	Leg Adductor w/ Small Pad <sup>1</sup> – Left	\$345
☐ Z7HSASL	Head Support w/ Large Pad (12" x 6")	\$565	☐ Z7LGAS1R	Leg Adductor w/ Small Pad <sup>1</sup> – Right	\$345
☐ Z7OHIP	Lateral Offset Head Support Interface Plate— up to 22° of adjustment	\$80	☐ Z7LGAS2L	Leg Adductor w/ Large Pad <sup>1</sup> – Left	\$345
		40.00	☐ Z7LGAS2R	Leg Adductor w/ Large Pad <sup>1</sup> – Right	\$345
☐ Z7LTS1L	Lateral Thoracic Support w/ Small Pad <sup>1,2</sup> – Left	\$345	☐ Z7HP1L	Hip Adductor w/ Small Pad <sup>1,3</sup> – Left	\$345
☐ Z7LTS1R	Lateral Thoracic Support w/ Small Pad <sup>1,2</sup>	\$345	☐ Z7HP1R	Hip Adductor w/ Small Pad <sup>1,3</sup> – Right	\$345
	- Right	φσ .σ	☐ Z7HP2L	Hip Adductor w/ Large Pad <sup>1,3</sup> – Left	\$345
☐ Z7LTS2L	Lateral Thoracic Support w/ Large Pad <sup>1,2</sup> – Left	\$345	☐ Z7HP2R	Hip Adductor w/ Large Pad <sup>1,3</sup> – Right	\$345
☐ Z7LTS2R	Lateral Thoracic Support w/ Large Pad <sup>1,2</sup> – Right	\$345			
☐ Z742L	Lateral/Adductor Extension Plate	\$25	<sup>1</sup> Adjustable Pad Si	izes: Small – 5.5"x 3.5" / Large – 6.75" x 4.3".	
	(5.5" x 3.5") – Left		<sup>2</sup> Pads on Lateral T	horacic Supports can be adjusted medially up	to 3"
☐ Z742R	Lateral/Adductor Extension Plate	\$25	per side. For additional medial offset, specify Z742 extension plate.		
	(5.5" x 3.5") – Right		<sup>3</sup> Fits Adjusta-Back	only	



# 13. Pelvic and Chest Belts - A chest belt should not be used without a pelvic belt

Pelvic Belts					Chest Belts					
☐ ZPBS	Pelvic Belt – Sr 2-piece w/ side	•	e widths 14"-16", ouckle)	, \$45	☐ ZCBS		lt <sup>2</sup> – Small (fran v/ hook and loo		1"-16",	\$35
☐ ZPBM	Pelvic Belt – M 16"-18", 2-pied	•	ame widths release buckle)	\$55	☐ ZCBM		lt <sup>2</sup> – Medium (f ece w/ hook an			\$40
☐ ZPBL	Pelvic Belt – La 2-piece w/ side	• .	e widths 18"-22", ouckle)	, \$50	☐ ZCBL		lt <sup>2</sup> – Large (fran v/ hook and loo		8"-22",	\$50
☐ ZPBXL	Pelvic Belt – XI 22"-30", 2-pied	• .	ne widths release buckle)	\$70	☐ ZCBXL		lt <sup>2</sup> – XLarge (fra ece w/ hook an			\$60
☐ ZPBICS	Infection Control (frame widths w/ side-release	14"-16", 2		\$98	☐ ZCBICS	Infection (frame w	Control Chest idths 14"-16", :	Belt <sup>1,2</sup> – Sma	•	\$80
☐ ZPBICM	Infection Control (frame widths w/ side-release	16"-18", 2	Belt <sup>1</sup> – Medium -piece	\$98	☐ ZCBICM	Infection (frame w	Control Chest idths 16"-18", : elease buckle)		dium	\$80
☐ ZPBICL	Infection Control (frame widths w/ side-release	18"-22", 2	_	\$98	☐ ZCBICL	Infection (frame w	Control Chest idths 18"-22", : elease buckle)		e	\$90
☐ ZPBICXL	Infection Control (frame widths w/ side-release	22"-30", 2		\$110	☐ ZCBICXL	Infection (frame w	Control Chest idths 22"-30",		rge	\$98
☐ ZPBBPS	Pelvic Belt – Bo	odypoint A	eromesh – Smal	l \$295		· ·	elease buckle)		<b>6</b> II	4000
☐ ZPBBP *	Pelvic Belt – Bo			\$265	☐ ZCBBPS		lt – Bodypoint <i>i</i> lt – Bodypoint <i>i</i>		Small	\$330 \$275
	* enter size to	•		ĆZOE	☐ ZCBBP_*		ize to complete		_ / XL)	32/3
☐ ZPBBPXL	Pelvic Belt – Bo			\$205	4.67.14.070.4					
Recommende sizes for	<b>d</b> Pelvic belt	ZPBBPS	14"/16"W base frame	ZPBBPM	16"/18"W base frame	ZPBBPL	18"-22"W base frame	ZPBBPXL	base fi	
Bodypoint belts	Chest belt	ZCBBPS	14"/16"W back frame	ZCBBPM		ZCBBPL	18"/20 "W back frame	ZCBBPXL		5″W
<sup>1</sup> Non-absorben	t belts – recomm	ended for i	nfection-control er	nvironment	is					
	table Upholstery ack, Chest Belt loo		ops to retain a chesvided.	st belt (ZCB	M/ZCBL/ZCBXL). '	When the c	hair is supplied v	with a Harmor	ny	

## 14. Other

☐ ZPSK1	Commode Pan Spacer Kit² – 1" lower	\$210	□ ZIHW	Whizard – winged urine deflector <sup>3</sup>	\$70
☐ ZPSK2	Commode Pan Spacer Kit <sup>2</sup> – 2" lower	\$225	☐ ZBUDBH*	Bard Urine Drainage Bag Holder	\$160
☐ ZPSK3	Commode Pan Spacer Kit <sup>2</sup> – 3" lower	\$240		* Enter size to complete code (16" / 18" / 20" / 22")	
☐ ZPSK4	Commode Pan Spacer Kit <sup>2</sup> – 4" lower	\$255		(10 / 10 / 20 / 21 /	
<sup>1</sup> Included with	Reclining Back Option (Z515SPR/Z520SPR)		<sup>3</sup> Has patent-pendir	ng lateral wings that are positioned under the	
<sup>2</sup> Commode Pan Spacer Kits provide extra clearance for self-care with			medial aspect of the thighs to keep the Whizard in place.		
pan in place. Re	educes toilet bowl clearance height.		<sup>4</sup> Must be held in pl	lace	



## 15. Credits and Omissions

□ Z905	Omit Commode Pan and	-\$20 □ Z907	Omit Foot Supports - if no other Foot /	<b>-</b> \$45
	Mounting Brackets		Leg Support Option is selected	

## SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

## 16. Notes:

Specifications	Raz-SP (Self Propel)			
	22" wheels	24" wheels		
Weight Capacity	400 lbs	400 lbs		
Overall Width	Seat width plus 7.75"	Seat width plus 7.75"		
Overall Length (foot supports in middle position)	41"	42"		
Seat Depth	16" or 21" depending on seat/cushion length			
Clearance Height (under seat) - with pan brackets - without pan brackets	15.25"-19.25" (1" increme 16"-20" (1" increments)	ents)		
Clearance Width (to fit around toilet) – 18"W frame	16"	16"		
Arm Support Height - above molded seat (1/2" increme - 18"H Fixed Back - standard - 15"H Adjusta-Back - 17"H Adjusta-Back - 20"H Adjusta-Back - 24"H Adjusta-Back - 24"H Reclining Adjusta-Back - 24"H Reclining Adjusta-Back - 24"H Reclining Adjusta-Back	ents)  8.5" 5.5"-8.5" 6.5"-9.5" 7.5"-10.5" 7.5"-10.5" 7.5"-10.5"	8.5" 5.5"-8.5" 6.5"-9.5" 7.5"-10.5" 7.5"-10.5" 7.5"-10.5"		
Seat-to-Floor Height (with molded seat)	20"-24"	20"-24"		



Product Weight (with 18"W seat)

Frame and Hardware Material

49 lbs

Stainless Steel (lifetime warranty against corrosion)

47 lbs