



# Raz-SP600 ORDER FORM

EFFECTIVE FEBRUARY 2023 (CDN MSRP)

Date: \_\_\_\_\_

Dealer / Location: \_\_\_\_\_ T: \_\_\_\_\_ F: \_\_\_\_\_

PO# / Client: \_\_\_\_\_ Contact: \_\_\_\_\_ Email: \_\_\_\_\_

**Raz-SP600** Heavy Duty Mobile Shower Commode Chair with stainless steel frame, fore / aft-adjustable 24" rear wheels, flip-up arm supports, heavy duty foot supports, front dual-locking 5" casters and commode pan. **User weight capacity 600 lbs.** User weight over 450 lbs. requires 6" casters (Z66SP). See our [Evaluation and Justification Form](#).

## 1. Chair Codes by size – Must Choose One

Chair Code	Seat Frame Width	MSRP
<input type="checkbox"/> Z26022	22"W Frame	\$3,850
<input type="checkbox"/> Z26024	24"W Frame	\$4,150
<input type="checkbox"/> Z26026	26"W Frame	\$4,525
<input type="checkbox"/> Z26028	28"W Frame	\$4,750
<input type="checkbox"/> Z26030	30"W Frame – Requires custom seat	\$4,995

## 2. Seats – Must Choose One

Molded and Visco Foam Interface Seats			
<input type="checkbox"/> Z4M23	Molded 23"W x 18"D – Front Access	Fits 22" / 24"W <sup>1</sup> frames only	N/C
<input type="checkbox"/> Z4M26	Molded 26"W x 18"D – Front Access	Fits 26" / 28"W <sup>1</sup> frames only	N/C
<input type="checkbox"/> Z4V23	Visco Foam Interface 23"W x 18"D – Front Access	Fits 22" / 24"W <sup>1</sup> frames only	\$775
<input type="checkbox"/> Z4V26	Visco Foam Interface 26"W x 18"D – Front Access	Fits 26" / 28"W <sup>1</sup> frames only	\$775
<input type="checkbox"/> Z4SSKASHD	Seat Support Kit for Raz-AP600 – for seats that are narrower than seat frames		\$205
<sup>1</sup> Required for seats that are narrower than seat frames			

### Custom Seats

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required. See [Custom Seat Assessment Form – Resources tab at razdesigninc.com](#)

<input type="checkbox"/> Z4CSHD	Heavy Duty Custom Seat (enter specs below) <b>Select if both width and depth are ≤ 28"</b>	\$1,395
<input type="checkbox"/> Z4CSXHD	Heavy Duty Custom Seat for widths 28" and 30" (enter specs below) <b>Select if width and/or depth is ≥ 28"</b>	\$1,570

Seat Frame Width: \_\_\_ 22" / 24" / 26" / 28" / 30"  
 Custom Seat Width: \_\_\_ 22" / 24" / 26" / 28" / 30" / 32" (cannot be more than 2" wider than frame width)  
 Seat Depth: \_\_\_ 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" [≥ 21" requires custom longer frame]  
 Access: \_\_\_ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged  
 Aperture Width: \_\_\_ 6.5" recommended

- Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.
- Custom seat widths can be up to 2" wider than the frame width to provide additional thigh support without increasing overall width of the chair.
- For Custom Seats, the Ischial Pelvic Alignment System (IPAS) allows +/- 1" fore / aft adjustment from specified custom seat depth.
- Access for Rear-Open seats is limited due to rear seat support tube.
- Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, pelvic obliquity accommodation, etc.



**3. Back Support Options** (Symphony Back replaces standard Tension-Adjustable Vinyl Upholstery – recommended for infection-control environments) All Symphony Back panels are 13”H.

<input type="checkbox"/>	Z5S22	Symphony Back – Recessed Solid Back Support – 22”W	\$485
<input type="checkbox"/>	Z5S24	Symphony Back – Recessed Solid Back Support – 24”W	\$505
<input type="checkbox"/>	Z5S26	Symphony Back – Recessed Solid Back Support – 26”W	\$525
<input type="checkbox"/>	Z5S28	Symphony Back – Recessed Solid Back Support – 28”W	\$675
<input type="checkbox"/>	Z5S30	Symphony Back – Recessed Solid Back Support – 30”W	\$695

**4. Rear Wheel, Caster and Anti-Tipper Options**

<input type="checkbox"/>	Z614RHD	24” HD Wheels w/ Ergonomic Handrims	Standard	<input type="checkbox"/>	Z66SPR	Rear Anti-Tippers for regular frame (pr)	\$120
<input type="checkbox"/>	Z6WLE	Wheel Lock with Extensions (pr)	\$80	<input type="checkbox"/>	Z66AS5	Front Anti-Tippers for 5” casters (pr)	\$360
<input type="checkbox"/>	Z624VHR	Vinyl-Coated Handrims – pr	\$400	<input type="checkbox"/>	Z66AS6	Front Anti-Tippers for 6” casters (pr)	\$360
<input type="checkbox"/>	Z624PHR	Vertical Projection Handrims – pr	\$725	<input type="checkbox"/>	Z66SP	6” Caster Upgrade (2x) – required for user weight > 450 lbs	\$185
<input type="checkbox"/>	Z674HD	User-Actuated Front Directional Caster Locks w/ extension handles (pr)	\$515				

**5. Arm Support Accessories**

<input type="checkbox"/>	Z710HD	Arm Support Lock Kit – HD (pr)	\$98	<input type="checkbox"/>	Z7PAML	Pivoting Arm Mount – Left (for Z7FL / Z7TR)	\$175
<input type="checkbox"/>	Z7FLL	Long Molded Flat Armpad <sup>1</sup> – Left (14”L x 3.25”W)	\$85	<input type="checkbox"/>	Z7PAMR	Pivoting Arm Mount – Right (for Z7FL / Z7TR)	\$175
<input type="checkbox"/>	Z7FLR	Long Molded Flat Armpad <sup>1</sup> – Right (14”L x 3.25”W)	\$85				
<input type="checkbox"/>	Z7TRL	Molded Arm Trough <sup>1</sup> – Left (18.5”L x 4.5”W)	\$115				
<input type="checkbox"/>	Z7TRR	Molded Arm Trough <sup>1</sup> – Right (18.5”L x 4.5”W)	\$115				

<sup>1</sup> May require Z7PAM for arm support to flip up

**6. Foot and Leg Supports** – Standard Foot Supports (Z709N) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (Z7ELRL), the chair will be supplied with one Foot Support (Z709N) on the right side and a Z7ELRL on the left side.

<input type="checkbox"/>	Z709N	Adjustable Footrests HD (16”-20.5”) – pr	Std	<input type="checkbox"/>	Z7ELRL	Elevating Legrest <sup>1</sup> – Left (incl Z7ADM)	\$515
<input type="checkbox"/>	Z7FET2	Footrest Extensions (2” longer) – pr	\$55	<input type="checkbox"/>	Z7ELRR	Elevating Legrest <sup>1</sup> – Right (incl Z7ADM)	\$515
<input type="checkbox"/>	Z7ADM	Angle/Depth Adj Footplates – pr	\$205	<input type="checkbox"/>	Z7ELROFL	Forward Offset Elevating Legrest <sup>2</sup> – Left (incl Z7ADM)	\$570
<input type="checkbox"/>	Z7FET2A	Footrest Extension Tubes for Z7ADM (pr) – 2” longer	\$55	<input type="checkbox"/>	Z7ELROFR	Forward Offset Elevating Legrest <sup>2</sup> – Right (incl Z7ADM)	\$570
<input type="checkbox"/>	Z7RLSL	Universal Residual Limb Support – Left	\$205				
<input type="checkbox"/>	Z7RLSR	Universal Residual Limb Support – Right	\$55				

<sup>1</sup> Z7ELRL/R compatible with adjusted seat depths ≤ 20”D  
<sup>2</sup> Z7ELROFL/R compatible with adjusted seat depths 20”-22”D

### 7. Foot and Leg Support Accessories

<input type="checkbox"/> Z7FSLK	Foot Support Lock (pr)	\$98	<input type="checkbox"/> Z708ADJ	Adjustable Heel Loops (pr)	\$65
<input type="checkbox"/> Z7CS__	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter seat frame width to complete code (22"/24"W)	\$170	<input type="checkbox"/> Z7NCS	Neoprene Covers for Standard Footplates (pr)	\$95
<input type="checkbox"/> Z7CS__*	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter seat frame width to complete code (26"/28"/ 30"W)	\$235	<input type="checkbox"/> Z7NCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (pr)	\$95
<input type="checkbox"/> Z7CSIC__*	Calf Strap, Snap-On – Infection Control *Enter seat frame width to complete Code 22" / 24" \$160 26" / 28" / 30" \$130		<input type="checkbox"/> Z7OFLM	Lateral Offset Foot Support Receiver – moves foot support 2" laterally or medially (ea) Quantity (1 or 2) __	\$85
<input type="checkbox"/> Z712	H-Strap – for 22"/24"W frames – hook and loop attachment	\$115			

### 8. Positioning Pads

<input type="checkbox"/> Z7HSASS	Head Support w/ Small Pad (10" x 4")	\$515	<input type="checkbox"/> Z7LGAS2L	Leg Adductor – w/ Large Pad <sup>1</sup> – Left	\$345
<input type="checkbox"/> Z7HSASL	Head Support w/ Large Pad (12" x 6")	\$565	<input type="checkbox"/> Z7LGAS2R	Leg Adductor – w/ Large Pad <sup>1</sup> – Right	\$345
<input type="checkbox"/> Z7LTS2HDL	Lateral Thoracic Support w/ Large Pad <sup>1,2</sup> – Left	\$345	<input type="checkbox"/> Z742L	Lateral/Adductor Extension Plate (5.5" x 3.5") – Left	\$25
<input type="checkbox"/> Z7LTS2HDR	Lateral Thoracic Support w/ Large Pad <sup>1,2</sup> – Right	\$345	<input type="checkbox"/> Z742R	Lateral/Adductor Extension Plate (5.5" x 3.5") – Right	\$25

### 9. Pelvic and Chest Belts – A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts			Chest Belts		
<input type="checkbox"/> ZPBLHDAS	Pelvic Belt – Large (frame widths 22", 2-piece w/ side-release buckle)	\$70	<input type="checkbox"/> ZCBL	Chest Belt <sup>2</sup> – Large (back widths 22", 1-piece w/ hook and loop closure)	\$50
<input type="checkbox"/> ZPBXLHDAS	Pelvic Belt – XLarge (seat frame widths 22"-26", 2-piece w/ side-release buckle)	\$80	<input type="checkbox"/> ZCBXL	Chest Belt – XLarge <sup>2</sup> (back frame widths 22"-26", 1-piece w/ hook and loop closure)	\$60
<input type="checkbox"/> ZPBICLHDAS	Pelvic Belt <sup>1</sup> – Infection Control, Large 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 22")	\$120	<input type="checkbox"/> ZCBICL	Chest Belt <sup>1,2</sup> – Infection Control, Large 1-piece w/ side-release buckle (back widths 22")	\$90
<input type="checkbox"/> ZPBICXLHDAS	Pelvic Belt <sup>1</sup> – Infection Control, XLarge 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 22"-26")	\$130	<input type="checkbox"/> ZCBICXL	Chest Belt <sup>1,2</sup> – Infection Control, XLarge 1-piece w/ side-release buckle (back frame widths 22"-26")	\$98
<input type="checkbox"/> ZPBBPLHDAS	Pelvic Belt – Bodypoint Aeromesh, Large	\$245	<input type="checkbox"/> ZCBBP__*	Chest Belt – Bodypoint Aeromesh * enter size to complete code (L / XL)	\$275
<input type="checkbox"/> ZPBBPXLHDAS	Pelvic Belt – Bodypoint Aeromesh, XLarge	\$195			

<b>Recommended sizes for Bodypoint belts</b>	Chest belt	ZCBBPL	22"W back frame	ZCBBPXL	22"-26"W back frame	ZCBBPXXL	26"-30"W back frame
	Pelvic belt	ZPBBPLHDT	22"W base frame	ZPBBPXLHDT	22"-26"W base frame	ZPBBPXXLHDT	26"-30"W base frame

<sup>1</sup> Non-absorbent belts – recommended for infection-control environments.

<sup>2</sup> Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCB). When the chair is supplied with a Symphony Back, Chest Belt loops are provided.

**10. Other**

<input type="checkbox"/> ZPSK1	Commode Pan Spacer Kit <sup>1</sup> – 1” lower	\$210	<input type="checkbox"/> ZIHW	Whizard – winged urine deflector <sup>2</sup>	\$70
<input type="checkbox"/> ZPSK2	Commode Pan Spacer Kit <sup>1</sup> – 2” lower	\$225	<input type="checkbox"/> ZBUDBH_ _*	Bard Urine Drainage Bag Holder * Enter size to complete code (22”/24”/26”/28”/30”)	\$160
<input type="checkbox"/> ZPSK3	Commode Pan Spacer Kit <sup>1</sup> – 3” lower	\$240			
<input type="checkbox"/> ZPSK4	Commode Pan Spacer Kit <sup>1</sup> – 4” lower	\$255			

<sup>1</sup> Commode Pan Spacer Kits provide extra clearance for perianal care with pan in place. Reduces toilet bowl clearance height.

<sup>2</sup> Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.

**11. Credits and Omissions**

<input type="checkbox"/> Z905	Omit Commode Pan and Mounting Brackets	-\$20	<input type="checkbox"/> Z907HD	Omit HD Foot Supports – if no other Foot / Leg Support Option is selected	-\$45
-------------------------------	--	-------	---------------------------------	---	-------

**SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.**

**12. Notes:**

Specifications	Raz-SP600 (Self Propel)	
Weight Capacity	600 lbs	
Overall Width	Seat width plus 6”	
Overall Length (with foot supports in middle position)	44” (with rear wheel in middle position)	
Seat Depth	18”-20”	
Clearance Height (under seat)	with 5” casters	with 6” casters
- with pan brackets	14.35”-18.35”	15.35”-19.35”
- without pan brackets	15.12-19.12”	16.12”-20.12”
Arm Support Height - above molded seat	10”	
Seat-to-Floor Height (with molded seat)	with 5” casters	with 6” casters
	20” and 21”	20”, 21”, 24”
Back Height (Molded Seat to top of upholstery)	20”	
Product Weight (with 22”W seat frame)	68 lbs	
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)	