



Raz-CAT ORDER FORM

EFFECTIVE FEBRUARY 2024 (CDN MSRP)

Date: _____

Dealer / Location: _____ T: _____ F: _____

PO# / Client: _____ Contact: _____ Email: _____

Raz-CAT (Compact Attendant Tilt) Mobile Shower Commode Chair with 40° tilt range, height adjustable stainless steel frame, adjustable seat depth, adjustable back angle, four dual-locking 5”casters, stainless steel head support fixture, molded small head support pad, flip-up padded arm supports, commode pan and foot supports. **User weight capacity 300 lbs.**
 See our [Evaluation and Justification Form](#).

1. Chair Codes by Size – Must Choose One

Z30318	Raz-CAT w/ 18”W seat and base frame – standard size, fits over most toilets	\$3,665
Z303 __ *	Non-Standard Width Raz-CAT – Must add upcharge for custom width: see below * add custom width to complete code (16/20)	\$3,665
Z3CSW16	Upcharge for custom 16”W seat and base frame ¹	\$645
Z3CSW20	Upcharge for custom 20”W seat and base frame ²	\$645

¹ Requires custom seat
² Custom seat recommended – standard CAT Seat (ZCSC1816) can be used with optional ZSSKCT [Sec.2]

2. Seats – Standard

Standard CAT Seat – Visco-Foam w/ Tapered Oblong Aperture (thickness ~2.5”)			
ZCSC1816	18”W x 11”-16”D (adjustable)	Standard w/ 18”W frame	
ZCSC1616	16”W x 11”-16”D (adjustable)	Standard w/ 16”W frame	
ZCSC2016	20”W x 11”-16”D (adjustable)	Standard w/ 20”W frame	
Set seat depth at:	11” 12” 13” 14” 15” 16”		
Standard aperture width: 3.5” at front, 4.5” at rear			

Other Seats Available – for seat depths of 16” and 17” only – Modified to fit CAT seat frame

Molded Seats (thickness ~2.5”-3”)				Visco Foam Interface Seats (thickness ~3.5”)		
ZMSC17FRO	18”W x 16”D – Front Access	N/C		ZVFIC17BRI	18”W x 17”D – Front Bridged	\$460
ZMSC17BRI	18”W x 16”D – Front Bridged	N/C		ZVFIC17FRO	18”W x 17”D – Front Access	\$460
				ZVFIC17LTO	18”W x 17”D – Left Access	\$460
				ZVFIC17RTO	18”W x 17”D – Right Access	\$460
				ZVFIC17RRO	18”W x 17”D – Rear Access	\$460
ZSSKCT	Seat Support Kit for Raz-CAT (to support seats that are narrower than seat frames)					\$155

3. Seats – Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required. 18” is the standard width for CAT seat frames.

ZCSEAT	Custom Seat (enter specs below)	\$1110
Seat Frame Width:	__ 16” / 18” / 20”	
Custom Seat Width:	__ 16” / 17” / 18” / 19” / 20”	
Custom Seat Depth:	__ 11” / 12” / 13” / 14” / 15” / 16” / 17”	
Access Opening:	__ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged	
Aperture:	Tapered Oblong: __”W (at front) __”W (at rear) [standard is 3.5”W at front and 4.5”W at rear] Keyhole: __”W 3.0”-8.0”W – enter “NA” if aperture is not required	

- Oblong-shaped apertures can be specified in conjunction with any of the access openings listed.
- The Ischial Pelvic Alignment System (IPAS) allows 2” fore/aft adjustment of the seat (seat depth and aperture position) on all seats.
- Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas and contouring, etc.

4. Back Frames – for standard 18”W seat frames (nominal back heights measured from top of molded seat to top of back upholstery)

Multi-Position Adjusta-Back: The “Multi-Position” feature allows for fore/aft adjustment of the backrest to provide seat depth adjustability from 11”-16”. Includes tension-adjustable vinyl back upholstery, flip-up padded arm supports, back angle adjustment (90°/97°) and cane-style back posts. Back upholstery can be positioned 2.5” higher than factory settings stated below.

Back frames for standard 18”W seat frame (Z30318)

ZCAB845	14” Back Width / 15” Back Height	N/C	ZRBC848	Recliner Back for CAT – 14”W x 18”H ^{2,3}	\$1070
ZCAB848	14” Back Width / 18” Back Height	\$102	ZRBC868	Recliner Back for CAT – 16”W x 18”H ^{2,3}	\$1070
ZCAB865	16” Back Width / 15” Back Height	N/C	ZRBC888	Recliner Back for CAT – 18”W x 18”H ^{2,3}	\$1070
ZCAB868	16” Back Width / 18” Back Height	\$102			
ZCAB885	18” Back Width / 15” Back Height	N/C			
ZCAB888	18” Back Width / 18” Back Height	\$102			
ZDTL	Dual Tilt Triggers – left side ¹	N/C			
ZDTR	Dual Tilt Triggers – right side ¹	N/C			

¹ Standard trigger configuration for tilt-only is one on each side. Dual Triggers option positions both triggers on one side, allowing for single-handed operation (tilt only).
² Standard trigger locations for Raz-CAT with recline are tilt triggers on the right and recline triggers on the left.
³ Tilt is limited to 25°

5. Back Frames for 16”W and 20”W Seat Frames (back heights measured from top of molded seat to top of back upholstery)

Multi-Position Adjusta-Back: The “Multi-Position” feature allows for fore/aft adjustment of the backrest to provide seat depth adjustability from 11”-16”. Includes tension-adjustable vinyl back upholstery, back angle adjustment (90°/97°) and flip-up padded arm supports. Back upholstery can be positioned 2.5” higher than factory settings stated below.

16”W Seat Frames			20”W Seat Frames		
ZCAB645	14” Back Width / 15” Back Height	N/C	ZCAB065	16” Back Width / 15” Back Height	N/C
ZCAB648	14” Back Width / 18” Back Height	\$102	ZCAB068	16” Back Width / 18” Back Height	\$102
ZCAB665	16” Back Width / 15” Back Height	N/C	ZCAB085	18” Back Width / 15” Back Height	N/C
ZCAB668	16” Back Width / 18” Back Height	\$102	ZCAB088	18” Back Width / 18” Back Height	\$102
ZRBC648	Recliner Back for CAT – 14”W x 18”H ^{2,3}	\$1070	ZCAB005	20” Back Width / 15” Back Height	N/C
ZRBC668	Recliner Back for CAT – 16”W x 18”H ^{2,3}	\$1070	ZCAB008	20” Back Width / 18” Back Height	\$102
			ZRBC088	Recliner Back for CAT – 18”W x 18”H ^{2,3}	\$1070
			ZRBC008	Recliner Back for CAT – 20”W x 18”H ^{2,3}	\$1070
ZDTL	Dual Tilt Triggers – left side ¹	N/C			
ZDTR	Dual Tilt Triggers – right side ¹	N/C			

- ¹ Standard trigger configuration for tilt-only is one on each side. Dual Triggers option positions both triggers on one side, allowing for single-handed operation (tilt only).
² Standard trigger locations for Raz-CAT with recline are tilt triggers on the right and recline triggers on the left.
³ Tilt is limited to 25°

6. Back Support Options – These back supports replace the tension-adjustable upholstery (Not compatible with 15”H back frames – all Symphony Back panels are 13”H)

ZSB14	14”W Symphony Back ¹ – recessed solid back	\$315
ZSB16	16”W Symphony Back ¹ – recessed solid back	\$315
ZSB18	18”W Symphony Back ¹ – recessed solid back	\$315
ZSB20	20”W Symphony Back ¹ – recessed solid back	\$425

7. Arm Supports and Accessories

ZARMS	Flip-Up Arm Supports – 10” pad (pr) – not compatible with Z7FL / Z7TR / Z7PAM	Std	ZTRL	Molded Arm Trough ¹ – Left (18.5”L x 4.5”W)	\$120
ZARML	Flip-Up Arm Supports – 13” pad (pr)	N/C	ZTRR	Molded Arm Trough ¹ – Right (18.5”L x 4.5”W)	\$120
ZALK	Arm Support Lock Kit (pr)	\$83	ZPAML	Pivoting Arm Mount – Left (For ZFAPLL/ZTRL)	\$180
ZASK05	Arm Spacer Kit – ½” per side (pr) For Adjusta-backs	\$67	ZPAMR	Pivoting Arm Mount – Right (For ZFAPLR/ ZTRR)	\$180
ZASK10	Arm Spacer Kit – 1” per side (pr) For Adjusta-backs	\$125	ZPHG	Pivoting Hand Grips (pr)	\$425
Z7FSL	Short Molded Flat Armpad – Left (10”L x 3”W – for Z5BAR10)	\$88	ZAPSB __ *	Anterior Posture Support Bar * Enter back frame width to complete code (14”/16”/18”) ^{3,4}	\$210
Z7FSR	Short Molded Flat Armpad – Right (10”L x 3”W – for Z5BAR10)	\$88	ZAPSB __ *	Anterior Posture Support Bar * Enter back frame width to complete code (20”/22”/24”) ^{3,4}	\$245
ZFAPLL	Long Molded Flat Armpad ² – Left (14”L x 3.25”W – for Z5BAR13)	\$88			
ZFAPLR	Long Molded Flat Armpad ² – Right (14”L x 3.25”W – for Z5BAR13)	\$88			

¹ For chairs with same back width and frame width only
² May require ZPAM for Arm Support to flip up and/or for lateral supports to swing away
³ Not available with ZFL / ZTR
⁴ Special length required with ZASK05 (+1”) and ZASK10 (+2”).

8. Foot and Leg Supports

ZMF8C	MFX8 Foot Supports 8”-12” (pr)	N/C	ZVS __ *	V-Style Foot Support (1-piece) * Enter frame width to complete code (16” / 20”)	\$430
ZMF12C	MFX12 Foot Supports 12”-16.5” (pr)	Std	ZFBT	Flip-Back Foot Support (1-piece) with calf pads – 16”-20.5”	\$490
ZFS	Foot Supports 16”-20.5” (pr)	N/C	ZELRL	Elevating Leg Support – Left (includes Z7ADM)	\$530
ZFS16	Foot Supports for 16”W frames 16”-20.5” (pr)	N/C	ZELRR	Elevating Leg Support – Right (includes Z7ADM)	\$530
ZADM	Angle/Depth Adj Molded Footplates (pr)	\$210	ZRLSL	Universal Residual Limb Support – Left	\$210
ZADABS16	Angle/Depth Adj ABS Footplates (pr) For 16”W frames	\$210	ZRLSR	Universal Residual Limb Support – Right	\$210
ZVS	V-Style Foot Support (1-piece) – for 18”W base frames	\$315			

9. Foot and Leg Support Accessories

ZFSLK	Foot Support Lock (pr)	\$102	ZNC	Neoprene Covers for Standard Footplates (pr)	\$98
ZCS_*	Snap-On Calf Strap – Bodypoint Aeromesh* Enter frame width to complete code (16"/18"/20"/22")	\$145	ZNC16	Neoprene Covers for narrow molded footplates (pr)	\$98
ZCSIC_*	Snap-On Infection Control Calf Strap * Enter seat frame width to complete code (16"/18"/20")	\$155	ZNCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (pr)	\$98
ZCPL	Calf Panel – Bodypoint Aeromesh ¹ Fits frame widths (16"/18"/20")	\$195	ZNCABS16	Neoprene Covers for ABS Adj Angle/Depth Footplates Z7ADABS (pr)	\$98
ZHS1820	H-Strap – for 18"/20"W frames – hook and loop attachment	\$98	ZLMOR	Lateral Offset Foot Support Receiver – moves foot support 2" laterally or medially Quantity (1 or 2) __	\$88
ZHS2224	H-Strap – for 22"W frames – hook and loop attachment	\$120			
ZAHL	Adjustable Heel Loops (pr) – not available for ZVS/ZFBT	\$67			

¹ Not compatible with ZMFX8 / ZFBAS / ZVS

10. Positioning Pads

ZHSP1	Head Support Pad – Small (10" x 4")	Std	Hip Adductors for 4" narrower backs		
ZHSP2	Head Support Pad – Large (12" x 6")	\$57	ZHP4C1L	Hip Adductor for 4" narrower back w/ Small Pad ¹ – Left	\$355
ZOHIP	Lateral Offset Head Support Interface Plate – provides up to 22° of adjustment	\$83	ZHP4C1R	Hip Adductor for 4" narrower back w/ Small Pad ¹ – Right	\$355
ZLTS1L	Lateral Thoracic Support w/ Small Pad ^{1,2} – Left	\$355	ZHP4C2L	Hip Adductor for 4" narrower back Large Pad ¹ – Left	\$355
ZLTS1R	Lateral Thoracic Support w/ Small Pad ^{1,2} – Right	\$355	ZHP4C2R	Hip Adductor for 4" narrower back w/ Large Pad ¹ – Right	\$355
ZLTS2L	Lateral Thoracic Support w/ Large Pad ^{1,2} – Left	\$355	Hip Adductors for 0-2" narrower backs		
ZLTS2R	Lateral Thoracic Support w/ Large Pad ^{1,2} – Right	\$355	ZHP02C1L	Hip Adductor for 0-2" narrower back w/ Small Pad ¹ – Left	\$355
ZLAEP	Lateral/Adductor Extension Plate (5.5" x 3.5")	\$26	ZHP02C1R	Hip Adductor for 0-2" narrower back w/ Small Pad ¹ – Right	\$355
ZLGT1L	Leg Adductor w/ Small Pad ¹ – Left	\$355	ZHP02C2L	Hip Adductor for 0-2" narrower back w/ Large Pad ¹ – Left	\$355
ZLGT1R	Leg Adductor w/ Small Pad ¹ – Right	\$355	ZHP02C2R	Hip Adductor for 0-2" narrower back w/ Large Pad ¹ – Right	\$355
ZLGT2L	Leg Adductor w/ Large Pad ¹ – Left	\$355			
ZLGT2R	Leg Adductor w/ Large Pad ¹ – Right	\$355			
ZMTST1	Medial Thigh Support – Small	\$480			
ZMTST2	Medial Thigh Support – Large	\$480			

¹ Adjustable Pad Sizes: Small – 5.5" x 3.5" / Large – 6.75" x 4.3".

² Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify ZLAEP extension plate.

11. Pelvic and Chest Belts – A chest belt should not be used without a pelvic belt

Pelvic Belts			Chest Belts				
ZPBS	Pelvic Belt – Small (frame widths 14"-16", 2-piece w/ side-release buckle)	\$46	ZCBS	Chest Belt ² – Small (back widths 14"-16" 1-piece w/ hook and loop closure)	\$36		
ZPBM	Pelvic Belt – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)	\$57	ZCBM	Chest Belt ² – Medium (back widths 16"-18", 1-piece w/ hook and loop closure)	\$41		
ZPBL	Pelvic Belt – Large (frame widths 18"-22", 2-piece w/ side-release buckle)	\$52	ZCBL	Chest Belt ² – Large (back widths 18"-22", 1-piece w/ hook and loop closure)	\$52		
ZPBICS	Infection Control Pelvic Belt ¹ – Small (frame widths 14"-16", 2-piece w/ side-release buckle)	\$102	ZCBICS	Infection Control Chest Belt ^{1,2} – Small (back widths 14"-16", 1-piece w/ side-release buckle)	\$83		
ZPBICM	Infection Control Pelvic Belt ¹ – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)	\$102	ZCBICM	Infection Control Chest Belt ^{1,2} – Medium (back widths 16"-18", 1-piece w/ side-release buckle)	\$83		
ZPBICL	Infection Control Pelvic Belt ¹ – Large (frame widths 18"-22", 2-piece w/ side-release buckle)	\$102	ZCBICL	Infection Control Chest Belt ^{1,2} – Large (back widths 18"-22", 1-piece w/ side-release buckle)	\$93		
ZPBBPS	Pelvic Belt – Bodypoint Aeromesh – Small	\$305	ZCBBPS	Chest Belt – Bodypoint Aeromesh – Small	\$340		
ZPBBP _ *	Pelvic Belt – Bodypoint Aeromesh * enter size to complete code (M / L)	\$275	ZCBBP _ *	Chest Belt – Bodypoint Aeromesh * enter size to complete code (M / L)	\$285		
Recommended sizes for Bodypoint belts	Chest belt	ZCBBPS	14"-16"W back frame	ZCBBPM	16" - 18"W back frame	ZCBBPL	18"-22"W back frame
	Pelvic belt	ZPBBPS	14" - 16"W seat frame	ZPBBPM	16" - 18"W seat frame	ZPBBPL	18"-22"W seat frame

¹Non-absorbent belts – recommended for infection-control environments
²Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided.

12. Other

ZDCLT	Directional Caster Lock – fits on one rear caster (facilitates steering)	\$180	ZIHW	Whizard – winged urine deflector ³	\$72
ZCUT4	4" Caster Upgrade (4x)	\$130	ZBUDBH_ _ *	Bard Urine Drainage Bag Holder * Enter seat frame width to complete code (16" / 18" / 20")	\$175
ZATRR4	Rear Anti-Tippers for 4" casters ¹ (pr)	\$370	ZSPKC22	CAT Self-Propel Kit – 22" wheels (includes anti-tippers)	\$1650
ZATRR5	Rear Anti-Tippers for 5" casters ¹ (pr)	\$370	ZSPKC24	CAT Self-Propel Kit – 24" wheels (includes anti-tippers)	\$1650
ZPSK1	Commode Pan Spacer Kit ² – 1" lower	\$215			
ZPSK2	Commode Pan Spacer Kit ² – 2" lower	\$230			
ZPSK3	Commode Pan Spacer Kit ² – 3" lower	\$250			
ZPSK4	Commode Pan Spacer Kit ² – 4" lower	\$265			
ZTLS	Tilt Limit Spacers Pair – 1/2" spacers snap onto gas struts to limit tilt (1/2" reduces tilt range approx. 5°. Can be stacked for additional tilt limiting.	N/C			

¹ Anti-Tippers will be mounted on the rear unless otherwise specified.
²Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Reduces toilet bowl clearance height.
³Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.

13. Credits and Omissions

Z905	Omit Commode Pan and Mounting Brackets	-\$20	Z911	Omit Molded Head Support Pad	-\$20
Z907C	Omit Foot Supports	-\$45	Z912	Omit Complete Head Support Assembly	-\$50

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

14. Notes

Specifications	Raz-CAT (Attendant Tilt)
Weight Capacity	300 lbs
Overall Width	Seat width plus 4.5"
Overall Length (with MFX12 foot supports and headrest adjusted to middle positions)	
<ul style="list-style-type: none"> • at 0° tilt • at 40° 	36.75" (rear casters trailing), 33.75" (rear casters leading) 44"
Seat Depth	11" or 16" depending on seat/cushion length
Clearance Height (under seat)	
<ul style="list-style-type: none"> • with pan brackets • without pan brackets 	17"-21" (1" increments) 17.75"-21.75 (1" increments)
Clearance Width (to fit around toilet)	15.75" for standard 18"W seat frame. For other widths, seat frame width minus 2.25"
Arm Support Height - above molded seat (1/2" increments)	
<ul style="list-style-type: none"> • 15"H Adjusta-Back • 18"H Adjusta-Back • 18"H Reclining Adjusta-Back 	5.5"-8" 6.5"-9" 6.5"-9"
Seat-to-Floor Height (with molded seat)	21"
Product Weight	55 lbs
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)