RAZ-SP 01-01-29-cp



Raz-SP ORDER FORM EFFECTIVE FEBRUARY 2024 (CDN MSRP)

Date:___

Dealer / Location:		T;	F:	
PO# / Client:	Contact:	Email:		

Raz-SP – Self Propel Mobile Shower Commode Chair with height-adjustable stainless-steel frame, flip-up padded arm supports, foot supports, 22" or 24" rear wheels, front dual-locking 5" (125mm) casters and commode pan. User weight capacity 400 lbs. See our Evaluation and Medical Justification Form.

1. Chair Codes by size – Must Choose One

Z20018	Raz-SP w/ 18"W frame – Standard base frame size, will fit over most toilets ¹	\$2,635			
 Z200* Non-Standard Width Raz-SP – Must add upcharge for custom frame width: see below * add custom width to complete code (16/20/22) – Adjusta-Back must be selected for all custom frame widths [Sec.5] 					
	Z2SW16 Upcharge for custom 16"W frame ² – will not fit over most toilets	\$530			
	Z2SW20 Upcharge for custom 20"W frame ³	\$530			
	Z2SW22 Upcharge for custom 22"W frame ⁴	\$645			
³ 18"W seats can b	ts rface seats can be modified to fit. se selected but must also select Seat Support Adapter Kit ZSSKAS [Sec.2] co Foam Interface HD seat can be modified to fit. Seat depth range (IPAS) will be 18"-20"				
Custom Base Fi	rame Length and Height				

Custom Base Frame Length and Height

ZLNGF3	Upcharge – custom 3" Longer Frame recommended for seat depths 20"/21", req for seat depths 21"-24"	\$425
Z2LOWF4	Upcharge for custom 4" Lower Frame – reduces seat height range to 16"-18" from standard height range of 20"-24" with molded seat – To lower chair by an additional 1" (15"-17"), add 4" caster upgrade option ZCUSP4 [Sec.7] – Compatible only with 22" wheels [Sec.8]	\$530

2. Seats – Standard

Molded Seats (thickness ~2.5″-3″)		Visco-Foam Interface Seats (thickness ~3.5")			
ZMS17FRO	18"W x 17"D – Front Access	Standard	ZVFI17BRI	18"W x 17"D – Front Bridged	\$460	
ZMS17BRI	18"W x 17"D – Front Bridged	N/C	ZVFI17FRO	18"W x 17"D – Front Access	\$460	
ZMS20FRO	18"W x 20"D – Front Access	\$145	ZVFI17LTO	18"W x 17"D – Left Access	\$460	
ZMS20BRI	18"W x 20"D – Front Bridged	\$145	ZVFI17RTO	18"W x 17"D – Right Access	\$460	
Specialty Seats			ZVFI17RRO	18"W x 17"D – Rear Access	\$460	
	ZSOM Shower-Only Seat – Molded 18"W x 16"-21"D	\$425	ZVFI20BRI	18"W x 20"D – Front Bridged	\$530	
250111		¥ 123	ZVFI20FRO	18"W x 20"D – Front Access	\$530	
ZEJRM	E&J Replica Seat – Molded	\$210	ZVFI20LTO	18"W x 20"D – Left Access	\$530	
	– 18″W x 17″D		ZVFI20RTO	18"W x 20"D – Right Access	\$530	
ZVFI23FRON	23"W x 18"D HD – Visco Foam –	\$905	ZVFI20RRO	18"W x 20"D – Rear Access	\$530	
	Front Access Notched at rear to maintain fore/aft adjustment range (IPAS) – 22"W frame	2	ZSSKAS	Seat Support Kit for Raz-AP/SP – for seat 2″ narrower than seat frame	\$210	
			ZGSB*	Custom Seat Bracket Spacers – for adding dump angle (pr) Specify additional height at front of seat to complete code (0.5"/ 1.0"/1.5")	\$315	



3. Seats – Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.							
ZCSEAT	Custom Seat (enter specs below) Select if both width and depth are $\leq 21''$	\$1110					
ZCEJR	Custom E&J Replica Seat (enter specs below) Select if both width and depth are $\leq 21''$	\$1265					
ZCSEATHD	Heavy Duty Custom Seats (enter specs below) Select if width and/or depth is $\geq 22''$	\$1440					
Custom Specifications (for a	above custom seats)						
Seat Frame Width: Custom Seat Width: Custom Seat Depth: Access Opening: Access Opening Width: Aperture Width:		3)]					
 Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats. Custom Seat width should not be narrower than frame width. Custom Seat can be up to 2" wider than seat frame width to provide additional thigh support without ordering wider chair frame. The Ischial Pelvic Alignment System (IPAS) allows 2" fore/aft adjustment of the seat (seat depth and aperture position) on all seats. Spacial modifications on Custom Seats includes log longth discrements. 							

Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, etc.

4. Fixed Back Frames (18"W only)

This is called a "Fixed" Back because the arm supports are not adjustable in height. Includes molded, vinyl back support, fixed-height flip-up padded arm supports, back angle adjustment (85°/90°/95°) with cane-style posts. Back height is measured from top of molded seat to top of back upholstery. Hip Adductors [ZHP1/2] are not compatible with Fixed Back.

ZFB1818 Fixed Back – 18"W x 18"H^{1,2}

Standard

5. Adjusta-Back Frames

Includes height- and angle-adjustable arms with Armrest Lock Kit (ZALK), tension-adjustable back upholstery, flip-up padded arm supports, back angle adjustment (85°/90°/95°). Back heights of 15"/17"/20" include cane-style posts, on which back upholstery can be positioned 2.5" higher than nominal height indicated below. e.g. 20"H can be moved up to 22.5"H. The 24"H Adjusta-Back includes straight posts, on which the upholstery cannot be raised.

Standard Widt	th Adjust-Backs (18"W)			Vidth Adjust-Backs	
ZAB1815	Adjusta-Back – 15"H	\$265	* Complete Adjusta- (16"/20"/22") Note: 18	Back order code by adding desired back frame wid 8" is the standard width.	dth
ZAB1817	Adjusta-Back – 17"H	\$265	ZAB 15*	Adjusta-Back – 15"H non-std width	\$265
ZAB1820	Adjusta-Back – 20"H	\$345	ZAB 17*	Adjusta-Back – 17"H non-std width	\$265
ZAB1824	Adjusta-Back – 24"H	\$395	ZAB 20*	Adjusta-Back – 20"H non-std width	\$345
ZDTL	Dual Triggers – both on left side ¹	N/C	ZAB 24*	Adjusta-Back – 24"H non-std width	\$395
ZDTR	Dual Triggers – both on right side ¹	N/C	ZRBS 20*	Reclining Adjusta-Back 30° recline,	\$1020
ZRBS1820	Reclining Adjusta-Back 30° recline, 20" back height with 2-Point Reclining Arms (incl Rear Anti- tippers, but not Head Support)	\$1020		20" back height with 2-Point Reclin- ing Arms (incl Rear Anti-tippers, but not Head Support)	
ZRBS1824	Reclining Adjusta-Back 30° recline, 24" back height with 2-Point Reclining Arms (incl Rear Anti- tippers but not Head Support)	\$1070	ZRBS 24*	Reclining Adjusta-Back 30° recline, 24" back height with 2-Point Reclin- ing Arms (incl Rear Anti-tippers but not Head Support)	\$1070

¹ Dual Tilt Triggers option positions both triggers on one side, allowing for single-handed activation. Available for all back widths.



6. Custom Back Frame Width Narrower Than Chair Frame Width – Must choose back frame [Sec.5] (configurations below are not available for recliner backs)

NOTE: For back frame width variances on recliner frames, please request custom quotation.

ZNB* Custom Back Frame 2" Narrower \$370	Base Frame Width	16″ ¹	18″ ²	20″ ³	22″ ⁴	
than base frame	Back Frame Width	14″	16″	18″	20″	
* Enter base and back frame widths to complete code. eg. ZNB2018 specifies a 20"W chair frame with an 18"W back frame	Consider also using Arm S for providing more width				ution	

¹ Requires Custom Seat

² Compatible with all 18"W seats but with reduced seat depth range. Also compatible with Custom or modified Visco-Foam Interface seats.

³ Custom Seat recommended. Also compatible with all 18"W seats with Seat Support Kit ZSSKAS [Sec.2].

⁴Custom Seat recommended. Also compatible with modified ZVFI23FRON (18" seat depth with limited adjustability)

7. Back Support Options – These back supports replace the standard, tension-adjustable upholstery and are recommended for infection-control environments.

ZSB14	14"W Symphony Back ¹ – recessed solid back	\$315		315
ZSB16	16"W Symphony Back ¹ – recessed solid back	\$315	18"W x 13"H) Fits 17" or 20" back heights,	
ZSB18	18"W Symphony Back ¹ – recessed solid back	\$315	18"W back widths only	
ZSB20	20"W Symphony Back ¹ – recessed solid back	\$425		
ZSB22	22"W Symphony Back ¹ – recessed solid back	\$495	¹ Not compatible w/ 15" back height – Symphony Back panels are 13"H ² Not compatible w/ 15" and 24" back heights. Not recommended for reclining backs.	

8. Rear Wheel, Caster Options and Anti-Tippers

ZRW22	22" Diameter Wheels w/ Textured	Std	ZQRSP	Quick-Release Axles (pr)	\$52
	Handrims		ZCSLSP	User-Actuated Front Directional	\$530
ZRW24	24" Diameter Wheels w/ Textured	N/C		Caster Locks w/ extension handles (pr)	
	Handrims		ZCUSP4	4" Caster Upgrade affects STF range (2x)	\$67
ZWLE	Wheel Lock with Extensions (pr)	\$83	ZVH22	Vinyl-Coated Handrims for 22" (pr)	\$420
ZATSPRR	Rear Anti-Tippers for regular frame ¹ (pr)	\$125	ZVH24	Vinyl-Coated Handrims for 24" (pr)	\$455
ZATSPLWRR	Rear Anti-Tippers for low frame (pr)	\$125	ZPH22	Vertical Projection Handrims – 22" (pr)	\$750
	Z2LOWF4		7PH24	Vertical Projection Handrims – 24" (pr)	\$750
ZATAS	Front Anti-Tippers for 5" casters (pr)	\$370			<i></i>



9. Arm Supports and Accessories ZARML Flip-Up Arm Supports – 13"L pad (pr) Std ZPAML Pivoting Arm Mount³ – Left \$180 **ZARMS** Flip-Up Arm Supports – 10"L pad (pr) N/C (not compatible with ZFAPL/ZFAPS,ZTR/ ZPAMR \$180 Pivoting Arm Mount³ – Right ZPAM) ZALK Arm Support Lock Kit (for ZFB1818) (pr) \$83 ZASK05 \$67 Arm Support Spacer Kit – 1/2" per side (pr) Z2PSAS \$490 2-Point Flip-up Arm Supports¹ Long (pr) (standard with reclining backs) ZASK10 Arm Support Spacer Kit – 1" per side \$125 (pr) ZFAPLL \$88 Long Molded Flat Armpad² – Left ZPHGL \$425 Pivoting Hand Grips (pr) (14"L x 3.25"W, fits ZARM13) ZAPSB _ _* Anterior Posture Support Bar \$210 ZFAPLR \$88 Long Molded Flat Armpad² – Right * Enter back frame width to complete (14"L x 3.25"W, fits ZARM13) code (14"/16"/18")^{3, 4,5} ZFAPSL Short Molded Flat Armpad – Left \$88 ZAPSB __* Anterior Posture Support Bar \$245 (10"L x 3"W, fits ZARM10) * Enter back frame width to complete ZFAPSR Short Molded Flat Armpad – Right \$88 code (20"/22")^{3, 4,5} (10"L x 3"W, fits ZARM10) ZTRL \$120 Molded Arm Trough² – Left (18.5"L x 4.5"W, fits ZARM13) ¹ For chairs with same back width and frame width only ZTRR Molded Arm Trough² – Right \$120 ² May require ZPAM for arm support to flip up and/or for lateral (18.5"L x 4.5"W, fits ZARM13) supports to swing away ³ Not compatible with ZARMS ⁴Not compatible with ZFAPL/ZFAPS/ZTR ⁵ Special length required with ZASK05 (+1") and ZASK10 (+2")

10. Foot and Leg Supports – Standard Foot Supports (ZFS) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (ZELRL), the chair will be supplied with one Foot Support (ZFS) on the right and a ZELRL on the left side.

ZFS	Foot Supports 16"-20.5" (pr)	Std	ZELRL	Elevating Leg Support ³ – Left	\$530
ZFS16	Foot Supports for 16"W frames	N/C		(includes ZADM)	
75570	16″-20.5″ (pr)	¢ = 7	ZELRR	Elevating Leg Support ³ – Right	\$530
ZFET2	Footrest Extension Tubes – 2" longer ¹ (pr)	\$57	ZFOR	(includes ZADM) Forward Offset Foot Support Receiver	\$130
ZMFX8	MFX8 Foot Supports 8"-12" (pr)	\$110		(ea) Moves Foot support forward 2.5"	<i></i>
ZMFX12	MFX12 Foot Supports 12"-16.5" (pr)	\$110		to accommodate deeper seats (19" or deeper) Specify 1 or 2	
ZADM	Angle/Depth Adj Molded Footplates ² (pr)	\$210	ZRLSL	Universal Residual Limb Support – Left	\$210
ZFET2A	Footrest Extension Tubes for ZADM (pr) (2" longer)	\$57	ZRLSR	Universal Residual Limb Support –	\$210
ZADABS16	Angle/Depth Adj ABS Footplates (pr) For 16"W frames	\$210	ZMTSAS1	Right Medial thigh support pommel - Small	\$645
ZVS	V-Style Foot Support (1-piece) – for 18"W base frames	\$315	ZMTSAS2	Medial thigh support pommel - Large	\$645
ZVS*	V-Style Foot Support (1-piece) * Enter frame width to complete code (16"/20"/22"/24")	\$370			
ZFBT	Flip-Back Foot Support (1-piece) with calf pads	\$490			
•	Not compatible with ZMFX12 / ZADM / ZVS / ZFBAS Not compatible with Z300S16 or ZMFX8			tible with frame widths ≥ 18″ and adjusted seat depth ger seat frames (Z3LNGSF3)	is ≤ 18″



11. Foot and Leg Support Accessories

	<u> </u>				
ZFSLK	Foot Support Lock (pr)	\$102	ZAHL	Adjustable Heel Loops (pr)	\$67
ZCS*	Snap-On Calf Strap – Bodypoint Aeromesh	\$145		– not available for ZVS / ZFBT	
	* Enter seat frame width to complete code (16"/18"/20"/22"/24")		ZNC	Neoprene Covers for Standard Footplates (pr)	\$98
ZCSIC*	Calf Strap, Snap-On – Infection Control * Enter seat frame width to complete	\$155	ZNC16	Neoprene Covers for narrow molded footplates (pr)	\$98
	code (16" / 18" / 20")		ZNCA	Neoprene Covers for Angle/Depth Adj	\$98
ZCSIC22	Snap-On Infection Control Calf Strap	\$165		Molded Footplates (pr)	
	– 22"W frames		ZNCABS16	Neoprene Covers for ABS Adj Angle/	\$98
ZCPL	Calf Panel – Bodypoint ¹	\$195		Depth Footplates Z7ADABS (pr)	
	Fits frame widths 16" / 18" / 20"		ZLMOR	Lateral / Medial Offset Foot Support	\$88
ZHS1820	H-Strap – for 18" / 20"W frames – hook and loop attachment	\$98		Receiver (ea) – moves foot support 2" laterally or medially. Specify 1 or 2	
ZHS2224	H-Strap – for 22" / 24"W frames – hook and loop attachment	\$120			
¹ Not compatible	with ZMFX8 / ZFBT / ZVS				

12. Positioning Pads

	5						
ZHSAS1	Head Support w/ Small Pad (10" x 4")	\$530	ZLGAS1L	Leg Adductor w/ Small Pad ¹ – Left	\$355		
ZHSAS2	Head Support w/ Large Pad (12" x 6")	\$585	ZLGAS1R	Leg Adductor w/ Small Pad ¹ – Right	\$355		
ZOHIP	Lateral Offset Head Support Interface Plate– up to 22° of adjustment	\$83	ZLGAS2L	Leg Adductor w/ Large Pad ¹ – Left	\$355		
717011		ĊOFF	ZLGAS2R	Leg Adductor w/ Large Pad ¹ – Right	\$355		
ZLTS1L	Lateral Thoracic Support w/ Small Pad ^{1,2} – Left	\$355	ZHP1L	Hip Adductor w/ Small Pad ^{1,3} – Left	\$355		
ZLTS1R	Latoral Thoracic Support w/ Small Pad ^{1,2}	\$355	ZHP1R	Hip Adductor w/ Small Pad ^{1,3} – Right	\$355		
ZEISIN	Lateral Thoracic Support w/ Small Pad ^{1,2} – Right	<i>2555</i>	ZHP2L	Hip Adductor w/ Large Pad ^{1,3} – Left	\$355		
ZLTS2L	Lateral Thoracic Support w/ Large Pad ^{1,2}	\$355	ZHP2R	Hip Adductor w/ Large Pad ^{1,3} – Right	\$355		
	– Left						
ZLTS2R	Lateral Thoracic Support w/ Large Pad ^{1,2} – Right	\$355					
ZLAEP	Lateral/Adductor Extension Plate (5.5" x 3.5")	\$26	 ¹ Adjustable Pad Sizes: Small – 5.5"x 3.5" / Large – 6.75" x 4.3". ² Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per sid For additional medial offset, specify ZLAEP extension plate. ³ Fits Adjusta-Back only 				



13. Pelvic and Chest Belts – A chest belt should not be used without a pelvic belt

Pelvic Belts				ľ	Chest Belts					
ZPBS	Pelvic Belt – Si 2-piece w/ sid		e widths 14″-16′ ouckle)	", \$46	ZCBS		elt ² – Small (frar w/ hook and lo		4"-16",	\$36
ZPBM	Pelvic Belt – <i>N</i> 16″-18″, 2-piec	•	ame widths release buckle)	\$57	ZCBM		elt ² – Medium (f ece w/ hook an			\$41
ZPBL	Pelvic Belt – La 2-piece w/ sid	U	e widths 18"-22' ouckle)	", \$52	ZCBL		elt ² – Large (frai ece w/ hook an			\$52
ZPBXL	Pelvic Belt – X 22″-30″, 2-piec		ne widths release buckle)	\$72	ZCBXL	Chest Be	elt ² – XLarge (fr ece w/ hook an	ame widths	5 22″-	\$67
ZPBICS	Infection Cont (frame widths w/ side-releas	5 14"-16", 2-		\$102	ZCBICS	Infectior (frame v	n Control Chest vidths 14″-16″, 1 release buckle)	Belt ^{1,2} – Sm I-piece		\$83
ZPBICM	Infection Cont (frame widths w/ side-releas	5 16"-18", 2-	Belt ¹ – Medium piece	\$102	ZCBICM	Infectior (frame v	n Control Chest vidths 16"-18", 1 release buckle)	Belt ^{1,2} – Me I-piece	edium	\$83
ZPBICL	Infection Cont (frame widths w/ side-releas	5 18"-22", 2-	5	\$102	ZCBICL	Infectior (frame v	n Control Chest vidths 18"-22", 1 release buckle)	Belt ^{1,2} – Lar	ge	\$93
ZPBICXL	Infection Cont (frame widths w/ side-releas	i 22"-30", 2- ie buckle)	piece	\$115	ZCBICXL	Infectior (frame v	n Control Chest vidths 22"-30", 1 release buckle)	l-piece	arge	\$115
ZPBBPS	Pelvic Belt – B Small	odypoint /	Aeromesh –	\$305	ZCBBPS		elt – Bodypoint		– Small	\$340
ZPBBP_*	Pelvic Belt – B * enter size to			\$275	ZCBBP_*		elt – Bodypoint ize to complete		L / XL)	\$285
ZPBBPXL	Pelvic Belt – B	odypoint /	Aeromesh – XL	\$210						
sizes for	ed Pelvic belt	ZPBBPS	14"/16"W base frame	ZPBBPM	16"/18"W base frame	ZPBB- PL	18"-22"W base frame	ZPBB- PXL	22"-26 base fr	
Bodypoint belts	Chest belt	ZCBBPS	14"/16"W back frame	ZCBB- PM	16"/18"W back frame	ZCBB- PL	18"/20 "W back frame	ZCBB- PXL	22"-26 back fi	
¹ Non-absorbent	belts – recommend	ded for infect	ion-control environ	ments						

¹Non-absorbent belts – recommended for infection-control environments

²Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony

or Symphony Back, Chest Belt loops are provided.

14. Other

ZPSK1	Commode Pan Spacer Kit ² – 1" lower	\$215	ZIHW	Whizard – winged urine deflector ³	\$72
ZPSK2	ZPSK2Commode Pan Spacer Kit ² – 2" lowerZPSK3Commode Pan Spacer Kit ² – 3" lower		ZBUDBH*	Bard Urine Drainage Bag Holder * Enter size to complete code (16" / 18" / 20" / 22")	\$175
ZPSK3					
ZPSK4	Commode Pan Spacer Kit ² – 4" lower	\$265		(10 / 10 / 20 / 22)	
¹ Included with Reclining Back Option (Z515SPR/Z520SPR) ² Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Reduces toilet bowl clearance height.			 ³ Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place. ⁴ Must be held in place 		



15. Credits and Omissions

Z905	Omit Commode Pan and	-\$20	Z907	Omit Foot Supports - if no other Foot /	-\$45
	Mounting Brackets			Leg Support Option is selected	

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

16. Notes:

Specifications	Raz-SP (Self Propel)			
	22" wheels	24" wheels		
Weight Capacity	400 lbs	400 lbs		
Overall Width	Seat width plus 7.75"	Seat width plus 7.75"		
Overall Length (foot supports in middle position)	41″	42″		
Seat Depth	16" or 21" depending on seat/cushion length			
Clearance Height (under seat) - with pan brackets - without pan brackets	15.25″-19.25″ (1″ increments) 16″- 20″ (1″ increments)			
Clearance Width (to fit around toilet) – 18″W frame	16″	16″		
Arm Support Height - above molded seat (1/2" increment	rs)			
- 18"H Fixed Back - standard	8.5″	8.5″		
- 15"H Adjusta-Back	5.5″-8.5″	5.5″-8.5″		
- 17"H Adjusta-Back	6.5″-9.5″	6.5″-9.5″		
- 20"H Adjusta-Back	7.5″-10.5″	7.5″-10.5″		
- 24"H Adjusta-Back	7.5″-10.5″	7.5″-10.5″		
- 20"H Reclining Adjusta-Back	7.5″-10.5″	7.5″-10.5″		
- 24"H Reclining Adjusta-Back	7.5″-10.5″	7.5″-10.5″		
Seat-to-Floor Height (with molded seat)	20"- 24"	20"-24"		
Product Weight (with 18"W seat)	47 lbs	49 lbs		
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)			

