



# Raz-SP600 ORDER FORM

EFFECTIVE FEBRUARY 2024 (CDN MSRP)

Date: \_\_\_\_\_

Dealer / Location: \_\_\_\_\_ T: \_\_\_\_\_ F: \_\_\_\_\_

PO# / Client: \_\_\_\_\_ Contact: \_\_\_\_\_ Email: \_\_\_\_\_

**Raz-SP600** Heavy Duty Mobile Shower Commode Chair with stainless steel frame, fore / aft-adjustable 24" rear wheels, flip-up arm supports, heavy duty foot supports, front dual-locking 5" casters and commode pan. **User weight capacity 600 lbs.** User weight over 450 lbs. requires 6" casters (ZCUSP6). See our [Evaluation and Justification Form](#).

### 1. Chair Codes by size – **Must Choose One**

Chair Code	Seat Frame Width	MSRP
Z26022	22"W Frame	\$3,975
Z26024	24"W Frame	\$4,295
Z26026	26"W Frame	\$4,675
Z26028	28"W Frame	\$4,895
Z26030	30"W Frame – Requires custom seat	\$5,175

### 2. Seats – **Must Choose One**

Molded and Visco Foam Interface Seats			
ZMS23FRO	Molded 23"W x 18"D – Front Access	Fits 22" / 24"W <sup>1</sup> frames only	N/C
ZMS26FRO	Molded 26"W x 18"D – Front Access	Fits 26" / 28"W <sup>1</sup> frames only	N/C
ZVFI23FRO	Visco Foam Interface 23"W x 18"D – Front Access	Fits 22" / 24"W <sup>1</sup> frames only	\$800
ZVFI26FRO	Visco Foam Interface 26"W x 18"D – Front Access	Fits 26" / 28"W <sup>1</sup> frames only	\$800
ZSSKASHD	Seat Support Kit for Raz-AP600 – for seats that are narrower than seat frames		\$210

<sup>1</sup> Required for seats that are narrower than seat frames

**Custom Seats**  
 For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required. See [Custom Seat Assessment Form – Resources tab at razdesigninc.com](#)

ZCSEATHD	Heavy Duty Custom Seat (enter specs below) <b>Select if both width and depth are ≤ 28"</b>	\$1,440
ZCSEATXHD	Heavy Duty Custom Seat for widths 28" and 30" (enter specs below) <b>Select if width and/or depth is ≥ 28"</b>	\$1,620

Seat Frame Width: \_\_\_ 22" / 24" / 26" / 28" / 30"  
 Custom Seat Width: \_\_\_ 22" / 24" / 26" / 28" / 30" / 32" (cannot be more than 2" wider than frame width)  
 Seat Depth: \_\_\_ 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" [≥ 21" requires custom longer frame]  
 Access: \_\_\_ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged  
 Aperture Width: \_\_\_ 6.5" recommended

- Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.
- Custom seat widths can be up to 2" wider than the frame width to provide additional thigh support without increasing overall width of the chair.
- For Custom Seats, the Ischial Pelvic Alignment System (IPAS) allows +/- 1" fore / aft adjustment from specified custom seat depth.
- Access for Rear-Open seats is limited due to rear seat support tube.
- Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, pelvic obliquity accommodation, etc.

**3. Back Support Options** (Symphony Back replaces standard Tension-Adjustable Vinyl Upholstery – recommended for infection-control environments) All Symphony Back panels are 13”H.

ZSB22	Symphony Back – Recessed Solid Back Support – 22”W	\$495
ZSB24	Symphony Back – Recessed Solid Back Support – 24”W	\$520
ZSB26	Symphony Back – Recessed Solid Back Support – 26”W	\$540
ZSB28	Symphony Back – Recessed Solid Back Support – 28”W	\$695
ZSB30	Symphony Back – Recessed Solid Back Support – 30”W	\$720

**4. Rear Wheel, Caster and Anti-Tipper Options**

ZRW24	24” Wheels w/ Ergonomic Handrims	Standard	ZATSPRR	Rear Anti-Tippers for regular frame (pr)	\$125
ZWLE	Wheel Lock with Extensions (pr)	\$83	ZATAS5	Front Anti-Tippers for 5” casters (pr)	\$370
ZVH24	Vinyl-Coated Handrims – pr	\$455	ZATAS6	Front Anti-Tippers for 6” casters (pr)	\$370
ZPH24	Vertical Projection Handrims – pr	\$750	ZCUSP6	6” Caster Upgrade (2x) – required for user weight > 450 lbs	\$190
ZCSLSP	User-Actuated Front Directional Caster Locks w/ extension handles (pr)	\$530			

**5. Arm Support Accessories**

ZALKHD	Arm Support Lock Kit – HD (pr)	\$102	ZPAML	Pivoting Arm Mount – Left (for ZFAPRL/ZTR)	\$180
ZFAPLL	Long Molded Flat Armpad <sup>1</sup> – Left (14”L x 3.25”W)	\$88	ZPAMR	Pivoting Arm Mount – Right (for ZFAPRL/ZTR)	\$180
ZFAPLR	Long Molded Flat Armpad <sup>1</sup> – Right (14”L x 3.25”W)	\$88			
ZTRL	Molded Arm Trough <sup>1</sup> – Left (18.5”L x 4.5”W)	\$120			
ZTRR	Molded Arm Trough <sup>1</sup> – Right (18.5”L x 4.5”W)	\$120			
<sup>1</sup> May require ZPAM for arm support to flip up					

**6. Foot and Leg Supports** – Standard Foot Supports (ZFSHD) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (ZELRL), the chair will be supplied with one Foot Support (ZFSHD) on the right side and a ZELRL on the left side.

ZFSHD	Adjustable Footrests HD (16”-20.5”) – pr	Std	ZELRL	Elevating Legrest <sup>1</sup> – Left (incl ZADM)	\$530
ZFET2	Footrest Extensions (2” longer) – pr	\$57	ZELRR	Elevating Legrest <sup>1</sup> – Right (incl ZADM)	\$530
ZADM	Angle/Depth Adj Footplates – pr	\$210	ZFOR	Forward Offset Foot Support Receiver - Required when seats extend beyond front edge of frame [provides 2.5” offset] Specify 1 or 2 ___	\$130
ZFET2A	Footrest Extension Tubes for ZADM (pr) – 2” longer	\$57			
ZRLSL	Universal Residual Limb Support – Left	\$210			
ZRLSR	Universal Residual Limb Support – Right	\$210			
<sup>1</sup> ZELRL/R compatible with adjusted seat depths ≤ 20”D					

## 7. Foot and Leg Support Accessories

ZFSLK	Foot Support Lock (pr)	\$102	ZAHL	Adjustable Heel Loops (pr)	\$67
ZCS __ *	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter seat frame width to complete code (22"/24"W)	\$145	ZNC	Neoprene Covers for Standard Footplates (pr)	\$98
ZCS __ *	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter seat frame width to complete code (26"/28"/ 30"W)	\$175	ZNCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (pr)	\$98
ZCSIC __ *	Calf Strap, Snap-On – Infection Control *Enter seat frame width to complete Code 22" / 24" \$165 26" / 28" / 30" \$135		ZLMOR	Lateral Offset Foot Support Receiver – moves foot support 2" laterally or medially (ea) Quantity (1 or 2) __	\$88
ZHS2224	H-Strap – for 22"/24"W frames – hook and loop attachment	\$120			

## 8. Positioning Pads

ZHSAS1	Head Support w/ Small Pad (10" x 4")	\$530	ZLGAS2L	Leg Adductor – w/ Large Pad <sup>1</sup> – Left	\$355
ZHSAS2	Head Support w/ Large Pad (12" x 6")	\$585	ZLGAS2R	Leg Adductor – w/ Large Pad <sup>1</sup> – Right	\$355
ZLTS2L	Lateral Thoracic Support w/ Large Pad <sup>1,2</sup> – Left	\$355	ZLAEP	Lateral/Adductor Extension Plate (5.5" x 3.5")	\$26
ZLTS2R	Lateral Thoracic Support w/ Large Pad <sup>1,2</sup> – Right	\$355			

## 9. Pelvic and Chest Belts – A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts			Chest Belts		
ZPBLHDAS	Pelvic Belt – Large (frame widths 22", 2-piece w/ side-release buckle)	\$72	ZCBL	Chest Belt <sup>2</sup> – Large (back widths 22", 1-piece w/ hook and loop closure)	\$52
ZPBXLHDAS	Pelvic Belt – XLarge (seat frame widths 22"-26", 2-piece w/ side-release buckle)	\$83	ZCBXL	Chest Belt – XLarge <sup>2</sup> (back frame widths 22"-26", 1-piece w/ hook and loop closure)	\$67
ZPBICLHDAS	Pelvic Belt <sup>1</sup> – Infection Control, Large 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 22")	\$125	ZCBICL	Chest Belt <sup>1,2</sup> – Infection Control, Large 1-piece w/ side-release buckle (back widths 22")	\$93
ZPBICXLHDAS	Pelvic Belt <sup>1</sup> – Infection Control, XLarge 2-piece w/ frame clamps, mounting plates, side-release buckle (frame widths 22"-26")	\$135	ZCBICXL	Chest Belt <sup>1,2</sup> – Infection Control, XLarge 1-piece w/ side-release buckle (back frame widths 22"-26")	\$115
ZPBBPLHDAS	Pelvic Belt – Bodypoint Aeromesh, Large	\$255	ZCBBP __ *	Chest Belt – Bodypoint Aeromesh * enter size to complete code (L / XL)	\$285
ZPBBPXLHDAS	Pelvic Belt – Bodypoint Aeromesh, XLarge	\$200			

<b>Recommended sizes for Bodypoint belts</b>	Chest belt	ZCBBPL	22"W back frame	ZCBBPXL	22"-26"W back frame	ZCBBPXXL	26"-30"W back frame
	Pelvic belt	ZPBBPLHDT	22"W base frame	ZPBBPXLHDT	22"-26"W base frame	ZPBBPXXLHDT	26"-30"W base frame

<sup>1</sup> Non-absorbent belts – recommended for infection-control environments.

<sup>2</sup> Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCB). When the chair is supplied with a Symphony Back, Chest Belt loops are provided.

**10. Other**

ZPSK1	Commode Pan Spacer Kit <sup>1</sup> – 1" lower	\$215	ZIHW	Whizard – winged urine deflector <sup>2</sup>	\$72
ZPSK2	Commode Pan Spacer Kit <sup>1</sup> – 2" lower	\$230	ZBUDBH_ _ *	Bard Urine Drainage Bag Holder * Enter size to complete code (22"/24"/26"/28"/30")	\$175
ZPSK3	Commode Pan Spacer Kit <sup>1</sup> – 3" lower	\$250			
ZPSK4	Commode Pan Spacer Kit <sup>1</sup> – 4" lower	\$265			

<sup>1</sup> Commode Pan Spacer Kits provide extra clearance for perianal care with pan in place. Reduces toilet bowl clearance height.

<sup>2</sup> Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.

**11. Credits and Omissions**

Z905	Omit Commode Pan and Mounting Brackets	-\$20	Z907HD	Omit HD Foot Supports – if no other Foot / Leg Support Option is selected	-\$45
------	--	-------	--------	---	-------

**SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.**

**12. Notes:**

Specifications	Raz-SP600 (Self Propel)	
Weight Capacity	600 lbs	
Overall Width	Seat width plus 6"	
Overall Length (with foot supports in middle position)	44" (with rear wheel in middle position)	
Seat Depth	18"-20"	
Clearance Height (under seat)	with 5" casters	with 6" casters
- with pan brackets	14.35"-18.35"	15.35"-19.35"
- without pan brackets	15.12-19.12"	16.12"-20.12"
Arm Support Height - above molded seat	10"	
Seat-to-Floor Height (with molded seat)	with 5" casters 20" and 21"	with 6" casters 20", 21", 24"
Back Height (Molded Seat to top of upholstery)	20"	
Product Weight (with 22"W seat frame)	68 lbs	
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)	