



Dealer / Location:		T:	T; F:			
PO# / Client:	Contact:	Email:				

Raz-AP600 Heavy Duty Mobile Shower Commode Chair with stainless steel frame and components, four dual-locking 5" (125mm) casters, flip-up arm supports, heavy duty foot supports and commode pan. Also included is a 20"H Multi-Position Back with 2" fore/aft adjustment range, two back angles (90°/97°), and tension-adjustable vinyl upholstery. Exclusive to Raz, all seats include the Ischial Pelvic Alignment System [IPAS], which allows for 2" fore/aft adjustment. User weight over 450 lbs. requires 6" casters (ZCUAP6). User weight capacity 600 lbs.

Please enter set-up requests in Notes [Sec.13]. For custom modifications of frames and accessories, contact Raz Customer Service. To assist in evaluation and justification see our <u>Evaluation and Justification Form.</u>

1. Chair Codes by size – Must Choose One

Chair Code	Seat Frame Width	MSRP
Z16022	22"W Frame	\$3,475
Z16024	24"W Frame	\$3,775
Z16026	26"W Frame	\$4,095
Z16028	28"W Frame	\$4,425
Z16030	30"W Frame – Requires custom seat	\$4,975

2. Seats - Must Choose One

Molded and Vise	co Foam Interface Seats		
ZMS23FRO	Molded 23"W x 18"D – Front Access	Fits 22"/24"W ¹ frames only	N/C
ZMS26FRO	Molded 26"W x 18"D – Front Access	Fits 26"/28"W ¹ frames only	N/C
ZVFI23FRO	Visco Foam Interface 23"W x 18"D – Front Access	Fits 22"/24"W ¹ frames only	\$800
ZVFI26FRO	Visco Foam Interface 26"W x 18"D – Front Access	Fits 26"/28"W ¹ frames only	\$825
ZSSKASHD	Seat Support Kit for Raz-AP600 – for seats that are na	rrower than seat frames	\$215
	¹ Required for seats that are narrower than seat frames		

Custom Seats

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.

ZCSEATHD	Heavy Duty Custom Seat (enter specs below) Select if both width and depth are ≤ 28"	\$1,485
ZCSEATXHD	Heavy Duty Custom Seat for widths 28" and 30" (enter specs below) Select if width and/or depth is ≥ 28"	\$1,675
Seat Frame Width: Custom Seat Width: Seat Depth: Access: Aperture Width:	22"/24"/26"/28"/30" 22"/24"/26"/28"/30"/32"(cannot be more than 2" wider than frame width) 16"/17"/18"/19"/20"/21"/22"/23"/24" [≥ 21" requires custom longer frame] FR - Front / LT - Left / RT - Right / RR - Rear / BR - Bridged 6.5" recommended	

- Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.
- Custom seat widths can be up to 2" wider than the frame width to provide additional thigh support without increasing overall width
- of the chair.
- The Ischial Pelvic Alignment System (IPAS) will allow 2" fore/aft adjustment of the seat position (and therefore seat depth and aperture position) on all seats.
- Access for Rear-Open seats is limited due to rear seat support tube.



3. Back Support Options – Symphony Back replaces standard Tension-Adjustable Vinyl Upholstery – recommended for infection-control environments. All Symphony Back panels are 13"H.

ZSB22	Symphony Back – Recessed Solid Back – 22"W	\$510
ZSB24	Symphony Back – Recessed Solid Back – 24"W	\$535
ZSB26	Symphony Back – Recessed Solid Back – 26"W	\$555
ZSB28	Symphony Back – Recessed Solid Back – 28"W	\$715
ZSB30	Symphony Back – Recessed Solid Back – 30"W	\$740

4. Arm Support Accessories

ZALKHD	Arm Support Lock Kit – HD (pr)	\$105	ZPAML	Pivoting Arm Mount – Left	\$185
ZFAPLL	Long Molded Flat Armpad ¹ – Left (14″L x 3.25″W)	\$90	ZPAMR	(for ZFAPL/ZTRL) ZPAMR Pivoting Arm Mount – Right	\$185
ZFAPLR	Long Molded Flat Armpad ¹ – Right (14″L x 3.25″W)	\$90		(for ZFAPR/ZTRL)	
ZTRL	Molded Arm Trough ¹ – Left (18.5″L x 4.5″W)	\$125			
ZTRR	Molded Arm Trough 1 – Right (18.5"L x 4.5"W)	\$125			
¹ May require 2	ZPAML/ZPAMR for arm support to flip up				

5. Foot and Leg Supports – Standard Foot Supports (ZFSHD) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (ZELRL), the chair will be supplied with one Foot Support (ZFSHD) on the right side and a ZELRR on the left side.

ZFSHD	Adjustable Foot Supports HD (16"-20.5") –	pr Std	ZELRL	Elevating Legrest ¹ – Left (incl Z7ADM)	\$545
ZFET2	Footrest Extensions (2" longer) – pr	\$59	ZELRR	Elevating Legrest ¹ – Right (incl Z7ADM)	\$545
ZADM	Adjustable Angle/Depth Footplates – pr	\$215	ZFOR	Forward Offset Foot Support Receiver -	\$135
ZFET2A	Footrest Extension Tubes for Z7ADM (pr) – 2" longer	\$59		Required when seats extend beyond front edge of frame [provides 2.5" offset]	
ZRLSL	Universal Residual Limb Support – Left	\$215		Specify 1 or 2	
ZRLSR	Universal Residual Limb Support – Right	\$215	¹ ZELRL/R compa	atible with adjusted seat depths ≤ 20″D	

6. Foot and Leg Support Accessories

ZFSLK	Foot Support Lock (pr)	\$105	ZAHL	Adjustable Heel Loops (pr)	\$69
ZCS*	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter seat frame width to complete	\$150	ZNC	Neoprene Covers for Standard Footplates (Each Per Side)	\$51
	code (22"/24"W)		ZNCA	Neoprene Covers for Adj Angle/	\$51
ZCS*	Calf Strap, Snap-On – Bodypoint Aeromesh	\$295		Depth Molded Footplates (Each Per Side)	
	* Enter seat frame width to complete code (26"/28"/ 30"W)		ZLMOR	Lateral Offset Foot Support Receiver – moves foot support 2" laterally or	\$90
ZCSIC*	Calf Strap, Snap-On – Infection Control *Enter seat frame width to complete Code			medially (ea) Quantity (1 or 2)	
	22" / 24"	\$160			
	26" / 28" / 30"	\$160			
ZHS2224	H-Strap – for 22"/24"W frames – hook and loop attachment	\$125			



7. Positioning Pads

ZHSAS1	Head Support w/ Small Pad (10" x 4")	\$545	ZLGAS2L	Leg Adductor – w/ Large Pad ¹ – Left	\$365
ZHSAS2	Head Support w/ Large Pad (12" x 6")	\$605	ZLGAS2R	Leg Adductor – w/ Large Pad1 – Right	\$365
ZLTS2L	Lateral Thoracic Support w/ Large Pad ^{1,2} – Left	\$365	ZLAEP	Lateral/Adductor Extension Plate (5.5" x 3.5")	\$27
ZLTS2L	Lateral Thoracic Support w/ Large Pad ^{1,2} – Right	\$365			,

¹ Large Adjustable Pad Size: ~ 6.75" x 4.3".

8. Pelvic and Chest Belts – A chest belt should not be used without a pelvic belt

Pelvic Belts			(Chest Belts			
ZPBLHDAS	Pelvic Belt – Large (so widths 18"-22", 2-pie lease buckle)		\$74	ZCBL	Chest Belt – Large ² (b 18"-22", 1-piece w/ ho closure)		\$54
ZPBXLHDAS	Pelvic Belt – XLarge (widths 22"-30", 2-pie release buckle)		\$86	ZCBXL	Chest Belt – XLarge ² 22"-30", 1-piece w/ hoclosure)		\$69
ZPBICLHDAS	Infection Control Pel (seat frame widths 18 2-piece w/ side-relea	8"-22",	\$130	ZCBICL	Infection Control Che (back frame width 18 side-release buckle)	•	\$96
ZPBICXLHDAS	Infection Control Pel XLarge ¹ (seat frame v 2-piece w/ side-relea	widths 22"-30",	\$140	ZCBICXL	Infection Control Che (back frame widths 2: side-release buckle)	•	\$120
ZPBBPLHDAS	Pelvic Belt – Bodypo Aeromesh – Large	int	\$265	ZCBBP_*	Chest Belt – Bodypoir * enter size to comple		\$295
ZPBBPXLHDAS	Pelvic Belt – Bodypo Aeromesh – XLarge	int	\$265		·		
Recommended si for Bodypoint be		ZCBPBL	18"-22"V back frar	-	ZCBBPXL	22″-30″W back frame	
	Pelvic belt	ZPBBPLHDAS	18"-22"V base frar	-	ZPBBPXLHDAS	22"-30"W base frame	
	 recommended for infection pholstery includes loops to 			hen the chair is su	upplied with a Symphony Ba	ack, Chest Belt loops are p	rovided.

9. Other

J. Othici			
ZATAS5	Anti-Tippers for 5" casters (pr)	\$380	ZIHW Whizard – winged urine deflector ² \$7
	Rear Front		ZBUDBH* Bard Urine Drainage Bag Holder \$18
ZATAS6	Anti-Tippers for 6" casters (pr) Rear Front	\$380	* Enter size to complete code (22"/24"/26"/30")
ZCUAP6	6" Caster Upgrade (4x) – required for user weight > 450 lbs	\$380	
ZDCLA	Directional Caster Lock – fits on left rear caster (facilitates steering)	\$160	
ZPSK1	Commode Pan Spacer Kit ¹ – 1" lower	\$220	
ZPSK2	Commode Pan Spacer Kit ¹ – 2" lower	\$235	
ZPSK3	Commode Pan Spacer Kit ¹ – 3" lower	\$260	
ZPSK4	Commode Pan Spacer Kit¹ – 4″ lower	\$275	
	Spacer Kits provide extra clearance for self-care with p oilet bowl clearance height.	an in	² Has patent-pending lateral wings that are positioned under the medial aspect of the legs to keep the Whizard in place.



² Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify ZLAEP extension plate.

10. Credits and Omissions

Z905	Omit Commode Pan and	-\$20	Z907HD	Omit HD Foot Supports – if no other	-\$45
	Mounting Brackets			Foot / Leg Support Option is selected	

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

Specifications	Raz-AP600 (Attendant Propel)		
Weight Capacity	600 lbs		
Overall Width	Seat frame width plus 4.5" (with standard arm pad)		
Overall Length (with foot supports)	40.5" (with rear casters trailing), 37.25" (to rear of back canes)		
Seat Depth	18"-20"		
Toilet Clearance Width	seat frame width minus 6"	seat frame width minus 6"	
Toilet Clearance Height (under seat) - with pan brackets - without pan brackets	with 5" casters 14.3"-18.3" 15.1"-19.1"	with 6" casters 15.3"-19.3" 16.1"-20.1"	
Arm Support Height - above molded seat	10"		
Seat-to-Floor Height (with molded seat)	19"-23" (with 5" casters)		
Back Height (Molded Seat to top of upholstery)	20"		
Product Weight (with 22"W seat frame)	54.5 lbs		
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)		

