



Dealer / Location:		T:	F:
DO# / Cliant	Contact	Email	

Date:\_

Raz-ART – ATTENDANT ROTATIONAL TILT Mobile Shower Commode Chair with patented tilt geometry, patent-pending tilt lock system, 40° tilt range, head support fixture with small pad, tool-less height-adjustable aluminum frame, flip-up padded arm supports, foot supports, four dual-locking 5" (125mm) casters and commode pan. User weight capacity 350 lbs. See our Evaluation and Medical Justification Form.

#### 1. Chair Code

Z33318
--------

### 2. Seats - Standard

Z. Jeats – Jtain	uaiu				
Molded Seats (t	hickness ~2.5"-3")		Visco-Foam Interfa	ce Seats (thickness ~3.5")	
ZMS17FRO	18"W x 17"D – Front Access	Standard	ZVFI17BRI	18"W x 17"D – Front Bridged	\$475
ZMS17BRI	18"W x 17"D – Front Bridged	N/C	ZVFI17FRO	18"W x 17"D – Front Access	\$475
ZMS20FRO	18"W x 20"D – Front Access	\$150	ZVFI17LTO	18"W x 17"D – Left Access	\$475
ZMS20BRI	18"W x 20"D – Front Bridged	\$150	ZVFI17RTO	18"W x 17"D – Right Access	\$475
Specialty Seats			ZVFI17RRO	18"W x 17"D – Rear Access	\$475
ZSOM	Shower-Only Seat – Molded	\$440	ZVFI20BRI	18"W x 20"D – Front Bridged	\$545
	18"W x 16"-21"D		ZVFI20FRO	18"W x 20"D – Front Access	\$545
ZEJRM	E&J Replica Seat – Molded	\$215	ZVFI20LTO	18"W x 20"D – Left Access	\$545
	– 18"W x 17"D		ZVFI20RTO	18"W x 20"D – Right Access	\$545
			ZVFI20RRO	18"W x 20"D – Rear Access	\$545

### 3. Seats - Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.

ZCSEAT	Custom Seat (enter specs below) Select if both width and depth are ≤ 21"	\$1145
ZCEJR	Custom E&J Replica Seat (enter specs below) Select if both width and depth are ≤ 21"	\$1305
ZCSEATHD	Heavy Duty Custom Seats (enter specs below) Select if width and/or depth is ≥ 22"	\$1485

## **Custom Specifications** (for above custom seats)

Custom Seat Width: \_\_ 18"/20" (cannot be narrower than 18" or wider than 20")

Custom Seat Depth: \_\_ 15"/16"/17"/18"/19"/20"/21"

Access Opening: \_\_ FR - Front / LT - Left / RT - Right / RR - Rear / BR - Bridged Access Opening Width: \_\_ 2.5" / 3.0" / 3.5" / 4.0" / 4.5" / 5.0" (3.5" W is standard)

Aperture Width: \_\_ 3.0"-8.0" (6.5" recommended) - enter "NA" if aperture is not required

- Unless otherwise requested, the width of the aperture (inside width of the commode opening) will be 6.5" for custom seats.
- Seat can be up to 20" wide to provide additional seat width / thigh support. Consider using Arm Support Spacer Kit (ZASK05/10), Adjusta-Back only) to increase width between the arm supports by 1" or 2".
- For Custom Seats, the Ischial Pelvic Alignment System (IPAS) allows +/- 1" fore / aft adjustment from specified custom seat depth.
- Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, pelvic obliquity accomodation, etc.

2" wider (20"W)

back frame

### 4. Fixed Back Frames (18"W only)

This is called a "Fixed" Back because the arm supports are not adjustable in height. Includes molded, vinyl back support, fixed-height flip-up padded arm supports, back angle adjustment (90°/95°) with cane-style posts. Back height is measured from top of molded seat to top of back upholstery. Hip Adductors [ZHP1/2] are not compatible with Fixed Back.

ZFB1818 Fixed Back – 18"W x 18"H<sup>1,2</sup> Standard

## 5. Adjusta-Back Frames

Includes height / angle-adjustable arms with Arm Support Lock Kit (ZALK), tension-adjustable back upholstery, flip-up padded arm

arm							
supports, back angle adjustment (90°/97°). Tension-adjustable back upholstery can be positioned 2.5" higher than the nominal height							
indicated below, ex	cept on ZAB1824.						
Standard Width A	Adjust-Backs (18"W)						
ZAB1815	Adjusta-Back – 15"H (cane-style back posts)			\$275			
ZAB1817	Adjusta-Back – 17"H (cane-style back posts)			\$275			
ZAB1820	Adjusta-Back – 20"H (cane-style back posts)			\$355			
ZAB1824	Adjusta-Back – 24"H (straight back posts)			\$405			
	dth Adjusta-Backs on Standard 18"W Seat Frame (Must-Back order code by adding desired back frame width (14" / 16")		tom Back Frame Wic	lth [Sec.7]			
ZAB 15*	Adjusta-Back – 15"H non-std width	\$275	<b>  </b>				
ZAB 17 *	Adjusta-Back – 17"H non-std width	\$275					
ZAB 20 *	Adjusta-Back – 20"H non-std width	\$355					
ZAB 24 *	Adjusta-Back – 24"H non-std width	\$405					
	ll 18"W seats but with reduced seat depth range. Also compatib dified Visco-Foam Interface seats.	le with	4" narrower <sup>1</sup> (14"W) back frame	2" narrower <sup>1</sup> (16"W) back frame			
20" Width Adjusta-Backs on Standard 18"W Seat Frame (Must select Custom Back Frame Width [Sec.7]							
ZAB2015	Adjusta-Back – 15"H non-std width	\$275					
ZAB2017	Adjusta-Back – 17"H non-std width	\$275					
ZAB2020	Adjusta-Back – 20"H non-std width	\$355	-	"wider (20"W)			

# 6. Trigger Placement – Must choose one

ZAB2024

ZDTR	Dual Triggers, blue – both on right side <sup>1</sup>	Standard
ZDTL	Dual Triggers, blue – both on left side <sup>1</sup>	N/C
ZSTB	Single Triggers, blue – one trigger on each side	N/C
<sup>1</sup> Dual Tilt Trigg	gers option positions both triggers on one side, allowing for single-handed activation. Available for all back widths.	

\$405

### 7. Custom Back Frame Widths Different From Seat Frames – Must choose back frame [Sec.5]

Adjusta-Back – 24"H non-std width

	The state of the s	
ZNB1816	Custom Back <sup>1</sup> – 2" Narrower than Seat Frame	\$380
ZNB1814	Custom Back – 4" Narrower than Seat Frame – requires custom seat	\$495
ZWB1820	Custom Back – 2" Wider than Seat Frame	\$440
Consider also usi	ng Arm Spacer Kit (ZASK05/ZASK10) as another solution for providing more width between the arms.	
<sup>1</sup> Compatible with	all 18"W seats but with reduced seat depth range. Also compatible with Custom or modified Visco-Foam Interface sea	ats.

# 8. Back Support Options (These back supports replace the Molded or Tension-Adjustable Back Upholstery)

ZSB14	14"W Symphony Back¹ – recessed solid back support	\$325			
ZSB16	16"W Symphony Back¹ – recessed solid back support	\$325			
ZSB18	18"W Symphony Back¹ – recessed solid back support	\$325			
ZSB20	20"W Symphony Back¹ – recessed solid back support	\$440			
ZHB	Harmony Back <sup>1</sup> – contoured solid back Fits 18"W back frames only.	\$325			
<sup>1</sup> Does not fi	<sup>1</sup> Does not fit 15" back heights				

# 9. Arm Supports and Accessories

ZARML	Flip-Up Arm Supports – 13"-long pad (pr)	Std	ZTRL	Molded Arm Trough <sup>3</sup> – Left	\$125
ZARMS	Flip-Up Arm Supports – 10"-long pad (pr)	N/C	7700	(18.5"L x 4.5"W – fits Z5BAR13)	6125
7.41.17	- not compatible with ZTR / Z7PAM	40.0	ZTRR	Molded Arm Trough <sup>3</sup> – Right (18.5"L x 4.5"W – fits Z5BAR13)	\$125
ZALK	Arm Support Lock Kit (pr) – for ZFB1818	\$86		(16.3 L X 4.3 W - IIIS Z J DAN 13)	
ZASKO5	Arm Spacer Kit (pr) – $\frac{1}{2}$ " per side = 1" total For Adjusta-backs	\$69	ZPAML	Pivoting Arm Mount – Left (For ZFAPLL/ZTRL)	\$185
ZASK10	Arm Spacer Kit (pr) – 1" per side = 2" total For Adjusta-backs	\$130	ZPAMR	Pivoting Arm Mount – Right (For ZFAPLR/ ZTRR)	\$185
ZFAPLL	Molded Flat Armpad, Long <sup>1,2</sup> – Left	\$90	ZPHGL	Pivoting Hand Grips (pr)	\$440
	(14"L x 3.25"W – fits ZARM13)		ZAPSB*	Anterior Posture Support Bar	\$215
ZFAPLR	Molded Flat Armpad, Long <sup>1,2</sup> – Right (14"L x 3.25"W – fits ZARM13)	\$90		* Enter back frame width to complete code (14"/16"/18") <sup>4</sup>	
ZFAPSL	Molded Flat Armpad, Short <sup>1</sup> – Left (10"L x 3"W – fits ZARM10)	\$90	ZAPS20	Anterior Posture Support Bar <sup>4</sup> For 20"W back frame	\$295
ZFAPSR	Molded Flat Armpad, Short <sup>1</sup> – Right (10"L x 3"W – fits ZARM10)	\$90			
	ASK05/ZASK10 for Arm Support to flip up, depending or ning of Flat Arm Pads	n medial			
<sup>2</sup> May require ZF Supports to swi	PAML/R for Arm Support to flip up and for Lateral ng away		· ·	for Arm Support to flip up and/or for Lateral to swii ZFAPS / ZFAPL / ZTRR / ZTRL	ng away

# 10. Foot and Leg Supports

ZFS	Foot Supports 16"-20.5" (pr)	Std	ZELRL	Elevating Leg Support <sup>3</sup> – Left	\$545
ZFET2	Foot Support Extension Tubes	\$59		(includes ZADM)	
	– 2" longer <sup>1</sup> (pr)		ZELRR	Elevating Leg Support <sup>3</sup> – Right	\$545
ZMFX8	MFX Foot Supports 8"-12" (pr)	\$115		(includes ZADM)	
ZMFX12	MFX Foot Supports 12"-16.5" (pr)	\$115	ZFOR	Forward Offset Foot Support Receiver	\$135
ZADM	Adj Angle/Depth Molded Footplates <sup>2</sup> (pr)	\$215		(ea) Moves Foot support forward 2.5" to accommodate deeper seats (19" or	
ZFET2A	Footrest Extension Tubes for Z7ADM (pr)	\$59		deeper) Specify 1 or 2	
	– 2" longer		ZRLSL	Residual Limb Support, Universal – Left	\$215
ZVS	V-Style Foot Support (1-piece) 16.5"-20" – for 18"W seat frames	\$325	ZRLSR	Residual Limb Support, Universal – Right	\$215
ZFBT	Flip-Back Foot Support (1-piece) with calf pads	\$505			
<sup>1</sup> Not compatible <sup>2</sup> Not available for	with ZMFX12 / ZADM / ZVS / ZFBAS ZMFX8 / ZVS		³ZELRL/R compati	ible with seat depths ≤ 18"	

# 11. Foot and Leg Support Accessories

ZFSLK	Foot Support Locks (pr)	\$105	ZNC	Neoprene Covers for Standard	\$100
ZCS18	Calf Strap, Snap-On – Bodypoint Aeromesh	\$150	ZNCA	Footplates (pr) Neoprene Covers for Adj Angle/Depth	\$100
ZCSIC18	Calf Strap, Snap-On – Infection Control	\$140		Molded Footplates (pr)	
ZCPL	Calf Panel – Bodypoint	\$200	ZLMOR	Lateral / Medial Offset Foot Support Receiver (ea) – moves foot support 2" laterally or medially. Specify 1 or 2	\$90
ZHS1820	H-Strap – for 18″W frames – hook and loop attachment	\$100			
ZAHL	Heel Loops, Adjustable (pr) – not available for ZVS / ZFBT	\$69			

# 12. Positioning Pads

ZHSP1	Head Support Pad – Small (10" x 4")	Std	ZHP1L	Hip Adductor w/ Small Pad <sup>1,2</sup> – Left	\$365
ZHSP2	Head Support Pad – Large (12" x 6")	\$59	ZHP1R	Hip Adductor w/ Small Pad <sup>1,2</sup> – Right	\$365
ZOHIP	Lateral Offset Head Support Interface Plate – up to 22° of adjustment (up to 6"	\$86	ZHP2L	Hip Adductor w/ Large Pad <sup>1,2</sup> – Left	\$365
	offset, dependent on head support height		ZHP2R	Hip Adductor w/ Large Pad 1,2 – Right	\$365
	setting)		ZLGART1L	Leg Adductor w/ Small Pad1 – Left	\$365
ZLTS1L	Lateral Thoracic Support w/ Small Pad <sup>1</sup> –	\$365	ZLGART1R	Leg Adductor w/ Small Pad <sup>1</sup> – Right	\$365
	Left		ZLGART2L	Leg Adductor w/ Large Pad1 – Left	\$365
ZLTS1R	Lateral Thoracic Support w/ Small Pad¹ – Right	\$365	ZLGART2R	Leg Adductor w/ Large Pad <sup>1</sup> – Right	\$365
ZLTS2L	Lateral Thoracic Support w/ Large Pad <sup>1</sup> – Left	\$365			
ZLTS2R	Lateral Thoracic Support w/ Large Pad <sup>1</sup> – Right	\$365			
ZLAEPL	Lateral/Adductor Extension Plate - Left	\$27			
ZLAEPR	Lateral/Adductor Extension Plate - Right	\$27	medially up to 3" p	<ul> <li>- 5.5"x 3.5" / Large – 6.75" x 4.3". Lateral Pads can be per side. Adductor Pads can be adjusted medially u ional medial offset, specify ZLAEP extension plate.</li> <li>conly</li> </ul>	

Notes:		

### 13. Pelvic and Chest Belts – A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts Chest Belts

ZPBM	Pelvic Belt, Medic 2-piece w/ side-re		\$59	ZCBS		all (back widths 1 k and loop closur		\$37
ZPBL	Pelvic Belt, Large 2-piece w/ side-re	elease buckle	\$54	ZCBM		dium (back width		\$42
ZPBICM		elvic Belt <sup>1</sup> , Medium – Infection Control \$105 -piece w/ side-release buckle		ZCBL	Chest Belt <sup>2</sup> , Large (back widths 18"-20 1-piece w/ hook and loop closure)			\$54
ZPBICL		Pelvic Belt <sup>1</sup> , Large – Infection Control \$105 P-piece w/ side-release buckle		ZCBICS	Chest Belt <sup>1,2</sup> , Small – Infection Control (back widths 14-16", 1-piece		ontrol	\$86
ZPBBP *	Pelvic Belt – Body		\$285		w/ side-release	buckle)		
	* enter size to cor	mplete code (M / L)		ZCBICM		edium – Infectior s 16"-18", 1-piece buckle)		\$86
				ZCBICL	Chest Belt <sup>1,2</sup> , La (back widths 18 w/ side-release	•	ontrol	\$96
				ZCBBPS	Chest Belt, Small	l – Bodypoint Aer	omesh	\$350
				ZCBBP*		ypoint Aeromesh omplete code (M		\$295
Recommended sizes for	Pelvic Belt	Not Avai	lable	ZPBBPM	16"-18"W seat frame	ZPBBPL	18"-20" seat fra	
Bodypoint belts	Chest Belt	ZCBBPS 14"-16"V back frai		ZCBBPM	16″-18″W back frame	ZCBBPL	18"-20" back fra	
1 Non-absorbent be	Its - recommended for	infaction-control anvirons	monts					

<sup>&</sup>lt;sup>1</sup> Non-absorbent belts – recommended for infection-control environments

## 14. Other

ZPSK1	Commode Pan Spacer Kit <sup>1</sup> – 1″ lower	\$220
ZPSK2	Commode Pan Spacer Kit <sup>1</sup> – 2" lower	\$235
ZPSK3	Commode Pan Spacer Kit <sup>1</sup> – 3" lower	\$260
ZPSK4	Commode Pan Spacer Kit <sup>1</sup> – 4" lower	\$275
ZIHW	Whizard – Winged Urine Deflector <sup>2</sup>	\$74
1.0		

Commode Pan Spacer Kits provide extra clearance for perianal care with pan in place. Reduces toilet bowl clearance height.

### 15. Credits and Omissions

Z905	Omit Commode Pan and Mounting Brackets	-\$20	Z911	Omit Molded Head Support Pad	-\$20
Z907	Omit Standard Foot Supports	-\$45	Z912	Omit Complete Head Support Assembly	-\$50

NOTE: SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

<sup>&</sup>lt;sup>2</sup>Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided.

<sup>&</sup>lt;sup>2</sup> Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.

## 16. Notes:

Specifications	Raz-ART (Attendant-Propel Rotational Tilt)
Weight Capacity	350 lbs
Frame Width (seat and back frame)	18"
Overall Width	22.5"
Overall Length (with foot supports and headres	st adjusted to middle positions)
- at 0° tilt	35"
- at 40°	50.5"
Seat Depth	16" or 21" depending on seat/cushion length
Clearance Height (under seat)	
- with pan brackets	Lower Range: 15" – 18" Higher Range: 19" – 22"
- without pan brackets	Lower Range: 15.5" – 18.5" Higher Range: 19.5" – 22.5"
Clearance Width (to fit around toilet)	
Arm Support Height - above molded seat (1/2"	increments)
- 18"H Fixed Back - standard	8.5"
- 15"H Adjusta-Back	5.5"-8.5" (1/2" increments)
- 17"H Adjusta-Back	6.5"-9.5" (1/2" increments)
- 20"H Adjusta-Back	7.5"-10.5" (1/2" increments)
- 24"H Adjusta-Back	7.5"-10.5" (1/2" increments)
Seat-to-Floor Height (with molded seat)	
- lower range	20"-23" in 1" increments
- upper range	24"-27" in 1" increments
Product Weight	69 lbs
Base and Seat Frame Material	Aluminum
Back Frame and Foot Support Material	Stainless Steel
Hardware Material	Stainless Steel