

Date: _____

Dealer / Location: _____ T: _____ F: _____

PO# / Client: _____ Contact: _____ Email: _____

Raz-AT600 Heavy Duty Mobile Shower Commode Chair with stainless steel frame and components, 25° tilt range, four dual-locking 6" (150mm) casters, flip-up arm supports, heavy duty foot supports, commode pan, head support with small pad and the proprietary Weight Assist Spring System (WASS). Also included is a 20"H Multi-Position Back with 2" fore/aft adjustment range, two back angles (90°/97°) and tension-adjustable vinyl upholstery. Exclusive to Raz, all seats include the Ischial Pelvic Alignment System [IPAS], which allows for 2" fore/aft adjustment. **User weight capacity 600 lbs.**

Please enter set-up requests in Notes [Sec.12]. For custom modifications of frames and accessories, contact Raz Customer Service. To assist in evaluation and justification see our [Evaluation and Justification Form](#).

1. Chair Codes by size – **Must Choose One**

Z36022	22"W Seat and Back Frames	\$6,995
Z36024	24"W Seat and Back Frames	\$7,295
Z36026	26"W Seat and Back Frames	\$7,850
Z36028	28"W Seat and Back Frames	\$8,395
Z36030	30"W Seat and Back Frames – Requires custom seat	\$8,950

2. User Weight Range

Z36WR450	WASS User Weight Range 350-450 lbs.	Std	Z36WR600	WASS User Weight Range 400-600 lbs.	\$280
----------	-------------------------------------	-----	----------	-------------------------------------	-------

3. Seats – **Must Choose One**

Molded and Visco Foam Interface Seats – Seat Support Kit (Z4SSKAT) required if seat is narrower than seat frame.

ZMS23FRO	Molded 23"W x 18"D – Front Access	Fits 22"/24"W ¹ frames only	N/C
ZMS26FRO	Molded 26"W x 18"D – Front Access	Fits 26"/28"W ¹ frames only	N/C
ZVFI23FRO	Visco Foam Interface 23"W x 18"D – Front Access	Fits 22"/24"W ¹ frames only	\$800
ZVFI26FRO	Visco Foam Interface 26"W x 18"D – Front Access	Fits 26"/28"W ¹ frames only	\$825
ZSSKTHD	Seat Support Kit for Raz-AT600 – for seats that are narrower than seat frames		\$150

¹ Required for seats that are narrower than seat frames

Custom Seats

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.

ZCSEATHD	Heavy Duty Custom Seat (enter specs below) Select if both width and depth are ≤ 28"	\$1,485
ZCSEATXHD	Heavy Duty Custom Seat for widths 28" / 30" (enter specs below) Select if width and/or depth is ≥ 28"	\$1,675

Seat Frame Width: __ 22" / 24" / 26" / 28" / 30"
 Custom Seat Width: __ 22" / 24" / 26" / 28" / 30" / 32" (cannot be more than 2" wider than seat frame width)
 Seat Depth: __ 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" [≥ 21" requires custom longer frame]
 Access: __ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged
 Aperture Width: __ 6.5" recommended

Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats. Custom seat widths can be up to 2" wider than seat the frame width to provide additional thigh support without increasing overall width of the chair.

The Ischial Pelvic Alignment System (IPAS) will allow 2" fore/aft adjustment of the seat position (and therefore seat depth and aperture position) on all seats. Access for Rear-Open seats is limited due to rear seat support tube.

4. Back Support Options – **Symphony Back** is a recessed, solid back that replaces the standard **Tension-Adjustable Vinyl Upholstery** (recommended for infection-control environments). All Symphony Back panels are 13"H.

ZSB22	Symphony Back – 22"W	\$510
ZSB24	Symphony Back – 24"W	\$535
ZSB26	Symphony Back – 26"W	\$555
ZSB28	Symphony Back – 28"W	\$715
ZSB30	Symphony Back – 30"W	\$740

5. Arm Support Accessories

ZALKHD	Arm Support Lock Kit – HD (pr)	\$105	ZPAML	Pivoting Arm Mount – Left (for ZFAPLL/ZTRL)	\$185
ZFAPLL	Long Molded Flat Armpad ¹ – Left (14”L x 3.25”W)	\$90	ZPAMR	Pivoting Arm Mount – Right (for ZFAPLR/ZTRR)	\$185
ZFAPLR	Long Molded Flat Armpad ¹ – Right (14”L x 3.25”W)	\$90			
ZTRL	Molded Arm Trough ¹ – Left (18.5”L x 4.5”W)	\$125			
ZTRR	Molded Arm Trough ¹ – Right (18.5”L x 4.5”W)	\$125			
¹ May require ZFAP for arm support to flip up					

6. Foot and Leg Supports – Standard Foot Supports (ZFSHD) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (ZELRL), the chair will be supplied with one Foot Support (ZFSHD) on the right side and a ZELRL on the left side.

ZFSHD	Adjustable Footrests HD (16"-20.5") – pr	Std	ZELRL	Elevating Legrest ¹ – Left (incl ZADM)	\$545
ZFET2	Footrest Extensions (2" longer) – pr	\$59	ZELRR	Elevating Legrest ¹ – Right (incl ZADM)	\$545
ZADM	Angle/Depth Adj Footplates – pr	\$215	ZFOR	Forward Offset Foot Support Receiver- ea Moves Foot support forward 2.5" to accommodate deeper seats and reduced knee flexion range	\$135
ZFET2A	Footrest Extension Tubes for Z7ADM (pr) – 2" longer	\$59			
ZRLSL	Universal Residual Limb Support – Left	\$215			
ZRLSR	Universal Residual Limb Support – Right	\$215			
			¹ ZELRL/R compatible with adjusted seat depths ≤ 20"D		

7. Foot and Leg Support Accessories

ZFSLK	Foot Support Lock (pr)	\$105	ZAHL	Adjustable Heel Loops (pr)	\$69
ZCS __	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter seat frame width to complete code (22"/24"W)	\$150	ZNC	Neoprene Covers for Standard Footplates (Each Per Side)	\$51
ZCS __ *	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter seat frame width to complete code (26"/28"/ 30"W)	\$295	ZNCA	Neoprene Covers for Adj Angle/Depth Molded Footplates (Each Per Side)	\$51
ZCSIC __ *	Calf Strap, Snap-On – Infection Control *Enter seat frame width to complete Code 22" / 24" \$160 26" / 28" / 30" \$160		ZLMOR	Lateral Offset Foot Support Receiver – moves foot support 2" laterally or medially (ea) Quantity (1 or 2) __	\$90
ZHS2224	H-Strap – for 22"/24"W frames – hook and loop attachment	\$125			

8. Positioning Pads

ZHSP2	Headrest Pad – Large (12" x 6")	\$59	ZLGT2L	Leg Adductor – w/ Large Pad ¹ – Left	\$365
ZOHIP	Lateral Offset Head Support Interface Plate – up to 22° of adjustment	\$86	ZLGT2R	Leg Adductor – w/ Large Pad ¹ – Right	\$365
ZLTS2L	Lateral Thoracic Support w/ Large Pad ^{1,2} – Left	\$365	ZLAEP	Lateral/Adductor Extension Plate (5.5" x 3.5")	\$27
ZLTS2R	Lateral Thoracic Support w/ Large Pad ^{1,2} – Right	\$365	ZMTST2	Medial Thigh Support – Large	\$495

¹ Large Adjustable Pad Size: ~ 6.75" x 4.3".
² Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify ZLAEP extension plate.

9. Pelvic and Chest Belts – A chest belt should not be used without a pelvic belt

Pelvic Belts			Chest Belts		
ZPBLHDT	Pelvic Belt – Large (seat frame widths 18"-22", 2-piece w/ side-release buckle)	\$74	ZCBL	Chest Belt – Large ² (back frame width 18"-22", 1-piece w/ hook and loop closure)	\$54
ZPBXLHDT	Pelvic Belt – XLarge (seat frame widths 22"-30", 2-piece w/ side-release buckle)	\$125	ZCBXL	Chest Belt – XLarge ² (back frame widths 22"-30", 1-piece w/ hook and loop closure)	\$69
ZPBICLHDT	Infection Control Pelvic Belt – Large ¹ (seat frame widths 18"-22", 2-piece w/ side-release buckle)	\$130	ZCBICL	Infection Control Chest Belt – Large ^{1,2} (back frame width 18"-22", 1-piece w/ side-release buckle)	\$96
ZPBICXLHDT	Infection Control Pelvic Belt – XLarge ¹ (seat frame widths 22"-30", 2-piece w/ side-release buckle)	\$150	ZCBICXL	Infection Control Chest Belt – XLarge ^{1,2} (back frame widths 22"-30", 1-piece w/ side-release buckle)	\$120
ZPBBPLHDT	Pelvic Belt – Bodypoint Aeromesh – Large	\$250	ZCBBP_*	Chest Belt – Bodypoint Aeromesh	\$295
ZPBBPXLHDT	Pelvic Belt – Bodypoint Aeromesh – XLarge	\$250		* enter size to complete code (L / XL)	

Recommended sizes for Bodypoint belts	Chest belt	ZCBBPL	18"-22"W back frame	ZCBBPXL	22"-30"W back frame
	Pelvic belt	ZPBBPLHDT	18"-22"W base frame	ZPBBPXLHDT	22"-30"W base frame

¹ Non-absorbent belts – recommended for infection-control environments.
² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCB). When the chair is supplied with a Symphony Back, Chest Belt loops are provided.

10. Other

ZDCLT	Directional Caster Lock – fits on left rear caster (facilitates steering)	\$185	ZIHW	Whizard – winged urine deflector ²	\$74
ATRR6	Rear Anti-Tippers for 6" casters (pr)	\$380	ZBUDBH _ _ *	Bard Urine Drainage Bag Holder * Enter size to complete code (22" / 24" / 26" / 28" / 30")	\$185
ZPSK1	Commode Pan Spacer Kit ¹ – 1" lower	\$220	ZSPKT624	AT600 Self-Propel Kit – 24" wheels – includes rear anti-tippers	\$1695
ZPSK2	Commode Pan Spacer Kit ¹ – 2" lower	\$235			
ZPSK3	Commode Pan Spacer Kit ¹ – 3" lower	\$260			
ZPSK4	Commode Pan Spacer Kit ¹ – 4" lower	\$275			
ZTLS	Tilt Limit Spacers Pair – 1/2" spacers snap onto gas struts to limit tilt (1/2" reduces tilt range approx. 5°. Can be stacked for additional tilt limiting. Quantity ____	N/C			
¹ Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Reduces toilet bowl clearance height.			² The patent-pending Whizard features lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.		

11. Credits and Omissions

Z905	Omit Commode Pan and Mounting Brackets	–\$20	Z911	Omit Molded Head Support Pad	–\$20
Z907HD	Omit HD Foot Supports – if no other Foot / Leg Support Option is selected	–\$45	Z912	Omit Complete Head Support Assembly	–\$50

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

Specifications	Raz-AT600 (Attendant Tilt)
Weight Capacity	600 lbs
Seat Depth (with Standard Molded Seat)	18"-20"
Overall Width	Seat frame width plus 4.5" (with standard arm pad)
Toilet Clearance Width	17"
Overall Length (with foot supports and headrest adjusted to middle positions)	
- at 0° tilt and standard foot supports	42"
- at 25°	52"
Clearance Height (under seat)	with 6" casters
- with pan brackets	17.75"-18.75"
- without pan brackets	18.5"-19.5"
Arm Support Height - above molded seat	9.25"
Seat-to-Floor Height (with molded seat)	22.25"
Back Height (Molded Seat to top of upholstery)	20"
Product Weight (with 22"W seat frame)	84 lbs
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)