



Dealer / Locatio	n:T:F:	
PO# / Client:	Contact: Email:	
able stainless-st	dant Tilt Mobile Shower Commode Chair with 40° tilt range, head support fixture with small pad, he eel frame, flip-up padded arm supports, foot supports, four dual-locking 5" (125mm) casters and conacity 400 lbs. See our Evaluation and Medical Justification Form.	
1. Chair Codes	by size – Must Choose One	
Z300S18	Raz-AT w/ 18"W seat and base frame – Standard size, fits over most toilets ¹	\$3,675
Z300S*	Non-Standard Width Raz-AT – Must add upcharge for custom width: see below * add custom width to complete code (16" / 20" / 22" / 24") – Adjusta-Back must be selected for all custom widths [Sec.6]	\$3,675
	Z3SW16 Upcharge for custom 16"W seat and base frame ² – will not fit over most toilets	\$665
	Z3SW20 Upcharge for custom 20"W seat and base frame ³	\$665
	Z3SW22 Upcharge for custom 22"W seat and base frame ⁴	\$775
	Z3SW24 Upcharge for custom 24"W seat and base frame ⁴	\$875
³ 18"W seats can	erface seats can be modified to fit. be selected but must also select Seat Support Adapter Kit ZSSKT [Sec.2] sco Foam Interface HD seat can be modified to fit. Seat Support Kit (ZSSKT) required for 24"W seat frame.	
Custom Seat / B	ase Frame Length and Seat Height	
Z3LNGSF3	Upcharge for custom 3"Longer Seat Frame: required for seats ≥ 21"D	\$665
Z3LNGBF3	Upcharge for custom 3"Longer Base Frame: required for seats ≥ 22"D (typically used in	\$665

2. Seats – Standard

Z3LOWF5

conjunction with Z3SFL3)

aru				
ickness ~2.5"-3")		Visco-Foam Interf	ace Seats (thickness ~3.5")	
18"W x 17"D – Front Access	Standard	ZVFI17BRI	18"W x 17"D – Front Bridged	\$475
18"W x 17"D – Front Bridged	N/C	ZVFI17FRO	18"W x 17"D – Front Access	\$475
18"W x 20"D – Front Access	\$150	ZVFI17LTO	18"W x 17"D – Left Access	\$475
18"W x 20"D – Front Bridged	\$150	ZVFI17RTO	18"W x 17"D – Right Access	\$475
		ZVFI17RRO	18"W x 17"D – Rear Access	\$475
Shower-Only Seat – Molded	\$440	ZVFI20BRI	18"W x 20"D – Front Bridged	\$545
		ZVFI20FRO	18"W x 20"D – Front Access	\$545
•	\$215	ZVFI20LTO	18"W x 20"D – Left Access	\$545
	¢020	ZVFI20RTO	18"W x 20"D – Right Access	\$545
Front Access Notched at rear to maintain fore/aft adjustment range (IPAS) – 22"W frame	\$930	ZVFI20RRO	18"W x 20"D – Rear Access	\$545
	18"W x 17"D – Front Access 18"W x 17"D – Front Bridged 18"W x 20"D – Front Access 18"W x 20"D – Front Bridged Shower-Only Seat – Molded 18"W x 16"-21"D E&J Replica Seat – Molded - 18"W x 17"D 23"W x 18"D HD – Visco Foam – Front Access Notched at rear to maintain fore/aft adjustment	ickness ~2.5"-3") 18"W x 17"D – Front Access Standard 18"W x 17"D – Front Bridged N/C 18"W x 20"D – Front Access \$150 18"W x 20"D – Front Bridged \$150 Shower-Only Seat – Molded \$440 18"W x 16"-21"D E&J Replica Seat – Molded \$215 – 18"W x 17"D 23"W x 18"D HD – Visco Foam – Front Access Notched at rear to maintain fore/aft adjustment	ickness ~2.5"-3") 18"W x 17"D – Front Access Standard ZVFI17BRI 18"W x 17"D – Front Bridged N/C 18"W x 20"D – Front Access \$150 ZVFI17LTO 18"W x 20"D – Front Bridged \$150 ZVFI17RTO 2VFI17RRO Shower-Only Seat – Molded \$440 ZVFI20BRI 18"W x 16"-21"D ZVFI20FRO E&J Replica Seat – Molded \$215 ZVFI20LTO 23"W x 18"D HD – Visco Foam – Front Access Notched at rear to maintain fore/aft adjustment	ickness ~2.5"-3")Visco-Foam Interface Seats (thickness ~3.5")18"W x 17"D – Front AccessStandardZVFI17BRI18"W x 17"D – Front Bridged18"W x 20"D – Front Access\$150ZVFI17LTO18"W x 17"D – Left Access18"W x 20"D – Front Bridged\$150ZVFI17RTO18"W x 17"D – Right Access18"W x 10"D – Front Bridged\$150ZVFI17RRO18"W x 17"D – Rear AccessShower-Only Seat – Molded 18"W x 16"-21"D\$440ZVFI20BRI ZVFI20FRO18"W x 20"D – Front BridgedE&J Replica Seat – Molded - 18"W x 17"D\$215 ZVFI20LTOZVFI20LTO 18"W x 20"D – Left Access23"W x 18"D HD – Visco Foam – Front Access Notched at rear to maintain fore/aft adjustment\$930 ZVFI20RRO18"W x 20"D – Rear Access

Upcharge for custom Super-Low Frame (5" lower) – height adjustment range (molded seat): 16"-20"1

¹ To lower height adjustment range by 1" (15"-19"), select 4" caster upgrade option ZCUT4 (will not fit over most toilets)



\$665

3. Seats - Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.

ZCSEAT	Custom Seat (enter specs below) Select if both width and depth are ≤ 21"	\$1145
ZCEJR	Custom E&J Replica Seat (enter specs below) Select if both width and depth are ≤ 21"	\$1305
ZCSEATHD	Heavy Duty Custom Seats (enter specs below) Select if width and/or depth is ≥ 22"	\$1485

Custom Specifications (for above custom seats)

Seat Frame Width: __ 16"/18"/20"/22"/24"

__ 16"/18"/20"/22"/24" (cannot be more than 2" wider than seat frame width) Custom Seat Width:

 $15'' / 16'' / 17'' / 18'' / 19'' / 20'' / 21'' / 22'' / 23'' / 24'' [<math>\geq 21''$ requires Longer Frame (Z3SFL3)] Custom Seat Depth:

Access Opening: __ FR - Front / LT - Left / RT - Right / RR - Rear / BR - Bridged

__ 2.5" / 3.0" / 3.5" / 4.0" / 4.5" / 5.0" (3.5"W is standard) Access Opening Width:

__ 3.0"-8.0" (6.5" recommended) – enter "NA" if aperture is not required Aperture Width:

Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.

Custom Seat width should not be narrower than frame width.

Custom Seat can be up to 2" wider than seat frame width to provide additional thigh support without ordering wider chair frame.

The Ischial Pelvic Alignment System (IPAS) allows 2" fore/aft adjustment of the seat (seat depth and aperture position) on all seats.

Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, etc.

4. Seat Options

ZSSKT	Seat Support Kit for Raz-AT	\$160	ZGSB _ * Custom Seat Bracket Spacers – for \$325
	(to support seats that are narrower		adding dump angle (pr)
	than seat frames)		Specify additional height at front of
			seat to complete code (0.5"/1.0"/1.5")

5. Fixed Back Frames (18"W only)

This is called a "Fixed" Back because the arm supports are not adjustable in height. Includes molded, vinyl back support, fixed-height flip-up padded arm supports, back angle adjustment (85°/90°/95°) with cane-style posts. Back height is measured from top of molded seat to top of back upholstery. Hip Adductors [ZHP1/2] are not compatible with Fixed Back.

ZFB1818 Fixed Back – 18"W x 18"H^{1,2} Standard

2 of 7



6. Adjusta-Back Frames

Includes height- and angle-adjustable arms with Armrest Lock Kit (ZALK), tension-adjustable back upholstery, flip-up padded arm supports, back angle adjustment (85°/90°/95°). Back heights of 15"/17"/20" include cane-style posts, on which back upholstery can be positioned 2.5" higher than nominal height indicated below. e.g. 20"H can be moved up to 22.5"H. 24"H Adjusta-Back includes straight posts, on which the upholstery cannot be raised.

Standard Width Adjust-Backs (18"W) Non-Standard Width Adjusta-Backs						
ZAB1815	Adjusta-Back – 15"H	\$275	* Complete Adjust	a-Back order code by adding desired back f //24") Note: 18" is the standard width.	rame	
ZAB1817	Adjusta-Back – 17″H	\$275	ZAB 15*	Adjusta-Back – 15"H non-std width	\$275	
ZAB1820	Adjusta-Back – 20"H	\$355	ZAB 17 *	Adjusta-Back – 17"H non-std width	\$275	
ZAB1824	Adjusta-Back – 24"H	\$405	ZAB 20 *	Adjusta-Back – 20"H non-std width	\$355	
ZDTL	Dual Triggers – both on left side ¹	N/C	ZAB 24 *	Adjusta-Back – 24"H non-std width	\$405	
ZDTR	Dual Triggers – both on right side ¹	N/C	ZRBT 20*	Reclining Adjusta-Back ² 30° recline,	\$1,270	
ZRBT1820	Reclining Adjusta-Back ² 30° recline, 20" back height with 2-Point	\$1,270		20" back height with 2-Point Reclining Arms (tilt is limited to 25°)	¥ ./= / C	
	Reclining Arms (tilt is limited to 25°)		ZRBT 24*	Reclining Adjusta-Back ² 30° recline,	\$1,330	
ZRBT1824	Reclining Adjusta-Back ² 30° recline, 24" back height with 2-Point Reclining Arms (tilt is limited to 25°)	\$1,330		24" back height with 2-Point Reclining Arms (tilt is limited to 25°)	, , , , ,	
	neclining Aims (tilt is limited to 25)					

 $^{^1}$ Dual Tilt Triggers option positions both triggers on one side, allowing for single-handed activation. Available for all back widths.

7. Custom Back Frame Widths Different From Seat Frames – Must choose back frame [Sec.5] (configurations below are not available for recliner backs)

ZNB *		\$380	Seat Frame Width	16" ¹	18″²	20″³	22" ⁴	24" ⁵	
	Seat Frame		Back Frame Width	14"	16"	18"	20"	22"	
	frame widths to complete code. e.g. ZNB2018 frame with an 18"W back frame								
ZNB *	Custom Back – 4" Narrower than	\$490	Seat Frame Width	N/A	18″¹	20″³	22" ⁴	24″ ⁵	
	Seat Frame – requires custom seat		Back Frame Width	N/A	14"	16"	18"	20"	
	frame widths to complete code. s a 20"W seat frame with a 16"W back frame								
ZWB *	Custom Back – 2" Wider than Seat Frame	\$440	Seat Frame Width	16"	18"	20″³	22″ ⁶	N/A	
	frame widths to complete code.		Back Frame Width	18"	20"	22"	24"	N/A	
eg. ZWB1820 specifies an 18"W seat frame with a 20"W back frame			Consider also using Arm as another solution for p between the arms.				(10)		

¹ Requires Custom Seat



²On reclining backs, dual triggers for recline are mounted on the left side and for tilt on the right side.

² Compatible with all 18"W seats but with reduced seat depth range. Also compatible with Custom or modified Visco-Foam Interface seats.

³ Custom Seat recommended. Also compatible with all 18"W seats, requires Seat Support Kit ZSSKT [Sec.2]

⁴Custom Seat recommended. Also compatible with modified ZVFI23FRO (18" seat depth with limited adjustability).

⁵Custom Seat recommended. Compatible with modified ZVFl23FRON (18" seat depth with limited adjustability, requires Seat Support Kit (ZSSKT) [Sec.2] and modified ZVFl26FRO (18" seat depth with limited adjustability).

⁶ Custom Seat recommended. Also compatible with ZVFI23FRO (18" seat depth).

8. Back Support Options – These back supports replace the standard, tension-adjustable upholstery and are recommended for infection-control environments.

ZSB14	14"W Symphony Back ¹ – recessed solid back	\$325	· ·	25
ZSB16	16"W Symphony Back ¹ – recessed solid back	\$325	 – 18"W x 13"H) Fits 17" or 20" back heights, 18"W back frames only 	
ZSB18	18"W Symphony Back ¹ – recessed solid back	\$325	18 W back frames only	
ZSB20	20"W Symphony Back ¹ – recessed solid back	\$440		
ZSB22	22"W Symphony Back ¹ – recessed solid back	\$510		
ZSB24	24"W Symphony Back ¹ – recessed solid back	\$535	¹ Not compatible with 15"H back – all Symphony Back panels are 13"H	
ZSB26	26"W Symphony Back ¹ – recessed solid back	\$555		

9. Arm Supports and Accessories

ZARML	Flip-Up Arm Supports – 13"L pad (pr)	Std	ZPAML	Pivoting Arm Mount – Left	\$185
ZALK	Arm Support Lock Kit (for ZFB1818) (pr)	\$86		(For ZFAPLL/ZTRL)	
Z2PLT	2-Point Flip-up Arm Supports ¹ (pr) (standard with reclining backs)	\$505	ZPAMR	Pivoting Arm Mount – Right (for ZFAPLR/ ZTRR)	\$185
ZFAPLL	Long Molded Flat Armpad ² – Left (14"L x 3.25"W)	\$90	ZASK05	Arm Support Spacer Kit – 1/2" per side (pr)(For Adjusta-backs)	\$69
ZFAPLR	Long Molded Flat Armpad ² – Right (14"L x 3.25"W)	\$90	ZASK10	Arm Support Spacer Kit – 1" per side (pr)(For Adjusta-backs)	\$130
770	•	ć125	ZPHGL	Pivoting Hand Grips (pr)	\$440
ZTRL	Molded Arm Trough ² – Left (18.5″L x 4.5″W)	\$125	ZAPSB*	Anterior Posture Support Bar * Enter back frame width to complete	\$215
ZTRR	Molded Arm Trough ² – Right	\$125		code (14"/16"/18") ^{3,4}	
1 Fow chairs with	(18.5"L x 4.5"W)		ZAPSB*	Anterior Posture Support Bar * Enter back frame width to complete code (20"/22"/24") ^{3,4}	\$250
² May require Z	¹ For chairs with same back width and frame width only ² May require ZPAM for arm support to flip up and/or for lateral supports to swing away		³ Not available with Z ⁴ Special length requi	FL / ZTR red with ZASK05 (+1") and ZASK10 (+2").	



10. Foot and Leg Supports – Standard Foot Supports (ZFS) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support.

	ZFS	Foot Supports 16"-20.5" (pr)	Std	ZELRL	Elevating Leg Support ³ – Left	\$545
	ZFS16	Foot Supports for 16"W frames	N/C		(includes ZADML)	
		16"-20.5" (pr)		ZELRR	Elevating Leg Support ³ – Right	\$545
	ZFET2	Footrest Extension Tubes – 2" longer ¹ (pr)	\$59		(includes ZADMR)	
	ZMFX8	MFX8 Foot Supports 8"-12" (pr)	\$115	ZFOR	Forward Offset Foot Support Receiver (ea) Moves Foot support forward 2.5"	\$135
	ZMFX12	MFX12 Foot Supports 12"-16.5" (pr)	\$115		to accommodate deeper seats (19" or deeper) Specify 1 or 2	
	ZADM	Angle/Depth Adj Molded Footplates ² (pr)	\$215	ZRLSL	Universal Residual Limb Support – Left	\$215
	ZFET2A	Footrest Extension Tubes for ZADM (pr) (2" longer)	\$59	ZRLSR	Universal Residual Limb Support – Right	\$215
	ZADABS16	Angle/Depth Adj ABS Footplates (pr) For 16"W frames	\$215		ngn	
	ZVS	V-Style Foot Support (1-piece) – for 16"/18"W base frames	\$325			
	ZVS*	V-Style Foot Support (1-piece) * Enter frame width to complete code (20" / 22" / 24")	\$360			
	ZFBT	Flip-Back Foot Support (1-piece) with calf pads	\$505			
1.6	- 4 4 ! -	::L 7845V12 / 78584 / 7VC / 7558C		³ 7FI RI /R compa	atible with frame widths ≥ 18" and adjusted se	at
	•	rith ZMFX12 / ZADM / ZVS / ZFBAS rith Z300516 or ZMFX8		•	≤ 21" w/ 3" longer seat frames (Z3LNGSF3)	.uc

11. Foot and Leg Support Accessories

	eg support Accessories				
ZFSLK	Foot Support Lock (pr)	\$105	ZAHL	Adjustable Heel Loops (pr) – not available for ZVS / ZFBT	\$69
ZCS*	Snap-On Calf Strap – Bodypoint Aeromesh * Enter seat frame width to complete coc (16"/18"/20"/22"/24")		ZNC	Neoprene Covers for Standard Footplates (Each Per Side)	\$51
ZCSIC*	Calf Strap, Snap-On – Infection Control * Enter seat frame width to complete	\$140	ZNC16	Neoprene Covers for narrow molded footplates (Each Per Side)	\$51
	code (16" / 18")		ZNCA	Neoprene Covers for Angle/Depth Adj	\$51
ZCSIC22	Snap-On Infection Control Calf Strap – 20"/22"W frames	\$160	ZNCABS16	Molded Footplates (Each Per Side) Neoprene Covers for ABS Adj Angle/	\$51
ZCPL	Calf Panel – Bodypoint ¹ Fits frame widths 16" / 18" / 20"	\$200		Depth Footplates Z7ADABS (Each Per Side)	
	Fits frame widths 16 / 18 / 20		ZLMOR	Lateral / Medial Offset Foot Support	\$90
ZHS1820	H-Strap – for 18" / 20"W frames – hook and loop attachment	\$100		Receiver (ea) – moves foot support 2" laterally or medially. Specify 1 or 2	790
ZHS2224	H-Strap – for 22" / 24"W frames – hook and loop attachment	\$125			
¹ Not compatible v	vith ZMFX12 / ZFBT / ZVS				



12. Positioning Pads

RAZ-AT 09-01-25-CP

	Jimig i das						
ZHSP1	Head Support Pad – Small (10" x 4")	Std	ZLGT1L	Leg Adductor w/ Small Pad1 – Left	\$365		
ZHSP2	Head Support Pad – Large (12" x 6")	\$59	ZLGT1R	Leg Adductor w/ Small Pad ¹ – Right	\$365		
ZOHIP	Lateral Offset Head Support Interface Plate – up to 22° of adjustment	\$86	ZLGT2L	Leg Adductor w/ Large Pad ¹ – Left	\$365		
ZLTS1	•	\$365	ZLGT2R	Leg Adductor w/ Large Pad1 – Right	\$365		
ZLIST	Lateral Thoracic Support w/ Small Pad ^{1,2} – Left	\$303	ZHP1L	Hip Adductor w/ Small Pad ^{1,3} – Left	\$365		
ZLTS1	ZLTS1R Lateral Thoracic Support w/ Small Pad ^{1,2} – Right	\$365	ZHP1R	Hip Adductor w/ Small Pad ^{1,3} – Right	\$365		
			ZHP2L	Hip Adductor w/ Large Pad ^{1,3} – Left	\$365		
ZLTS2	Lateral Thoracic Support w/ Large Pad 1,2	\$365	ZHP2R	Hip Adductor w/ Large Pad ^{1,3} – Right	\$365		
	– Left		ZMTST1	Medial Thigh Support – Small	\$495		
ZLTS2	Lateral Moracle Support W/ Large rad	\$365	ZMTST2	Medial Thigh Support – Large	\$495		
	– Right						
ZLAEP	Lateral/Adductor Extension Plate	\$27	 Adjustable Pad Sizes: Small – 5.5" x 3.5" / Large – 6.75" x 4.3". Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per sic For additional medial offset, specify extension plate. Fits Adjusta-Back only 				

13. Pelvic and Chest Belts - A chest belt should not be used without a pelvic belt

Pelvic Belts			Chest Belts		
ZPBS	Pelvic Belt – Small (frame widths 14"-16", 2-piece w/ side-release buckle)	\$48	ZCBS	Chest Belt ² – Small (back widths 14"-16", 1-piece w/ hook and loop closure)	\$37
ZPBM	Pelvic Belt – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)	\$59	ZCBM	Chest Belt ² – Medium (back widths 16"- 18", 1-piece w/ hook and loop closure)	\$42
ZPBL	Pelvic Belt – Large (frame widths 18"-22", 2-piece w/ side-release buckle)	\$54	ZCBL	Chest Belt ² – Large (back widths 18"- 22", 1-piece w/ hook and loop closure)	\$54
ZPBXL	Pelvic Belt – XLarge (seat frame widths 22"-30", 2-piece w/ side-release buckle)	\$74	ZCBXL	Chest Belt – XLarge ² (back frame widths 22"-30", 1-piece w/ hook and loop	\$ \$69
ZPBICS	Infection Control Pelvic Belt ¹ – Small	\$105		closure)	
	(frame widths 14"-16", 2-piece w/ side-release buckle)		ZCBICS	Infection Control Chest Belt ^{1,2} – Small (back widths 14-16", 1-piece	\$86
ZPBICM	inicetion control refle bet Mediani			w/ side-release buckle)	
	(frame widths 16"-18", 2-piece w/ side-release buckle)		ZCBICM	Infection Control Chest Belt ^{1,2} – Medium (back widths 16"-18", 1-piece	\$86
ZPBICL	Infection Control Pelvic Belt ¹ – Large	\$105		w/ side-release buckle)	
	(frame widths 18"-22", 2-piece w/ side-release buckle)		ZCBICL	Infection Control Chest Belt ^{1,2} – Large (back widths 18"-22", 1-piece	\$96
ZPBICXL	inicetion control civic ben Azarge			w/ side-release buckle)	
	(seat frame widths 22"-30", 2-piece w/ side-release buckle)		ZCBICXL	Infection Control Chest Belt ^{1,2} – XLarge	\$120
ZPBBPS	Pelvic Belt – Bodypoint Aeromesh – Small	\$315		(back frame widths 22"-30", 1-piece w/ side-release buckle)	
ZPBBP_*	Pelvic Belt – Bodypoint Aeromesh * enter size to complete code (M / L)	\$285	ZCBBPS	Chest Belt – Bodypoint Aeromesh – Small	\$350
ZPBBPXL	Pelvic Belt – Bodypoint Aeromesh – XLarge	\$215	ZCBBP_*	Chest Belt – Bodypoint Aeromesh * enter size to complete code (M / L / XL)	\$295

Recommended sizes for	Pelvic belt	ZPBBPS	14"/16"W seat frame	ZPBBPM	16"/18"W seat frame	ZPBBPL	18"-22"W seat frame	ZPBBPXL	22"-26"W seat frame
Bodypoint belts	Chest belt	ZCBBPS	14"/16"W back frame	ZCBBPM	16″/18″W back frame	ZCBBPL	18″/20″W back frame	ZCBBPXL	22″-26"W back frame

¹ Non-absorbent belts – recommended for infection-control environments

²Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided.



14. Other

ZDCLT	Directional Caster Lock – fits on one rear	\$185	ZIHW	Whizard – winged urine deflector ²	\$74
	caster (facilitates steering)		ZBUDBH*	Bard Urine Drainage Bag Holder	\$180
ZATTRR	Rear anti-Tippers for 5" casters (pr)	\$380		* Enter size to complete code	
ZCUT4	4" Caster Upgrade (4x)	\$135		(16"/18"/20"/22"/24")	
ZCUT6	6" Caster Upgrade (4x)	\$385	ZSPKT22	AT Self-Propel Kit with 22" wheels	\$1695
ZPSK1	Commode Pan Spacer Kit ¹ – 1" lower	\$220		 incl anti-tippers (tilt limited to 25°) 	
ZPSK2	Commode Pan Spacer Kit ¹ – 2" lower	\$235	ZSPKT24	AT Self-Propel Kit with 24" wheels – incl anti-tippers (tilt limited to 25°)	\$1695
ZPSK3	Commode Pan Spacer Kit ¹ – 3" lower	\$260			
ZPSK4	Commode Pan Spacer Kit ¹ – 4" lower	\$275			
ZTLS	Tilt Limit Spacers – 1/2" spacers snap onto gas struts to limit tilt (each reduces tilt range approx. 5°. Can be stacked for additional tilt limiting. Quantity	N/C		pacer Kits provide extra clearance for self-ca ces toilet bowl clearance height.	are with
				ng lateral wings that are positioned under ne thighs to keep the Whizard in place.	the

15. Credits and Omissions

Z905	Omit Commode Pan and Mounting Brackets	-\$20	Z911	Omit Molded Head Support Pad	-\$20
Z907	Omit Foot Supports - if no other Foot / Leg Support Option is selected	-\$45	Z912	Omit Complete Head Support Assembly	-\$50

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

Specifications	Raz-AT (Attendant Tilt)				
Weight Capacity	400 lbs				
Overal Width	Seat width plus 4.5" with Standard Arm Pads				
Overall Length (with foot supports and headrest adjus	red to middle positions)				
- at 0° tilt and standard foot supports - at 40°	43" 54"				
Seat Depth	16" or 21" depending on seat/cushion length				
Toilet Clearance Height (under seat) - with pan brackets - without pan brackets	17"-21" (1"increments) 17.75"-21.75 (1"increments)				
Toilet Clearance Width	15.75" for standard 18"W seat frame. For other widths, seat frame width minus 2.25"				
Arm Support Height - above molded seat (1/2" increm	ents)				
- 18"H Fixed Back - standard - 15"H Adjusta-Back - 17"H Adjusta-Back - 20"H Adjusta-Back - 24"H Adjusta-Back	8.5" 5.5"-8.5" (1/2" increments) 6.5"-9.5" (1/2" increments) 7.5"-10.5" (1/2" increments) 7.5"-10.5" (1/2" increments)				
- 20"H Reclining Adjusta-Back - 24"H Reclining Adjusta-Back	7.5"-10.5" (1/2" increments) 7.5"-10.5" (1/2" increments)				
Seat-to-Floor Height (with molded seat)	21"-25" in 1" increments				
Product Weight (with 18"W seat)	61 lbs				
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)				

