

Date: _____

Dealer / Location: _____ T: _____ F: _____

PO# / Client: _____ Contact: _____ Email: _____

Raz-SP – Self Propel Mobile Shower Commode Chair with height-adjustable stainless-steel frame, flip-up padded arm supports, foot supports, 22" or 24" rear wheels, front dual-locking 5" (125mm) casters and commode pan. **User weight capacity 400 lbs.** See our Evaluation and Medical Justification Form.

1. Chair Codes by size – **Must Choose One**

| | | |
|-----------|--|---------|
| Z20018 | Raz-SP w/ 18"W frame – Standard base frame size, will fit over most toilets ¹ | \$2,695 |
| Z200 __ * | Non-Standard Width Raz-SP – Must add upcharge for custom frame width: see below * add custom width to complete code (16/20/22) – Adjusta-Back must be selected for all custom frame widths [Sec.5] | \$2,695 |
| Z2SW16 | Upcharge for custom 16"W frame ² – will not fit over most toilets | \$545 |
| Z2SW20 | Upcharge for custom 20"W frame ³ | \$545 |
| Z2SW22 | Upcharge for custom 22"W frame ⁴ | \$665 |

¹ Fits all 18"W seats
² Visco-Foam Interface seats can be modified to fit.
³ 18"W seats can be selected but must also select Seat Support Adapter Kit ZSSKAS [Sec.2]
⁴ ZVFI23FRON Visco Foam Interface HD seat can be modified to fit. Seat depth range (IPAS) will be 18"-20"

Custom Base Frame Length and Height

| | | |
|---------|--|-------|
| ZLNGF3 | Upcharge – custom 3" Longer Frame recommended for seat depths 20"/21", req for seat depths 21"-24" | \$440 |
| Z2LOWF4 | Upcharge for custom 4" Lower Frame – reduces seat height range to 16"-18" from standard height range of 20"-24" with molded seat – To lower chair by an additional 1" (15"-17"), add 4" caster upgrade option ZCUSP4 [Sec.7] – Compatible only with 22" wheels [Sec.8] | \$545 |

2. Seats – Standard

| Molded Seats (thickness ~2.5"-3") | | | Visco-Foam Interface Seats (thickness ~3.5") | | |
|-----------------------------------|---|----------|--|---|-------|
| ZMS17FRO | 18"W x 17"D – Front Access | Standard | ZVFI17BRI | 18"W x 17"D – Front Bridged | \$475 |
| ZMS17BRI | 18"W x 17"D – Front Bridged | N/C | ZVFI17FRO | 18"W x 17"D – Front Access | \$475 |
| ZMS20FRO | 18"W x 20"D – Front Access | \$145 | ZVFI17LTO | 18"W x 17"D – Left Access | \$475 |
| ZMS20BRI | 18"W x 20"D – Front Bridged | \$145 | ZVFI17RTO | 18"W x 17"D – Right Access | \$475 |
| Specialty Seats | | | ZVFI17RRO | 18"W x 17"D – Rear Access | \$475 |
| ZSOM | Shower-Only Seat – Molded 18"W x 16"-21"D | \$440 | ZVFI20BRI | 18"W x 20"D – Front Bridged | \$545 |
| ZEJRM | E&J Replica Seat – Molded – 18"W x 17"D | \$215 | ZVFI20FRO | 18"W x 20"D – Front Access | \$545 |
| ZVFI23FRON | 23"W x 18"D HD – Visco Foam – Front Access Notched at rear to maintain fore/aft adjustment range (IPAS) – 22"W frame | \$930 | ZVFI20LTO | 18"W x 20"D – Left Access | \$545 |
| | | | ZVFI20RTO | 18"W x 20"D – Right Access | \$545 |
| | | | ZVFI20RRO | 18"W x 20"D – Rear Access | \$545 |
| | | | ZSSKAS | Seat Support Kit for Raz-AP/SP – for seat 2" narrower than seat frame | \$215 |
| | | | ZGSB __ * | Custom Seat Bracket Spacers – for adding dump angle (pr) Specify additional height at front of seat to complete code (0.5"/ 1.0"/1.5") | \$325 |

3. Seats – Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required.

| | | |
|----------|---|--------|
| ZCSEAT | Custom Seat (enter specs below) Select if both width and depth are ≤ 21" | \$1145 |
| ZCEJR | Custom E&J Replica Seat (enter specs below) Select if both width and depth are ≤ 21" | \$1305 |
| ZCSEATHD | Heavy Duty Custom Seats (enter specs below) Select if width and/or depth is ≥ 22" | \$1485 |

Custom Specifications (for above custom seats)

| | |
|-----------------------|--|
| Seat Frame Width: | __ 16" / 18" / 20" / 22" |
| Custom Seat Width: | __ 16" / 18" / 20" / 22" / 24" (cannot be more than 2" wider than frame width) |
| Custom Seat Depth: | __ 15" / 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" [≥ 21" requires Long Frame (Z2LNGF3)] |
| Access Opening: | __ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged |
| Access Opening Width: | __ 2.5" / 3.0" / 3.5" / 4.0" / 4.5" / 5.0" (3.5"W is standard) |
| Aperture Width: | __ 3.0"-8.0" (6.5" recommended) – enter "NA" if aperture is not required |

- Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.
- Custom Seat width should not be narrower than frame width.
- Custom Seat can be up to 2" wider than seat frame width to provide additional thigh support without ordering wider chair frame.
- The Ischial Pelvic Alignment System (IPAS) allows 2" fore/aft adjustment of the seat (seat depth and aperture position) on all seats.
- Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, etc.

4. Fixed Back Frames (18"W only)

This is called a "Fixed" Back because the arm supports are not adjustable in height. Includes molded, vinyl back support, fixed-height flip-up padded arm supports, back angle adjustment (85°/90°/95°) with cane-style posts. Back height is measured from top of molded seat to top of back upholstery. Hip Adductors [ZHP1/2] are not compatible with Fixed Back.

ZFB1818 Fixed Back – 18"W x 18"H

Standard


5. Adjusta-Back Frames

Includes height- and angle-adjustable arms with Armrest Lock Kit (ZALK), tension-adjustable back upholstery, flip-up padded arm supports, back angle adjustment (85°/90°/95°). Back heights of 15"/17"/20" include cane-style posts, on which back upholstery can be positioned 2.5" higher than nominal height indicated below. e.g. 20"H can be moved up to 22.5"H. The 24"H Adjusta-Back includes straight posts, on which the upholstery cannot be raised.

| Standard Width Adjusta-Backs (18"W) | | | Non-Standard Width Adjusta-Backs | | |
|-------------------------------------|--|--------|--|--|--------|
| | | | * Complete Adjusta-Back order code by adding desired back frame width (16"/20"/22") Note: 18" is the standard width. | | |
| ZAB1815 | Adjusta-Back – 15"H | \$275 | ZAB __ 15* | Adjusta-Back – 15"H non-std width | \$275 |
| ZAB1817 | Adjusta-Back – 17"H | \$275 | ZAB __ 17* | Adjusta-Back – 17"H non-std width | \$275 |
| ZAB1820 | Adjusta-Back – 20"H | \$355 | ZAB __ 20* | Adjusta-Back – 20"H non-std width | \$355 |
| ZAB1824 | Adjusta-Back – 24"H | \$405 | ZAB __ 24* | Adjusta-Back – 24"H non-std width | \$405 |
| ZRBS1820 | Reclining Adjusta-Back 30° recline, 20" back height with 2-Point Reclining Arms (incl Rear Anti-tippers, but not Head Support) | \$1270 | ZRBS __ 20* | Reclining Adjusta-Back 30° recline, 20" back height with 2-Point Reclining Arms (incl Rear Anti-tippers, but not Head Support) | \$1270 |
| ZRBS1824 | Reclining Adjusta-Back 30° recline, 24" back height with 2-Point Reclining Arms (incl Rear Anti-tippers but not Head Support) | \$1330 | ZRBS __ 24* | Reclining Adjusta-Back 30° recline, 24" back height with 2-Point Reclining Arms (incl Rear Anti-tippers but not Head Support) | \$1330 |

6. Custom Back Frame Width Narrower Than Chair Frame Width – Must choose back frame [Sec.5] (configurations below are not available for recliner backs)

NOTE: For back frame width variances on recliner frames, please request custom quotation.

| | | | | | | | | |
|---|---|-------|---|------------------|------------------|------------------|------------------|---|
| ZNB__ __ * | Custom Back Frame 2" Narrower than base frame | \$380 | Base Frame Width | 16" ¹ | 18" ² | 20" ³ | 22" ⁴ |  |
| * Enter base and back frame widths to complete code. eg. ZNB2018 specifies a 20"W chair frame with an 18"W back frame | | | Back Frame Width | 14" | 16" | 18" | 20" | |
| | | | Consider also using Arm Spacer Kit as another solution for providing more width between the arms. | | | | | |

¹ Requires Custom Seat
² Compatible with all 18"W seats but with reduced seat depth range. Also compatible with Custom or modified Visco-Foam Interface seats.
³ Custom Seat recommended. Also compatible with all 18"W seats with Seat Support Kit ZSSKAS [Sec.2].
⁴ Custom Seat recommended. Also compatible with modified ZVFI23FRON (18" seat depth with limited adjustability)

7. Back Support Options – These back supports replace the standard, tension-adjustable upholstery and are recommended for infection-control environments.

| | | | | |
|-------|---|-------|---|-------|
| ZSB14 | 14"W Symphony Back ¹ – recessed solid back | \$325 | ZHB Harmony Back ² (contoured solid back – 18"W x 13"H) Fits 17" or 20" back heights, 18"W back widths only | \$325 |
| ZSB16 | 16"W Symphony Back ¹ – recessed solid back | \$325 | | |
| ZSB18 | 18"W Symphony Back ¹ – recessed solid back | \$325 | | |
| ZSB20 | 20"W Symphony Back ¹ – recessed solid back | \$440 | | |
| ZSB22 | 22"W Symphony Back ¹ – recessed solid back | \$510 | | |
| | | | ¹ Not compatible w/ 15" back height – Symphony Back panels are 13"H ² Not compatible w/ 15" and 24" back heights. Not recommended for reclining backs. | |

8. Rear Wheel, Caster Options and Anti-Tippers

| | | | | | |
|-----------|---|-------|--------|--|-------|
| ZRW22 | 22" Diameter Wheels w/ Textured Handrims | Std | ZQRSP | Quick-Release Axles (pr) | \$59 |
| ZRW24 | 24" Diameter Wheels w/ Textured Handrims | N/C | ZCSLSP | User-Actuated Front Directional Caster Locks w/ extension handles (pr) | \$545 |
| ZWLE | Wheel Lock with Extensions (pr) | \$86 | ZCUSP4 | 4" Caster Upgrade affects STF range (2x) | \$69 |
| ZATSPRR | Rear Anti-Tippers for regular frame ¹ (pr) | \$130 | ZVH22 | Vinyl-Coated Handrims for 22" (pr) | \$435 |
| ZATSPLWRR | Rear Anti-Tippers for low frame (pr) Z2LOWF4 | \$130 | ZVH24 | Vinyl-Coated Handrims for 24" (pr) | \$470 |
| ZATAS | Front Anti-Tippers for 5" casters (pr) | \$380 | ZPH22 | Vertical Projection Handrims – 22" (pr) | \$775 |
| | | | ZPH24 | Vertical Projection Handrims – 24" (pr) | \$775 |

9. Arm Supports and Accessories

| | | | | | |
|--------|--|-------|------------|---|-------|
| ZARML | Flip-Up Arm Supports – 13"L pad (pr) | Std | ZPAML | Pivoting Arm Mount ³ – Left | \$185 |
| ZARMS | Flip-Up Arm Supports – 10"L pad (pr) (not compatible with ZFAPL/ZFAPS/ZTR/ ZPAM) | N/C | ZPAMR | Pivoting Arm Mount ³ – Right | \$185 |
| ZALK | Arm Support Lock Kit (for ZFB1818) (pr) | \$86 | ZASK05 | Arm Support Spacer Kit – 1/2" per side (pr) | \$69 |
| Z2PSAS | 2-Point Flip-up Arm Supports ¹ Long (pr) (standard with reclining backs) | \$505 | ZASK10 | Arm Support Spacer Kit – 1" per side (pr) | \$130 |
| ZFAPLL | Long Molded Flat Armpad ² – Left (14"L x 3.25"W, fits ZARM13) | \$90 | ZPHGL | Pivoting Hand Grips (pr) | \$440 |
| ZFAPLR | Long Molded Flat Armpad ² – Right (14"L x 3.25"W, fits ZARM13) | \$90 | ZAPSB __ * | Anterior Posture Support Bar * Enter back frame width to complete code (14"/16"/18") ^{3, 4, 5} | \$215 |
| ZFAPSL | Short Molded Flat Armpad – Left (10"L x 3"W, fits ZARM10) | \$90 | ZAPSB __ * | Anterior Posture Support Bar * Enter back frame width to complete code (20"/22") ^{3, 4, 5} | \$250 |
| ZFAPSR | Short Molded Flat Armpad – Right (10"L x 3"W, fits ZARM10) | \$90 | | | |
| ZTRL | Molded Arm Trough ² – Left (18.5"L x 4.5"W, fits ZARM13) | \$125 | | | |
| ZTRR | Molded Arm Trough ² – Right (18.5"L x 4.5"W, fits ZARM13) | \$125 | | | |

¹ For chairs with same back width and frame width only

² May require ZPAM for arm support to flip up and/or for lateral supports to swing away

³ Not compatible with ZARMS

⁴ Not compatible with ZFAPL/ZFAPS/ZTR

⁵ Special length required with ZASK05 (+1") and ZASK10 (+2")

10. Foot and Leg Supports – Standard Foot Supports (ZFS) are included with the chair. The selection of any Foot / Leg Support Option below automatically replaces the relevant Standard Foot Support. e.g. By selecting Elevating Leg Support – Left (ZELRL), the chair will be supplied with one Foot Support (ZFS) on the right side and a ZELRL on the left side.

| | | | | | |
|----------|---|-------|---------|---|-------|
| ZFS | Foot Supports 16"-20.5" (pr) | Std | ZELRL | Elevating Leg Support ³ – Left (includes ZADM) | \$545 |
| ZFS16 | Foot Supports for 16"W frames 16"-20.5" (pr) | N/C | ZELRR | Elevating Leg Support ³ – Right (includes ZADM) | \$545 |
| ZFET2 | Footrest Extension Tubes – 2" longer ¹ (pr) | \$59 | ZFOR | Forward Offset Foot Support Receiver (ea) Moves Foot support forward 2.5" to accommodate deeper seats (19" or deeper) Specify 1 or 2 | \$135 |
| ZMFX8 | MFX8 Foot Supports 8"-12" (pr) | \$115 | ZRLSL | Universal Residual Limb Support – Left | \$215 |
| ZMFX12 | MFX12 Foot Supports 12"-16.5" (pr) | \$115 | ZRLSR | Universal Residual Limb Support – Right | \$215 |
| ZADM | Angle/Depth Adj Molded Footplates ² (pr) | \$215 | ZMTSAS1 | Medial thigh support pommel - Small | \$665 |
| ZFET2A | Footrest Extension Tubes for ZADM (pr) (2" longer) | \$59 | ZMTSAS2 | Medial thigh support pommel - Large | \$665 |
| ZADABS16 | Angle/Depth Adj ABS Footplates (pr) For 16"W frames | \$215 | | | |
| ZVS | V-Style Foot Support (1-piece) – for 16" / 18"W base frames | \$325 | | | |
| ZVS __ * | V-Style Foot Support (1-piece) * Enter frame width to complete code (20" / 22" / 24") | \$360 | | | |
| ZFBT | Flip-Back Foot Support (1-piece) with calf pads | \$505 | | | |

¹ Not compatible with ZMFX12 / ZADM / ZVS / ZFBAS

² Not compatible with Z300S16 or ZMFX8

³ ZELRL/R compatible with frame widths ≥ 18" and adjusted seat depths ≤ 18" or ≤ 21" w/ 3" longer seat frames (Z3LNGSF3)

11. Foot and Leg Support Accessories

| | | | | | |
|---|---|-------|----------|---|------|
| ZFSLK | Foot Support Lock (pr) | \$105 | ZAHL | Adjustable Heel Loops (pr) – not available for ZVS / ZFBT | \$69 |
| ZCS __ * | Snap-On Calf Strap – Bodypoint Aeromesh * Enter seat frame width to complete code (16"/18"/20"/22"/24") | \$150 | ZNC | Neoprene Covers for Standard Footplates (Each Per Side) | \$51 |
| ZCSIC __ * | Calf Strap, Snap-On – Infection Control * Enter seat frame width to complete code (16" / 18" / 20") | \$140 | ZNC16 | Neoprene Covers for narrow molded footplates (Each Per Side) | \$51 |
| ZCSIC22 | Snap-On Infection Control Calf Strap – 22"W frames | \$160 | ZNCA | Neoprene Covers for Angle/Depth Adj Molded Footplates (Each Per Side) | \$51 |
| ZCPL | Calf Panel – Bodypoint ¹ Fits frame widths 16" / 18" | \$200 | ZNCABS16 | Neoprene Covers for ABS Adj Angle/ Depth Footplates Z7ADABS (Each Per Side) | \$51 |
| ZHS1820 | H-Strap – for 18" / 20"W frames – hook and loop attachment | \$100 | ZLMOR | Lateral / Medial Offset Foot Support Receiver (ea) – moves foot support 2" laterally or medially. Specify 1 or 2 __ | \$90 |
| ZHS2224 | H-Strap – for 22" / 24"W frames – hook and loop attachment | \$125 | | | |
| ¹ Not compatible with ZMFX8 / ZFBT / ZVS | | | | | |

12. Positioning Pads

| | | | | | |
|--------|---|-------|--|--|-------|
| ZHSAS1 | Head Support w/ Small Pad (10" x 4") | \$545 | ZLGAS1L | Leg Adductor w/ Small Pad ¹ – Left | \$365 |
| ZHSAS2 | Head Support w/ Large Pad (12" x 6") | \$605 | ZLGAS1R | Leg Adductor w/ Small Pad ¹ – Right | \$365 |
| ZOHIP | Lateral Offset Head Support Interface Plate– up to 22° of adjustment | \$86 | ZLGAS2L | Leg Adductor w/ Large Pad ¹ – Left | \$365 |
| ZLTS1L | Lateral Thoracic Support w/ Small Pad ^{1,2} – Left | \$365 | ZLGAS2R | Leg Adductor w/ Large Pad ¹ – Right | \$365 |
| ZLTS1R | Lateral Thoracic Support w/ Small Pad ^{1,2} – Right | \$365 | ZHP1L | Hip Adductor w/ Small Pad ^{1,3} – Left | \$365 |
| ZLTS2L | Lateral Thoracic Support w/ Large Pad ^{1,2} – Left | \$365 | ZHP1R | Hip Adductor w/ Small Pad ^{1,3} – Right | \$365 |
| ZLTS2R | Lateral Thoracic Support w/ Large Pad ^{1,2} – Right | \$365 | ZHP2L | Hip Adductor w/ Large Pad ^{1,3} – Left | \$365 |
| ZLAEP | Lateral/Adductor Extension Plate (5.5" x 3.5") | \$27 | ZHP2R | Hip Adductor w/ Large Pad ^{1,3} – Right | \$365 |
| | | | ¹ Adjustable Pad Sizes: Small – 5.5"x 3.5" / Large – 6.75" x 4.3". ² Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify ZLAEP extension plate. ³ Fits Adjusta-Back only | | |

13. Pelvic and Chest Belts – A chest belt should not be used without a pelvic belt

| Pelvic Belts | | | | Chest Belts | | | | | |
|---|--|--------|---------------------|-------------|---|---------|----------------------|----------|---------------------|
| ZPBS | Pelvic Belt – Small (frame widths 14"-16", 2-piece w/ side-release buckle) | | \$48 | ZCBS | Chest Belt ² – Small (frame widths 14"-16", 1-piece w/ hook and loop closure) | | \$37 | | |
| ZPBM | Pelvic Belt – Medium (frame widths 16"-18", 2-piece w/ side-release buckle) | | \$59 | ZCBM | Chest Belt ² – Medium (frame widths 16"-18", 1-piece w/ hook and loop closure) | | \$42 | | |
| ZPBL | Pelvic Belt – Large (frame widths 18"-22", 2-piece w/ side-release buckle) | | \$54 | ZCBL | Chest Belt ² – Large (frame widths 18"-22", 1-piece w/ hook and loop closure) | | \$54 | | |
| ZPBXL | Pelvic Belt – XLarge (frame widths 22"-30", 2-piece w/ side-release buckle) | | \$74 | ZCBXL | Chest Belt ² – XLarge (frame widths 22"-30", 1-piece w/ hook and loop closure) | | \$69 | | |
| ZPBICS | Infection Control Pelvic Belt ¹ – Small (frame widths 14"-16", 2-piece w/ side-release buckle) | | \$105 | ZCBICS | Infection Control Chest Belt ^{1,2} – Small (frame widths 14"-16", 1-piece w/ side-release buckle) | | \$86 | | |
| ZPBICM | Infection Control Pelvic Belt ¹ – Medium (frame widths 16"-18", 2-piece w/ side-release buckle) | | \$105 | ZCBICM | Infection Control Chest Belt ^{1,2} – Medium (frame widths 16"-18", 1-piece w/ side-release buckle) | | \$83 | | |
| ZPBICL | Infection Control Pelvic Belt ¹ – Large (frame widths 18"-22", 2-piece w/ side-release buckle) | | \$105 | ZCBICL | Infection Control Chest Belt ^{1,2} – Large (frame widths 18"-22", 1-piece w/ side-release buckle) | | \$96 | | |
| ZPBICXL | Infection Control Pelvic Belt ¹ – XLarge (frame widths 22"-30", 2-piece w/ side-release buckle) | | \$120 | ZCBICXL | Infection Control Chest Belt ^{1,2} – XLarge (frame widths 22"-30", 1-piece w/ side-release buckle) | | \$120 | | |
| ZPBBPS | Pelvic Belt – Bodypoint Aeromesh – Small | | \$315 | ZCBBPS | Chest Belt – Bodypoint Aeromesh – Small | | \$350 | | |
| ZPBBP__* | Pelvic Belt – Bodypoint Aeromesh * enter size to complete code (M / L) | | \$285 | ZCBBP__* | Chest Belt – Bodypoint Aeromesh * enter size to complete code (M / L / XL) | | \$295 | | |
| ZPBBPXL | Pelvic Belt – Bodypoint Aeromesh – XL | | \$215 | | | | | | |
| Recommended sizes for Bodypoint belts | Pelvic belt | ZPBBPS | 14"/16"W base frame | ZPBBPM | 16"/18"W base frame | ZPBB-PL | 18"-22"W base frame | ZPBB-PXL | 22"-26"W base frame |
| | Chest belt | ZCBBPS | 14"/16"W back frame | ZCBB-PM | 16"/18"W back frame | ZCBB-PL | 18"/20 "W back frame | ZCBB-PXL | 22"-26"W back frame |
| ¹ Non-absorbent belts – recommended for infection-control environments | | | | | | | | | |
| ² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided. | | | | | | | | | |

14. Other

| | | | | | |
|---|--|-------|---|---|-------|
| ZPSK1 | Commode Pan Spacer Kit ² – 1" lower | \$220 | ZIHW | Whizard – winged urine deflector ³ | \$74 |
| ZPSK2 | Commode Pan Spacer Kit ² – 2" lower | \$235 | ZBUDBH__* | Bard Urine Drainage Bag Holder * Enter size to complete code (16" / 18" / 20" / 22") | \$180 |
| ZPSK3 | Commode Pan Spacer Kit ² – 3" lower | \$260 | | | |
| ZPSK4 | Commode Pan Spacer Kit ² – 4" lower | \$275 | | | |
| ¹ Included with Reclining Back Option (Z515SPR/Z520SPR) ² Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Reduces toilet bowl clearance height. | | | ³ Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place. ⁴ Must be held in place | | |

15. Credits and Omissions

| | | | | | |
|------|--|-------|------|--|-------|
| Z905 | Omit Commode Pan and Mounting Brackets | -\$20 | Z907 | Omit Foot Supports - if no other Foot / Leg Support Option is selected | -\$45 |
|------|--|-------|------|--|-------|

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

16. Notes:

| Specifications | Raz-SP (Self Propel) | |
|--|---|-----------------------|
| | 22" wheels | 24" wheels |
| Weight Capacity | 400 lbs | 400 lbs |
| Overall Width | Seat width plus 7.75" | Seat width plus 7.75" |
| Overall Length (foot supports in middle position) | 41" | 42" |
| Seat Depth | 16" or 21" depending on seat/cushion length | |
| Clearance Height (under seat) | | |
| - with pan brackets | 15.25"-19.25" (1" increments) | |
| - without pan brackets | 16"- 20" (1" increments) | |
| Clearance Width (to fit around toilet) – 18"W frame | 16" | 16" |
| Arm Support Height - above molded seat (1/2" increments) | | |
| - 18"H Fixed Back - standard | 8.5" | 8.5" |
| - 15"H Adjusta-Back | 5.5"-8.5" | 5.5"-8.5" |
| - 17"H Adjusta-Back | 6.5"-9.5" | 6.5"-9.5" |
| - 20"H Adjusta-Back | 7.5"-10.5" | 7.5"-10.5" |
| - 24"H Adjusta-Back | 7.5"-10.5" | 7.5"-10.5" |
| - 20"H Reclining Adjusta-Back | 7.5"-10.5" | 7.5"-10.5" |
| - 24"H Reclining Adjusta-Back | 7.5"-10.5" | 7.5"-10.5" |
| Seat-to-Floor Height (with molded seat) | 20"- 24" | 20"-24" |
| Product Weight (with 18"W seat) | 47 lbs | 49 lbs |
| Frame and Hardware Material | Stainless Steel (lifetime warranty against corrosion) | |