

Date: \_\_\_\_\_

Dealer / Location: \_\_\_\_\_ T: \_\_\_\_\_ F: \_\_\_\_\_

PO# / Client: \_\_\_\_\_ Contact: \_\_\_\_\_ Email: \_\_\_\_\_

**Raz-CAT** (Compact Attendant Tilt) Mobile Shower Commode Chair with 40° tilt range, height adjustable stainless steel frame, adjustable seat depth, adjustable back angle, four dual-locking 5"casters, stainless steel head support fixture, molded small head support pad, flip-up padded arm supports, commode pan and foot supports. **User weight capacity 300 lbs.**  
See our [Evaluation and Justification Form](#).

## 1. Chair Codes by Size – Must Choose One


|           |                                                                                                                           |         |
|-----------|---------------------------------------------------------------------------------------------------------------------------|---------|
| Z30318    | Raz-CAT w/ 18"W seat and base frame – standard size, fits over most toilets                                               | \$3,775 |
| Z303 __ * | Non-Standard Width Raz-CAT – Must add upcharge for custom width: see below<br>* add custom width to complete code (16/20) | \$3,775 |
| Z3CSW16   | Upcharge for custom 16"W seat and base frame <sup>1</sup>                                                                 | \$665   |
| Z3CSW20   | Upcharge for custom 20"W seat and base frame <sup>1</sup>                                                                 | \$665   |

<sup>1</sup> Requires custom seat

## 2. Seats – Standard

### Standard CAT Seat – Visco-Foam w/ Tapered Oblong Aperture (thickness ~2.5")

|                                                      |                              |                        |
|------------------------------------------------------|------------------------------|------------------------|
| ZCSC1816                                             | 18"W x 11"-16"D (adjustable) | Standard w/ 18"W frame |
| ZCSC1616                                             | 16"W x 11"-16"D (adjustable) | Standard w/ 16"W frame |
| ZCSC2016                                             | 20"W x 11"-16"D (adjustable) | Standard w/ 20"W frame |
| Set seat depth at: 11" 12" 13" 14" 15" 16"           |                              |                        |
| Standard aperture width: 3.5" at front, 4.5" at rear |                              |                        |



### Other Seats Available – for seat depths of 16" and 17" only – Modified to fit CAT seat frame

| Molded Seats (thickness ~2.5"-3") |                             |     |  | Visco Foam Interface Seats (thickness ~3.5") |                                     |       |
|-----------------------------------|-----------------------------|-----|--|----------------------------------------------|-------------------------------------|-------|
| ZMSC17FRO                         | 18"W x 16"D – Front Access  | N/C |  | ZVFIC17BRI                                   | 18"W x 17"D – Front Bridged         | \$475 |
| ZMSC17BRI                         | 18"W x 16"D – Front Bridged | N/C |  | ZVFIC17FRO                                   | 18"W x 17"D – Front Access          | \$475 |
|                                   |                             |     |  | ZVFIC17LTO                                   | 18"W x 17"D – Left Access           | \$475 |
|                                   |                             |     |  | ZVFIC17RTO                                   | 18"W x 17"D – Right Access          | \$475 |
|                                   |                             |     |  | ZVFIC17RRO                                   | 18"W x 17"D – Rear Access           | \$475 |
|                                   |                             |     |  | ZVFIC17FAR                                   | 18" W x 17" D – Front & Rear Access | \$475 |

### 3. Seats – Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required. 18" is the standard width for CAT seat frames.

|                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                    |        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| ZCSEAT                                                                                                                                                                                                                                                                                                                                                                                                                                  | Custom Seat (enter specs below)                                                                                                                                    | \$1145 |
| Seat Frame Width:                                                                                                                                                                                                                                                                                                                                                                                                                       | __ 16" / 18" / 20"                                                                                                                                                 |        |
| Custom Seat Width:                                                                                                                                                                                                                                                                                                                                                                                                                      | __ 16" / 17" / 18" / 19" / 20"                                                                                                                                     |        |
| Custom Seat Depth:                                                                                                                                                                                                                                                                                                                                                                                                                      | __ 11" / 12" / 13" / 14" / 15" / 16" / 17"                                                                                                                         |        |
| Access Opening:                                                                                                                                                                                                                                                                                                                                                                                                                         | __ FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged                                                                                                  |        |
| Aperture:                                                                                                                                                                                                                                                                                                                                                                                                                               | Tapered Oblong: __"W (at front) __"W (at rear) [standard is 3.5"W at front and 4.5"W at rear]<br>Keyhole: __"W 3.0"-8.0"W – enter "NA" if aperture is not required |        |
| <ul style="list-style-type: none"> <li>Oblong-shaped apertures can be specified in conjunction with any of the access openings listed.</li> <li>The Ischial Pelvic Alignment System (IPAS) allows 2" fore/aft adjustment of the seat (seat depth and aperture position) on all seats.</li> <li>Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas and contouring, etc.</li> </ul> |                                                                                                                                                                    |        |

### 4. Back Frames – for standard 18"W seat frames

(nominal back heights measured from top of molded seat to top of back upholstery)

**Multi-Position Adjusta-Back:** The "Multi-Position" feature allows for fore/aft adjustment of the backrest to provide seat depth adjustability from 11"-16". Includes tension-adjustable vinyl back upholstery, flip-up padded arm supports, back angle adjustment (90°/97°) and cane-style back posts. Back upholstery can be positioned 2.5" higher than factory settings stated below.

#### Back frames for standard 18"W seat frame (Z30318)

|         |                                              |       |         |                                                    |        |
|---------|----------------------------------------------|-------|---------|----------------------------------------------------|--------|
| ZCAB845 | 14" Back Width / 15" Back Height             | N/C   | ZRBC848 | Recliner Back for CAT – 14"W x 18"H <sup>2,3</sup> | \$1100 |
| ZCAB848 | 14" Back Width / 18" Back Height             | \$105 | ZRBC868 | Recliner Back for CAT – 16"W x 18"H <sup>2,3</sup> | \$1100 |
| ZCAB865 | 16" Back Width / 15" Back Height             | N/C   | ZRBC888 | Recliner Back for CAT – 18"W x 18"H <sup>2,3</sup> | \$1100 |
| ZCAB868 | 16" Back Width / 18" Back Height             | \$105 |         |                                                    |        |
| ZCAB885 | 18" Back Width / 15" Back Height             | N/C   |         |                                                    |        |
| ZCAB888 | 18" Back Width / 18" Back Height             | \$105 |         |                                                    |        |
| ZDTL    | Dual Tilt Triggers – left side <sup>1</sup>  | N/C   |         |                                                    |        |
| ZDTR    | Dual Tilt Triggers – right side <sup>1</sup> | N/C   |         |                                                    |        |

<sup>1</sup> Standard trigger configuration for tilt-only is one on each side. Dual Triggers option positions both triggers on one side, allowing for single-handed operation (tilt only).

<sup>2</sup> Standard trigger locations for Raz-CAT with recline are tilt triggers on the right and recline triggers on the left.

<sup>3</sup> Tilt is limited to 25°

### 5. Back Frames for 16"W and 20"W Seat Frames

(back heights measured from top of molded seat to top of back upholstery)

**Multi-Position Adjusta-Back:** The "Multi-Position" feature allows for fore/aft adjustment of the backrest to provide seat depth adjustability from 11"-16". Includes tension-adjustable vinyl back upholstery, back angle adjustment (90°/97°) and flip-up padded arm supports. Back upholstery can be positioned 2.5" higher than factory settings stated below.

| 16"W Seat Frames |                                                    |        | 20"W Seat Frames |                                                    |        |
|------------------|----------------------------------------------------|--------|------------------|----------------------------------------------------|--------|
| ZCAB645          | 14" Back Width / 15" Back Height                   | N/C    | ZCAB065          | 16" Back Width / 15" Back Height                   | N/C    |
| ZCAB648          | 14" Back Width / 18" Back Height                   | \$105  | ZCAB068          | 16" Back Width / 18" Back Height                   | \$105  |
| ZCAB665          | 16" Back Width / 15" Back Height                   | N/C    | ZCAB085          | 18" Back Width / 15" Back Height                   | N/C    |
| ZCAB668          | 16" Back Width / 18" Back Height                   | \$105  | ZCAB088          | 18" Back Width / 18" Back Height                   | \$105  |
| ZRBC648          | Recliner Back for CAT – 14"W x 18"H <sup>2,3</sup> | \$1100 | ZCAB005          | 20" Back Width / 15" Back Height                   | N/C    |
| ZRBC668          | Recliner Back for CAT – 16"W x 18"H <sup>2,3</sup> | \$1100 | ZCAB008          | 20" Back Width / 18" Back Height                   | \$105  |
|                  |                                                    |        | ZRBC088          | Recliner Back for CAT – 18"W x 18"H <sup>2,3</sup> | \$1100 |
|                  |                                                    |        | ZRBC008          | Recliner Back for CAT – 20"W x 18"H <sup>2,3</sup> | \$1100 |
| ZDTL             | Dual Tilt Triggers – left side <sup>1</sup>        | N/C    |                  |                                                    |        |
| ZDTR             | Dual Tilt Triggers – right side <sup>1</sup>       | N/C    |                  |                                                    |        |

<sup>1</sup> Standard trigger configuration for tilt-only is one on each side. Dual Triggers option positions both triggers on one side, allowing for single-handed operation (tilt only).

<sup>2</sup> Standard trigger locations for Raz-CAT with recline are tilt triggers on the right and recline triggers on left

<sup>3</sup> Tilt is limited to 25°

**6. Back Support Options – These back supports replace the tension-adjustable upholstery**  
**(Not compatible with 15”H back frames – all Symphony Back panels are 13”H)**

|       |                                                       |       |
|-------|-------------------------------------------------------|-------|
| ZSB14 | 14”W Symphony Back <sup>1</sup> – recessed solid back | \$325 |
| ZSB16 | 16”W Symphony Back <sup>1</sup> – recessed solid back | \$325 |
| ZSB18 | 18”W Symphony Back <sup>1</sup> – recessed solid back | \$325 |
| ZSB20 | 20”W Symphony Back <sup>1</sup> – recessed solid back | \$440 |

**7. Arm Supports and Accessories**

|        |                                                                                  |       |            |                                                                                               |       |
|--------|----------------------------------------------------------------------------------|-------|------------|-----------------------------------------------------------------------------------------------|-------|
| ZARMS  | Flip-Up Arm Supports – 10” pad (pr)<br>– not compatible with Z7FL / Z7TR / Z7PAM | Std   | ZTRL       | Molded Arm Trough <sup>1</sup> – Left<br>(18.5”L x 4.5”W)                                     | \$125 |
| ZARML  | Flip-Up Arm Supports – 13” pad (pr)                                              | N/C   | ZTRR       | Molded Arm Trough <sup>1</sup> – Right<br>(18.5”L x 4.5”W)                                    | \$125 |
| ZALK   | Arm Support Lock Kit (pr)                                                        | \$86  | ZPAML      | Pivoting Arm Mount – Left<br>(For ZFAPLL/ZTRL)                                                | \$185 |
| ZASK05 | Arm Spacer Kit – ½” per side (pr)<br>For Adjusta-backs                           | \$69  | ZPAMR      | Pivoting Arm Mount – Right<br>(For ZFAPLR/ ZTRR)                                              | \$185 |
| ZASK10 | Arm Spacer Kit – 1” per side (pr)<br>For Adjusta-backs                           | \$130 | ZPHG       | Pivoting Hand Grips (pr)                                                                      | \$440 |
| Z7FSL  | Short Molded Flat Armpad – Left<br>(10”L x 3”W – for Z5BAR10)                    | \$90  | ZAPSB __ * | Anterior Posture Support Bar<br>* Enter back frame width to complete<br>code (14”/16”/18”)³,⁴ | \$215 |
| Z7FSR  | Short Molded Flat Armpad – Right<br>(10”L x 3”W – for Z5BAR10)                   | \$90  | ZAPSB __ * | Anterior Posture Support Bar<br>* Enter back frame width to complete<br>code (20”/22”/24”)³,⁴ | \$250 |
| ZFAPLL | Long Molded Flat Armpad <sup>2</sup> – Left<br>(14”L x 3.25”W – for Z5BAR13)     | \$90  |            |                                                                                               |       |
| ZFAPLR | Long Molded Flat Armpad <sup>2</sup> – Right<br>(14”L x 3.25”W – for Z5BAR13)    | \$90  |            |                                                                                               |       |

<sup>1</sup> For chairs with same back width and frame width only

<sup>2</sup> May require ZPAM for Arm Support to flip up and/or for lateral supports to swing away

<sup>3</sup> Not available with ZFL / ZTR

<sup>4</sup> Special length required with ZASK05 (+1”) and ZASK10 (+2”).

**8. Foot and Leg Supports**

|          |                                                              |       |          |                                                                                 |       |
|----------|--------------------------------------------------------------|-------|----------|---------------------------------------------------------------------------------|-------|
| ZMX8C    | MX8 Foot Supports 8”-12” (pr)                                | N/C   | ZVS __ * | V-Style Foot Support (1-piece)<br>* Enter frame width to complete code<br>(20”) | \$360 |
| ZMX12C   | MX12 Foot Supports 12”-16.5” (pr)                            | Std   |          |                                                                                 |       |
| ZFS      | Foot Supports 16”-20.5” (pr)                                 | N/C   | ZFBT     | Flip-Back Foot Support (1-piece) with<br>calf pads – 16”-20.5”                  | \$505 |
| ZFS16    | Foot Supports for 16”W frames<br>16”-20.5” (pr)              | N/C   |          |                                                                                 |       |
| ZADM     | Angle/Depth Adj Molded Footplates (pr)                       | \$215 | ZELRL    | Elevating Leg Support – Left<br>(includes Z7ADM)                                | \$545 |
| ZADABS16 | Angle/Depth Adj ABS Footplates (pr)<br>For 16”W frames       | \$215 | ZELRR    | Elevating Leg Support – Right<br>(includes Z7ADM)                               | \$545 |
| ZVS      | V-Style Foot Support (1-piece) – for<br>16”/18”W base frames | \$325 | ZRLSL    | Universal Residual Limb Support – Left                                          | \$215 |
|          |                                                              |       | ZRLSR    | Universal Residual Limb Support – Right                                         | \$215 |

## 9. Foot and Leg Support Accessories

|         |                                                                                               |       |          |                                                                                                         |      |
|---------|-----------------------------------------------------------------------------------------------|-------|----------|---------------------------------------------------------------------------------------------------------|------|
| ZFSLK   | Foot Support Lock (pr)                                                                        | \$105 | ZNC      | Neoprene Covers for Standard Footplates (Each Per Side)                                                 | \$51 |
| ZCS_*   | Snap-On Calf Strap – Bodypoint Aeromesh* Enter frame width to complete code (16"/18"/20"/22") | \$150 | ZNC16    | Neoprene Covers for narrow molded footplates (Each Per Side)                                            | \$51 |
| ZCSIC_* | Snap-On Infection Control Calf Strap * Enter seat frame width to complete code (16"/18")      | \$140 | ZNCA     | Neoprene Covers for Adj Angle/Depth Molded Footplates (Each Per Side)                                   | \$51 |
| ZCPL    | Calf Panel – Bodypoint Aeromesh <sup>1</sup> Fits frame widths (16"/18"/20")                  | \$200 | ZNCABS16 | Neoprene Covers for ABS Adj Angle/Depth Footplates Z7ADABS (Each Per Side)                              | \$51 |
| ZHS1820 | H-Strap – for 18"/20"W frames – hook and loop attachment                                      | \$100 | ZLMOR    | Lateral Offset Foot Support Receiver – moves foot support 2" laterally or medially Quantity (1 or 2) __ | \$90 |
| ZHS2224 | H-Strap – for 22"W frames – hook and loop attachment                                          | \$125 |          |                                                                                                         |      |
| ZAHL    | Adjustable Heel Loops (pr) – not available for ZVS/ZFBT                                       | \$69  |          |                                                                                                         |      |

<sup>1</sup> Not compatible with ZMFX8 / ZFBAS / ZVS

## 10. Positioning Pads

|        |                                                                                |       |                                              |                                                                       |       |
|--------|--------------------------------------------------------------------------------|-------|----------------------------------------------|-----------------------------------------------------------------------|-------|
| ZHSP1  | Head Support Pad – Small (10" x 4")                                            | Std   | <b>Hip Adductors for 4" narrower backs</b>   |                                                                       |       |
| ZHSP2  | Head Support Pad – Large (12" x 6")                                            | \$59  | ZHP4C1L                                      | Hip Adductor for 4" narrower back w/ Small Pad <sup>1</sup> – Left    | \$365 |
| ZOHIP  | Lateral Offset Head Support Interface Plate – provides up to 22° of adjustment | \$86  | ZHP4C1R                                      | Hip Adductor for 4" narrower back w/ Small Pad <sup>1</sup> – Right   | \$365 |
| ZLTS1L | Lateral Thoracic Support w/ Small Pad <sup>1,2</sup> – Left                    | \$365 | ZHP4C2L                                      | Hip Adductor for 4" narrower back Large Pad <sup>1</sup> – Left       | \$365 |
| ZLTS1R | Lateral Thoracic Support w/ Small Pad <sup>1,2</sup> – Right                   | \$365 | ZHP4C2R                                      | Hip Adductor for 4" narrower back w/ Large Pad <sup>1</sup> – Right   | \$365 |
| ZLTS2L | Lateral Thoracic Support w/ Large Pad <sup>1,2</sup> – Left                    | \$365 | <b>Hip Adductors for 0-2" narrower backs</b> |                                                                       |       |
| ZLTS2R | Lateral Thoracic Support w/ Large Pad <sup>1,2</sup> – Right                   | \$365 | ZHP02C1L                                     | Hip Adductor for 0-2" narrower back w/ Small Pad <sup>1</sup> – Left  | \$365 |
| ZLAEP  | Lateral/Adductor Extension Plate (5.5" x 3.5")                                 | \$27  | ZHP02C1R                                     | Hip Adductor for 0-2" narrower back w/ Small Pad <sup>1</sup> – Right | \$365 |
| ZLGT1L | Leg Adductor w/ Small Pad <sup>1</sup> – Left                                  | \$365 | ZHP02C2L                                     | Hip Adductor for 0-2" narrower back w/ Large Pad <sup>1</sup> – Left  | \$365 |
| ZLGT1R | Leg Adductor w/ Small Pad <sup>1</sup> – Right                                 | \$365 | ZHP02C2R                                     | Hip Adductor for 0-2" narrower back w/ Large Pad <sup>1</sup> – Right | \$365 |
| ZLGT2L | Leg Adductor w/ Large Pad <sup>1</sup> – Left                                  | \$365 |                                              |                                                                       |       |
| ZLGT2R | Leg Adductor w/ Large Pad <sup>1</sup> – Right                                 | \$365 |                                              |                                                                       |       |
| ZMTST1 | Medial Thigh Support – Small                                                   | \$495 |                                              |                                                                       |       |
| ZMTST2 | Medial Thigh Support – Large                                                   | \$495 |                                              |                                                                       |       |

<sup>1</sup> Adjustable Pad Sizes: Small – 5.5" x 3.5" / Large – 6.75" x 4.3".

<sup>2</sup> Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For additional medial offset, specify ZLAEP extension plate.

## 11. Pelvic and Chest Belts – A chest belt should not be used without a pelvic belt

| Pelvic Belts                                                                                                                                                                                                                                                                        |                                                                                                            |        | Chest Belts           |                                                                                                            |                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|--------|-----------------------|------------------------------------------------------------------------------------------------------------|---------------------|
| ZPBS                                                                                                                                                                                                                                                                                | Pelvic Belt – Small (frame widths 14"-16", 2-piece w/ side-release buckle)                                 | \$48   | ZCBS                  | Chest Belt <sup>2</sup> – Small (back widths 14"-16" 1-piece w/ hook and loop closure)                     | \$37                |
| ZPBM                                                                                                                                                                                                                                                                                | Pelvic Belt – Medium (frame widths 16"-18", 2-piece w/ side-release buckle)                                | \$59   | ZCBM                  | Chest Belt <sup>2</sup> – Medium (back widths 16"-18", 1-piece w/ hook and loop closure)                   | \$42                |
| ZPBL                                                                                                                                                                                                                                                                                | Pelvic Belt – Large (frame widths 18"-22", 2-piece w/ side-release buckle)                                 | \$54   | ZCBL                  | Chest Belt <sup>2</sup> – Large (back widths 18"-22", 1-piece w/ hook and loop closure)                    | \$54                |
| ZPBICS                                                                                                                                                                                                                                                                              | Infection Control Pelvic Belt <sup>1</sup> – Small (frame widths 14"-16", 2-piece w/ side-release buckle)  | \$105  | ZCBICS                | Infection Control Chest Belt <sup>1,2</sup> – Small (back widths 14"-16", 1-piece w/ side-release buckle)  | \$86                |
| ZPBICM                                                                                                                                                                                                                                                                              | Infection Control Pelvic Belt <sup>1</sup> – Medium (frame widths 16"-18", 2-piece w/ side-release buckle) | \$105  | ZCBICM                | Infection Control Chest Belt <sup>1,2</sup> – Medium (back widths 16"-18", 1-piece w/ side-release buckle) | \$86                |
| ZPBICL                                                                                                                                                                                                                                                                              | Infection Control Pelvic Belt <sup>1</sup> – Large (frame widths 18"-22", 2-piece w/ side-release buckle)  | \$105  | ZCBICL                | Infection Control Chest Belt <sup>1,2</sup> – Large (back widths 18"-22", 1-piece w/ side-release buckle)  | \$96                |
| ZPBBP _ *                                                                                                                                                                                                                                                                           | Pelvic Belt – Bodypoint Aeromesh<br>* enter size to complete code (M / L)                                  | \$285  | ZCBBP _ *             | Chest Belt – Bodypoint Aeromesh<br>* enter size to complete code (M / L)                                   | \$295               |
| <b>Recommended sizes for Bodypoint belts</b>                                                                                                                                                                                                                                        |                                                                                                            | ZCBBPM | 16" - 18"W back frame | ZCBBPL                                                                                                     | 18"-22"W back frame |
|                                                                                                                                                                                                                                                                                     |                                                                                                            | ZPBBPM | 16" - 18"W seat frame | ZPBBPL                                                                                                     | 18"-22"W seat frame |
| <sup>1</sup> Non-absorbent belts – recommended for infection-control environments<br><sup>2</sup> Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM/ZCBL/ZCBXL). When the chair is supplied with a Harmony or Symphony Back, Chest Belt loops are provided. |                                                                                                            |        |                       |                                                                                                            |                     |

## 12. Other

|                                                                                                                                                                                                                          |                                                                                                                                                             |       |                                                                                                                                       |                                                                                               |        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------|
| ZDCLT                                                                                                                                                                                                                    | Directional Caster Lock – fits on one rear caster (facilitates steering)                                                                                    | \$185 | ZIHW                                                                                                                                  | Whizard – winged urine deflector <sup>3</sup>                                                 | \$74   |
| ZCUT4                                                                                                                                                                                                                    | 4" Caster Upgrade (4x)                                                                                                                                      | \$135 | ZBUDBH _ *                                                                                                                            | Bard Urine Drainage Bag Holder<br>* Enter seat frame width to complete code (16" / 18" / 20") | \$180  |
| ZATRR4                                                                                                                                                                                                                   | Rear Anti-Tippers for 4" casters <sup>1</sup> (pr)                                                                                                          | \$380 | ZSPKC22                                                                                                                               | CAT Self-Propel Kit – 22" wheels (includes anti-tippers)                                      | \$1695 |
| ZATRR5                                                                                                                                                                                                                   | Rear Anti-Tippers for 5" casters <sup>1</sup> (pr)                                                                                                          | \$380 | ZSPKC24                                                                                                                               | CAT Self-Propel Kit – 24" wheels (includes anti-tippers)                                      | \$1695 |
| ZPSK1                                                                                                                                                                                                                    | Commode Pan Spacer Kit <sup>2</sup> – 1" lower                                                                                                              | \$220 |                                                                                                                                       |                                                                                               |        |
| ZPSK2                                                                                                                                                                                                                    | Commode Pan Spacer Kit <sup>2</sup> – 2" lower                                                                                                              | \$235 |                                                                                                                                       |                                                                                               |        |
| ZPSK3                                                                                                                                                                                                                    | Commode Pan Spacer Kit <sup>2</sup> – 3" lower                                                                                                              | \$260 |                                                                                                                                       |                                                                                               |        |
| ZPSK4                                                                                                                                                                                                                    | Commode Pan Spacer Kit <sup>2</sup> – 4" lower                                                                                                              | \$275 |                                                                                                                                       |                                                                                               |        |
| ZTLS                                                                                                                                                                                                                     | Tilt Limit Spacers Pair – 1/2" spacers snap onto gas struts to limit tilt (1/2" reduces tilt range approx. 5°. Can be stacked for additional tilt limiting. | N/C   |                                                                                                                                       |                                                                                               |        |
| <sup>1</sup> Anti-Tippers will be mounted on the rear unless otherwise specified.<br><sup>2</sup> Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Reduces toilet bowl clearance height. |                                                                                                                                                             |       | <sup>3</sup> Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place. |                                                                                               |        |

**13. Credits and Omissions**

|       |                                        |       |      |                                     |       |
|-------|----------------------------------------|-------|------|-------------------------------------|-------|
| Z905  | Omit Commode Pan and Mounting Brackets | -\$20 | Z911 | Omit Molded Head Support Pad        | -\$20 |
| Z907C | Omit Foot Supports                     | -\$45 | Z912 | Omit Complete Head Support Assembly | -\$50 |

SOME ASSEMBLY OF RAZ PRODUCTS IS REQUIRED.

**14. Notes**

| Specifications                                                                                                                            | Raz-CAT (Attendant Tilt)                                                            |
|-------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Weight Capacity                                                                                                                           | 300 lbs                                                                             |
| Overall Width                                                                                                                             | Seat width plus 4.5"                                                                |
| Overall Length (with MFX12 foot supports and headrest adjusted to middle positions)                                                       |                                                                                     |
| <ul style="list-style-type: none"> <li>• at 0° tilt</li> <li>• at 40°</li> </ul>                                                          | 36.75" (rear casters trailing), 33.75" (rear casters leading)<br>44"                |
| Seat Depth                                                                                                                                | 11" or 16" depending on seat/cushion length                                         |
| Clearance Height (under seat)                                                                                                             |                                                                                     |
| <ul style="list-style-type: none"> <li>• with pan brackets</li> <li>• without pan brackets</li> </ul>                                     | 17"-21" (1" increments)<br>17.75"-21.75 (1" increments)                             |
| Clearance Width (to fit around toilet)                                                                                                    | 15.75" for standard 18"W seat frame. For other widths, seat frame width minus 2.25" |
| Arm Support Height - above molded seat (1/2" increments)                                                                                  |                                                                                     |
| <ul style="list-style-type: none"> <li>• 15"H Adjusta-Back</li> <li>• 18"H Adjusta-Back</li> <li>• 18"H Reclining Adjusta-Back</li> </ul> | 5.5"-8"<br>6.5"-9"<br>6.5"-9"                                                       |
| Seat-to-Floor Height (with molded seat)                                                                                                   | 21"                                                                                 |
| Product Weight                                                                                                                            | 55 lbs                                                                              |
| Frame and Hardware Material                                                                                                               | Stainless Steel (lifetime warranty against corrosion)                               |